
CYYZ – LFPG

Toronto Lester B Pearson Intl — Paris Charles De Gaulle

2024/03/29 0446Z

CYYZ VIE **V300** YOW **V360** SOKYE **V316** YQB **V360** ML **V341** ME **AR3** PN **AR1** YGV **RR2** YHR **BR1** BX **BR21** QX **V315** YQX +49.000_--50.000 **T** XETBO 5200N01000W CRK **N160** BOGMI **N160D** LIZAD **G4** LISEU LFPG

3466.97 nm / 6420.82 km



Notes

Using NAT tracks from 9/12/2015

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYZ APT	– –	43.67613 -79.62767	0 ft 0 m	–	Toronto Lester B Pearson Intl
VIE VOR	– –	44.66088 -77.88807	33,000 ft 10,058 m	95	–
MAZNA FIX	V300 AWY-LO	44.95417 -77.15694	17,000 ft 5,182 m	35	–
CELAR FIX	V300 AWY-LO	45.23056 -76.44944	17,000 ft 5,182 m	34	–
YOW VOR	V300 AWY-LO	45.44165 -75.89696	17,000 ft 5,182 m	26	–
BIVGO FIX	V360 AWY-LO	45.65015 -75.19837	17,000 ft 5,182 m	31	–
YMX VOR	V360 AWY-LO	45.88833 -74.37567	17,000 ft 5,182 m	37	–
UFX NDB	V360 AWY-LO	46.19225 -73.41903	17,000 ft 5,182 m	43	ST-FELIX-DE-VALOI NDB
SOKYE FIX	V360 AWY-LO	46.35889 -72.85139	17,000 ft 5,182 m	25	–
PESAC FIX	V316 AWY-LO	46.54889 -72.18694	17,000 ft 5,182 m	29	–
YQB VOR	V316 AWY-LO	46.70531 -71.62625	17,000 ft 5,182 m	24	QUEBEC VORTAC
GADAL FIX	V360 AWY-LO	47.09722 -71.07889	17,000 ft 5,182 m	32	–
ML NDB	V360 AWY-LO	47.62333 -70.32500	17,000 ft 5,182 m	44	CHARLEVOIX NDB
YYY DME	V341 AWY-LO	48.61214 -68.20899	17,000 ft 5,182 m	103	MONT JOLI VOR-DME
ME NDB	V341 AWY-LO	48.83339 -67.54944	17,000 ft 5,182 m	29	MATANE NDB
PN NDB	AR3 AWY-LO	49.83756 -64.38628	17,000 ft 5,182 m	137	PORT MENIER NDB
YGV NDB	AR1 AWY-LO	50.26472 -63.66517	17,000 ft 5,182 m	37	HAVRE ST-PIERRE NDB
YNA VOR	RR2 AWY-LO	50.18361 -61.78083	17,000 ft 5,182 m	72	NATASH VOR-DME
VIGSO FIX	RR2 AWY-LO	50.29861 -60.94333	17,000 ft 5,182 m	32	–
SATIS FIX	RR2 AWY-LO	50.42222 -59.98167	17,000 ft 5,182 m	37	–
YHR NDB	RR2 AWY-LO	50.46481 -59.63417	17,000 ft 5,182 m	13	CHEVERY NDB
BX NDB	BR1 AWY-LO	51.42133 -57.20292	17,000 ft 5,182 m	108	BLANC-SABLON NDB
QX NDB	BR21 AWY-LO	48.96444 -54.66833	17,000 ft 5,182 m	176	GANDER NDB
YQX VOR	V315 AWY-LO	48.89958 -54.53500	17,000 ft 5,182 m	6	GANDER VOR-DME
+49.000_--50.000 LATLON	– –	49.00000 -50.00000	35,000 ft 10,668 m	178	–
+50.000_--40.000 LATLON	T NAT	50.00000 -40.00000	35,000 ft 10,668 m	394	–
+51.000_--30.000	T	51.00000	35,000 ft	386	–

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	NAT	-30.00000	10,668 m		
+52.000_--20.000	T	52.00000	35,000 ft	378	-
LATLON	NAT	-20.00000	10,668 m		
LIMRI	T	52.00000	35,000 ft	184	-
FIX	NAT	-15.00000	10,668 m		
XETBO	T	52.00000	35,000 ft	36	-
FIX	NAT	-14.00000	10,668 m		
5200N01000W	-	52.00000	35,000 ft	147	-
LATLON	-	-10.00000	10,668 m		
CRK	-	51.84061	35,000 ft	56	CORK VOR-DME
VOR	-	-8.49427	10,668 m		
ERTER	N160	51.56194	23,500 ft	23	-
FIX	AWY-LO	-8.06028	7,163 m		
LEDGO	N160	51.24000	23,500 ft	26	-
FIX	AWY-LO	-7.56806	7,163 m		
BOGMI	N160	50.99806	23,500 ft	19	-
FIX	AWY-LO	-7.20472	7,163 m		
INSUN	N160D	50.39577	23,500 ft	49	-
FIX	AWY-LO	-6.32430	7,163 m		
LND	N160D	50.13626	23,500 ft	30	LANDS END VOR-DME
VOR	AWY-LO	-5.63699	7,163 m		
LIZAD	N160D	49.59028	23,500 ft	60	-
FIX	AWY-LO	-4.33028	7,163 m		
TUNIT	G4	49.38139	19,500 ft	53	-
FIX	AWY-LO	-3.00000	5,944 m		
JSY	G4	49.22111	19,500 ft	38	JERSEY VOR-DME
VOR	AWY-LO	-2.04611	5,944 m		
LUSIT	G4	49.21472	19,500 ft	9	-
FIX	AWY-LO	-1.79556	5,944 m		
CAN	G4	49.17319	19,500 ft	52	CAEN CARPIQUET VOR
VOR	AWY-LO	-0.45528	5,944 m		
CAN08	G4	49.15500	19,500 ft	8	-
FIX	AWY-LO	-0.25000	5,944 m		
LISEU	G4	49.10333	17,200 ft	25	-
FIX	AWY-LO	0.40194	5,243 m		
LFPG	-	49.00974	0 ft	85	Paris Charles De Gaulle
APT	-	2.56262	0 m		

CYYZ

Region: CANADA
Timezone: AMERICA/TORONTO
Runways: 5

Elevation: 564 ft / 172 m
Location: 43.676100 -79.627700
Magnetic Var: 10.261 W

METAR

CYYZ 290400Z 28003KT 15SM SKC 02/M03 A2995 RMK SLP151

TAF

TAF CYYZ 290240Z 2903/3006 29006KT P6SM FEW060 BECMG 2906/2908 34010KT FM291500 30012G22KT P6SM BKN040 FM300000 3

Frequencies

TWR - 118.35 MHz - TORONTO TOWER
GND - 119.10 MHz - TORONTO GROUND
GND - 121.90 MHz - TORONTO GROUND
REC - 133.10 MHz - ATIS
APP - 132.80 MHz - TORONTO APPROACH
APP - 125.40 MHz - TORONTO APPROACH
DEP - 127.57 MHz - TORONTO DEPARTURE

TWR - 118.70 MHz - TORONTO TOWER
GND - 121.65 MHz - TORONTO GROUND
REC - 120.82 MHz - ATIS
CLD - 121.30 MHz - CLEARANCE DELIVERY
APP - 124.47 MHz - TORONTO APPROACH
APP - 123.27 MHz - LONDON RADIO
DEP - 128.80 MHz - TORONTO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft 60 m	9,707 ft 2,959 m	46.43 56.69	ASPHALT	0 ft 0 m	131 ft 40 m
24R	197 ft 60 m	9,707 ft 2,959 m	226.45 236.71	ASPHALT	194 ft 59 m	98 ft 30 m
06R	197 ft 60 m	9,007 ft 2,745 m	46.43 56.69	ASPHALT	0 ft 0 m	95 ft 29 m
24L	197 ft 60 m	9,007 ft 2,745 m	226.45 236.71	ASPHALT	0 ft 0 m	95 ft 29 m
05	197 ft 60 m	11,128 ft 3,392 m	46.39 56.65	ASPHALT	141 ft 43 m	141 ft 43 m
23	197 ft 60 m	11,128 ft 3,392 m	226.41 236.68	ASPHALT	492 ft 150 m	141 ft 43 m
15L	197 ft 60 m	11,061 ft 3,372 m	136.64 146.90	ASPHALT	0 ft 0 m	92 ft 28 m
33R	197 ft 60 m	11,061 ft 3,372 m	316.66 326.92	ASPHALT	0 ft 0 m	89 ft 27 m
15R	197 ft 60 m	9,097 ft 2,773 m	136.62 146.88	ASPHALT	597 ft 182 m	0 ft 0 m
33L	197 ft 60 m	9,097 ft 2,773 m	316.64 326.90	ASPHALT	591 ft 180 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24L	DME	IIDP	111.95 MHz	18 nm 33 km	- -	-	568 ft 568 m
24R	DME	INV	109.30 MHz	18 nm 33 km	- -	-	546 ft 546 m
05	LOC-ILS	ITX	109.70 MHz	18 nm 33 km	46.40 56.66	-	564 ft 564 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IJS	109.10 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
06R	LOC-ILS	ICV	111.95 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
15L	LOC-ILS	IRW	110.50 MHz	18 nm 33 km	136.65 146.91	-	564 ft 564 m
15R	LOC-ILS	ILP	110.95 MHz	18 nm 33 km	136.63 146.89	-	564 ft 564 m
23	LOC-ILS	IYZ	111.50 MHz	18 nm 33 km	226.40 236.66	-	564 ft 564 m
24L	LOC-ILS	IDP	111.95 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
24R	LOC-ILS	INV	109.30 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
33L	LOC-ILS	ITO	110.95 MHz	18 nm 33 km	316.63 326.89	-	564 ft 564 m
33R	LOC-ILS	ILE	110.30 MHz	18 nm 33 km	316.65 326.91	-	564 ft 564 m
05	GS	ITX	109.70 MHz	10 nm 19 km	46.40 56.66	3.00	564 ft 564 m
06L	GS	IJS	109.10 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
06R	GS	ICV	111.95 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
15L	GS	IRW	110.50 MHz	10 nm 19 km	136.65 146.91	3.00	564 ft 564 m
15R	GS	ILP	110.95 MHz	10 nm 19 km	136.63 146.89	3.00	564 ft 564 m
23	GS	IYZ	111.50 MHz	10 nm 19 km	226.40 236.66	3.00	564 ft 564 m
24L	GS	IIDP	111.95 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
24R	GS	INV	109.30 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
33L	GS	ITO	110.95 MHz	10 nm 19 km	316.63 326.89	3.00	564 ft 564 m
33R	GS	ILE	110.30 MHz	10 nm 19 km	316.65 326.91	3.00	564 ft 564 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.480 E

METAR

LFPG 290430Z 22013KT 9999 BKN016 10/07 Q0991 NOSIG

TAF

TAF LFPG 282300Z 2900/3006 16010KT CAVOK TX14/2915Z TN07/2905Z TEMPO 2900/2904 4000 RA BKN040 PROB40 TEMPO 2905/2

Frequencies

REC - 128.32 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER
GND - 125.30 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 119.85 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE

REC - 127.12 MHz - ATIS
TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 123.60 MHz - DE GAULLE TOWER
GND - 121.90 MHz - DE GAULLE GROUND
GND - 121.70 MHz - DE GAULLE GROUND
APP - 118.15 MHz - DE GAULLE APPROACH
APP - 121.15 MHz - DE GAULLE APPROACH
APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft 45 m	13,713 ft 4,180 m	85.31 83.83	ASPHALT	0 ft 0 m	489 ft 149 m
26R	148 ft 45 m	13,713 ft 4,180 m	265.35 263.87	ASPHALT	1,877 ft 572 m	279 ft 85 m
09L	197 ft 60 m	8,866 ft 2,703 m	85.32 83.84	ASPHALT	0 ft 0 m	0 ft 0 m
27R	197 ft 60 m	8,866 ft 2,703 m	265.35 263.87	ASPHALT	0 ft 0 m	0 ft 0 m
08R	197 ft 60 m	8,833 ft 2,692 m	85.33 83.85	ASPHALT	0 ft 0 m	489 ft 149 m
26L	197 ft 60 m	8,833 ft 2,692 m	265.35 263.87	ASPHALT	0 ft 0 m	486 ft 148 m
09R	148 ft 45 m	13,746 ft 4,190 m	85.30 83.82	ASPHALT	0 ft 0 m	0 ft 0 m
27L	148 ft 45 m	13,746 ft 4,190 m	265.34 263.86	ASPHALT	1,959 ft 597 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm 33 km	- -	-	358 ft 358 m
09L	DME	PNE	109.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
09R	DME	CGE	110.10 MHz	18 nm 33 km	- -	-	392 ft 392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	– –	–	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	– –	–	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	– –	–	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.85	–	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.86	–	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.85	–	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.84	–	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.86	–	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.85	–	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.84	–	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.85	–	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.85	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.86	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.85	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.84	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.86	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.85	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.84	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.85	3.00	392 ft 392 m