


2024/05/02 0956Z

OPMT RAJAN J119 SK G214 PG PG G665 ASVIB N312 SOLUV M316 KATUS A791 IMLOT OMDB

954.44 nm / 1767.63 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OPMT	-	30.20530	0 ft	-	Multan Intl
APT	-	71.41930	0 m		
RAJAN	-	29.65030	16,300 ft	45	-
FIX	-	70.81640	4,968 m		
SK	J119	27.72230	35,000 ft	157	SUKKUR
NDB	AWY-HI	68.79610	10,668 m		
IDEBA	G214	27.45830	35,000 ft	85	-
FIX	AWY-HI	67.22720	10,668 m		
PG	G214	26.95280	35,000 ft	167	PANJGUR
VOR	AWY-HI	64.13700	10,668 m		
PG	-	26.95560	35,000 ft	0	PANJGUR VOR-DME
DME	-	64.12530	10,668 m		
ASVIB	G665	26.95670	35,000 ft	44	-
FIX	AWY-HI	63.30330	10,668 m		
VAXIP	N312	26.71310	35,000 ft	143	-
FIX	AWY-HI	60.63250	10,668 m		
SOLUV	N312	26.69920	35,000 ft	20	-
FIX	AWY-HI	60.25920	10,668 m		
NAGES	M316	26.41420	35,000 ft	32	-
FIX	AWY-HI	59.75390	10,668 m		
SEVDA	M316	26.03810	35,000 ft	41	-
FIX	AWY-HI	59.09690	10,668 m		
KATUS	M316	25.26670	28,000 ft	84	-
FIX	AWY-HI	57.78330	8,534 m		
IMLOT	A791	25.28560	20,500 ft	35	-
FIX	AWY-HI	57.13440	6,248 m		
OMDB	-	25.25110	0 ft	95	Dubai Intl
APT	-	55.37110	0 m		

OPMT

Region: PAKISTAN
Timezone: ASIA/KARACHI
Runways: 1

Elevation: 403 ft / 123 m
Location: 30.205300 71.419300
Magnetic Var: 2.300 E

METAR

OPMT 020930Z 18008KT 4000 HZ NSC 35/07 Q1004 NOSIG

TAF

TAF TAF OPMT 020500Z 0206/0312 18010KT 5000 HZ FEW100 TX36/0210Z TN20/0301Z PROB30 TEMPO 0301/0305 31005KT 2500 F

Frequencies

REC - 126.25 MHz - ATIS
TWR - 119.10 MHz - MULTAN TOWER
GND - 121.80 MHz - MULTAN GROUND
APP - 122.60 MHz - MULTAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	151 ft	10,545 ft	183.35	CONCRETE	0 ft	0 ft
	46 m	3,214 m	181.05		0 m	0 m
36	151 ft	10,545 ft	3.35	CONCRETE	0 ft	0 ft
	46 m	3,214 m	1.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	LOC-ILS	IMT	110.30 MHz	18 nm	3.35	-	403 ft
				33 km	1.05		403 m
36	GS	IMT	110.30 MHz	10 nm	3.35	3.00	403 ft
				19 km	1.05		403 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.351 E

METAR

OMDB 020900Z 14011KT 9999 -RA SCT025 24/21 Q1007 WS ALL RWY TEMPO VRB15G30KT 3000 SHRA FEW030CB

TAF

TAF OMDB 020500Z 0206/0312 35012KT 6000 SCT030 PROB40 TEMPO 0206/0213 VRB20G45KT 1500 TSRA BLDU BKN030CB BECMG 0206/0312 35012KT 6000 SCT030

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m