

# EKCH

Kastrup


# ESNN

Sundsvall Harnosand/Midlanda

2024/05/05 0411Z

EKCH RISMA **N15** NEGIL **M852** DEGED ESNN

457.83 nm / 847.90 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EKCH APT	-	55.61790 12.65600	0 ft 0 m	-	Kastrup
RISMA FIX	-	57.04190 11.97920	31,500 ft 9,601 m	88	-
DEGAV FIX	N15 AWY-HI	57.72810 12.34020	35,000 ft 10,668 m	42	-
NEGIL FIX	N15 AWY-HI	58.25130 12.62530	35,000 ft 10,668 m	32	-
OGIRO FIX	M852 AWY-HI	58.77060 13.12780	35,000 ft 10,668 m	34	-
LEGPO FIX	M852 AWY-HI	60.04610 14.43830	35,000 ft 10,668 m	86	-
DEGED FIX	M852 AWY-HI	62.10030 16.81220	6,600 ft 2,012 m	141	-
ESNN APT	-	62.52780 17.44430	0 ft 0 m	31	Sundsvall Harnosand/Midlanda

## EKCH

Region: DENMARK / FAROE ISLANDS  
Timezone: EUROPE/COPENHAGEN  
Runways: 3

Elevation: 17 ft / 5 m  
Location: 55.617900 12.656000  
Magnetic Var: 4.669 E

## METAR

EKCH 050350Z 11004KT 3000 BR FEW005 SCT020 10/09 Q1010 TEMPO 5000 BR

## TAF

TAF EKCH 042322Z 0500/0524 11002KT 9999 SCT025 TEMPO 0500/0505 2000 BR TEMPO 0505/0509 SHRA SCT030CB BECMG 0509/0512 11002KT 3000 BR

## Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.48		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.58		270 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.49		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.51		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.58		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.48		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.66		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.66		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m

## ESNN

Region: SWEDEN  
Timezone: UNKNOWN  
Runways: 1

Elevation: 17 ft / 5 m  
Location: 62.527800 17.444300  
Magnetic Var: 7.540 E

## METAR

ESNN 050350Z AUTO 34003KT 9999 NCD 01/00 Q1015

## TAF

UNKNOWN

## Frequencies

REC - 127.40 MHz - ATIS

TWR - 129.55 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	149 ft	6,889 ft	160.19	ASPHALT	538 ft	0 ft
	45 m	2,100 m	152.65		164 m	0 m
34	149 ft	6,889 ft	340.20	ASPHALT	436 ft	0 ft
	45 m	2,100 m	332.66		133 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	NNN	108.70 MHz	18 nm	160.19	-	16 ft
				33 km	152.65		16 m
34	LOC-ILS	SNN	110.30 MHz	18 nm	340.17	-	16 ft
				33 km	332.63		16 m
16	GS	NNN	108.70 MHz	10 nm	160.38	3.25	16 ft
				19 km	152.84		16 m
34	GS	SNN	110.30 MHz	10 nm	340.38	3.00	16 ft
				19 km	332.84		16 m