

OMDW

Al Maktoum Intl


OJAM

MARKA INTL

2024/05/05 0329Z

OMDW PURLI **N571** ALPOB **UL768** JBL JBL **UL768** AAR **Q54** TOMDA **T256** GRY OJAM

1115.84 nm / 2066.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDW	-	24.88150	0 ft	-	Al Maktoum Intl
APT	-	55.16070	0 m		
PURLI	-	25.61220	35,000 ft	104	-
FIX	-	53.41000	10,668 m		
ALPOB	N571	25.70500	35,000 ft	22	-
FIX	AWY-LO	53.01530	10,668 m		
ROTAG	UL768	25.89810	35,000 ft	24	-
FIX	AWY-HI	52.60580	10,668 m		
SOLEG	UL768	26.03310	35,000 ft	18	-
FIX	AWY-HI	52.29890	10,668 m		
MODOG	UL768	26.17000	35,000 ft	18	-
FIX	AWY-HI	51.99310	10,668 m		
RAMKI	UL768	26.19390	35,000 ft	3	-
FIX	AWY-HI	51.94030	10,668 m		
RABLA	UL768	26.25160	35,000 ft	7	-
FIX	AWY-HI	51.80940	10,668 m		
SOLOB	UL768	26.37810	35,000 ft	17	-
FIX	AWY-HI	51.52560	10,668 m		
MEDMA	UL768	26.57260	35,000 ft	34	-
FIX	AWY-HI	50.91500	10,668 m		
ITOKO	UL768	26.62830	35,000 ft	10	-
FIX	AWY-HI	50.73780	10,668 m		
EGMOR	UL768	26.70300	35,000 ft	14	-
FIX	AWY-HI	50.48520	10,668 m		
ULADA	UL768	26.75750	35,000 ft	11	-
FIX	AWY-HI	50.27330	10,668 m		
JBL	UL768	27.01200	35,000 ft	48	JUBAIL
VOR	AWY-HI	49.41200	10,668 m		
JBL	-	27.03940	35,000 ft	1	JUBAIL VOR-DME
DME	-	49.40710	10,668 m		
VUTAT	UL768	27.16610	35,000 ft	15	-
FIX	AWY-HI	49.14750	10,668 m		
COPPI	UL768	27.84250	35,000 ft	85	-
FIX	AWY-HI	47.73310	10,668 m		
DUSBO	UL768	28.10440	35,000 ft	47	-
FIX	AWY-HI	46.88170	10,668 m		
GINVA	UL768	28.33050	35,000 ft	42	-
FIX	AWY-HI	46.12950	10,668 m		
VATIM	UL768	28.86000	35,000 ft	79	-
FIX	AWY-HI	44.74530	10,668 m		
RAF	UL768	29.62020	35,000 ft	79	RAFHA
VOR	AWY-HI	43.49800	10,668 m		
AAR	UL768	30.90800	35,000 ft	144	ARAR
VOR	AWY-HI	41.14220	10,668 m		
TOMDA	Q54	31.69330	32,100 ft	132	-
FIX	AWY-HI	38.73470	9,784 m		
GRY	T256	31.41260	15,900 ft	76	GURIAT
VOR	AWY-HI	37.28660	4,846 m		
OJAM	-	31.97270	0 ft	74	MARKA INTL
APT	-	35.99160	0 m		

OMDW

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 168 ft / 51 m
Location: 24.881500 55.160700
Magnetic Var: 2.306 E

METAR

OMDW 050300Z 15009KT CAVOK 30/18 Q1008 NOSIG

TAF

TAF OMDW 042300Z 0500/0606 15005KT 8000 NSC PROB30 0502/0504 4000 HZ BECMG 0506/0508 33012KT BECMG 0515/0517 VRB0

Frequencies

REC - 126.47 MHz - ATIS	TWR - 118.77 MHz - ACADEMY TOWER
TWR - 119.00 MHz - ACADEMY TOWER	TWR - 118.62 MHz - AL MAKTOUM TOWER
GND - 118.72 MHz - AL MAKTOUM GROUND	GND - 118.37 MHz - AL MAKTOUM GROUND
GND - 119.17 MHz - ACADEMY GROUND	APP - 122.50 MHz - MINHAD APPROACH
APP - 126.02 MHz - MINHAD APPROACH	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	DEP - 121.02 MHz - DUBAI DEPARTURE
APP - 126.02 MHz - AL MAKTOUM RADAR	APP - 124.02 MHz - AL MAKTOUM RADAR
APP - 120.40 MHz - DUBAI RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	98 ft	6,036 ft	121.39	ASPHALT	489 ft	197 ft
	30 m	1,840 m	119.08		149 m	60 m
31	98 ft	6,036 ft	301.39	ASPHALT	495 ft	197 ft
	30 m	1,840 m	299.09		151 m	60 m
12	200 ft	14,779 ft	121.40	ASPHALT	0 ft	390 ft
	61 m	4,505 m	119.09		0 m	119 m
30	200 ft	14,779 ft	301.41	ASPHALT	0 ft	390 ft
	61 m	4,505 m	299.11		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IJE A	111.75 MHz	18 nm	121.40	-	171 ft
				33 km	119.09		171 m
30	LOC-ILS	IJWA	109.75 MHz	18 nm	300.40	-	171 ft
				33 km	298.09		171 m
12	GS	IJE A	111.75 MHz	10 nm	121.40	3.00	171 ft
				19 km	119.09		171 m
30	GS	IJWA	109.75 MHz	10 nm	301.40	3.00	171 ft
				19 km	299.09		171 m

OJAM

Region: JORDAN AND THE WEST BANK
Timezone: ASIA/AMMAN
Runways: 1

Elevation: 2,555 ft / 779 m
Location: 31.972700 35.991600
Magnetic Var: 5.198 E

METAR

OJAM 050300Z 20002KT 5000 HZ FEW010 13/10 Q1012 NOSIG

TAF

TAF OJAM 042221Z 0500/0606 28010KT 5000 HZ NSC TEMPO 0512/0516 28020KT 3000 BLDU PROB40 TEMPO 0600/0606 3000 RA FE

Frequencies

GND - 121.70 MHz - AMMAN GND
APP - 128.90 MHz - AMMAN APP

TWR - 118.10 MHz - AMMAN TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,736 ft	64.03	ASPHALT	0 ft	735 ft
	45 m	3,272 m	58.84		0 m	224 m
24	148 ft	10,736 ft	244.05	ASPHALT	0 ft	394 ft
	45 m	3,272 m	238.85		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	LAMN	109.50 MHz	18 nm	244.07	-	2,557 ft
				33 km	238.87		2,557 m
24	GS	LAMN	109.50 MHz	10 nm	244.08	3.00	2,457 ft
				19 km	238.89		2,457 m