


2024/05/16 2116Z

EGPE FYNER EGAC

186.07 nm / 344.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGPE APT	-	57.54250 -4.04750	0 ft 0 m	-	Inverness
FYNER FIX	-	56.04890 -5.11528	19,200 ft 5,852 m	96	-
EGAC APT	-	54.61810 -5.87244	0 ft 0 m	89	George Best - Belfast City

EGPE

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 31 ft / 9 m
Location: 57.542500 -4.047500
Magnetic Var: 1.729 W

METAR

EGPE 162050Z 35002KT 8000 BKN008 12/11 Q1012

TAF

UNKNOWN

Frequencies

APP - 122.60 MHz - INVERNESS APPROACH
REC - 109.20 MHz - INVERNESS INFORMATION

TWR - 118.40 MHz - INVERNESS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	6,178 ft	49.43	ASPHALT	217 ft	0 ft
	46 m	1,883 m	51.16		66 m	0 m
23	150 ft	6,178 ft	229.45	ASPHALT	0 ft	0 ft
	46 m	1,883 m	231.18		0 m	0 m
11	59 ft	2,301 ft	109.59	ASPHALT	0 ft	0 ft
	18 m	701 m	111.32		0 m	0 m
29	59 ft	2,301 ft	289.60	ASPHALT	0 ft	0 ft
	18 m	701 m	291.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ILN	108.50 MHz	18 nm	-	-	43 ft
				33 km	-		43 m
23	DME	IDX	108.50 MHz	18 nm	-	-	43 ft
				33 km	-		43 m
05	LOC-ILS	ILN	108.50 MHz	18 nm	49.42	-	31 ft
				33 km	51.15		31 m
23	LOC-ILS	IDX	108.50 MHz	18 nm	229.39	-	31 ft
				33 km	231.12		31 m
05	GS	ILN	108.50 MHz	10 nm	49.81	3.00	31 ft
				19 km	51.54		31 m
23	GS	IDX	108.50 MHz	10 nm	229.81	3.00	31 ft
				19 km	231.54		31 m

EGAC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 15 ft / 5 m
Location: 54.618100 -5.872440
Magnetic Var: 2.010 W

METAR

EGAC 162050Z AUTO 35007KT 310V030 9999 FEW026 17/12 Q1007

TAF

UNKNOWN

Frequencies

APP - 130.85 MHz - BELFAST APPROACH
REC - 134.80 MHz - BELFAST RADAR

TWR - 122.82 MHz - BELFAST TOWER
REC - 136.62 MHz - BELFAST INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	150 ft	5,946 ft	34.69	ASPHALT	256 ft	0 ft
	46 m	1,812 m	36.70		78 m	0 m
22	150 ft	5,946 ft	214.70	ASPHALT	0 ft	0 ft
	46 m	1,812 m	216.71		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	HBD	108.10 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
22	DME	IBFH	108.10 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
22	LOC-ILS	IBFH	108.10 MHz	18 nm	214.70	-	15 ft
				33 km	216.71		15 m
04	LOC-ILS	IHBD	108.10 MHz	18 nm	34.70	-	15 ft
				33 km	36.71		15 m
22	GS	IBFH	108.10 MHz	10 nm	216.70	3.00	15 ft
				19 km	218.71		15 m
04	GS	IHBD	108.10 MHz	10 nm	34.70	3.00	15 ft
				19 km	36.71		15 m