

KBOS

General Edward Lawrence Logan Intl


EGKK

London Gatwick

2024/06/04 0650Z

KBOS CANAL **J575** TUSKY **N261A** JOOPY **Y** ELSOX 5100N01200W 5100N01100W 5100N01000W 5100N0900W LESLU
N514 BEKDA EGKK

2875.84 nm / 5326.05 km



Notes

Using NAT tracks from 24/2/2024

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBOS APT	-	42.36300 -71.00680	0 ft 0 m	-	General Edward Lawrence Logan Intl
CANAL FIX	-	42.66900 -70.02270	16,800 ft 5,121 m	47	-
TUSKY FIX	J575 AWY-HI	43.56500 -67.00000	35,000 ft 10,668 m	143	-
JOOPY FIX	N261A AWY-HI	48.50000 -52.00000	35,000 ft 10,668 m	690	-
49/50 LATLON	Y NAT	49.00000 -50.00000	35,000 ft 10,668 m	84	-
50/40 LATLON	Y NAT	50.00000 -40.00000	35,000 ft 10,668 m	394	-
51/30 LATLON	Y NAT	51.00000 -30.00000	35,000 ft 10,668 m	386	-
51/20 LATLON	Y NAT	51.00000 -20.00000	35,000 ft 10,668 m	377	-
DINIM FIX	Y NAT	51.00000 -15.00000	35,000 ft 10,668 m	188	-
ELSOX FIX	Y NAT	51.00000 -14.00000	35,000 ft 10,668 m	37	-
5100N01200W LATLON	- -	51.00000 -12.00000	35,000 ft 10,668 m	75	-
5100N01100W LATLON	- -	51.00000 -11.00000	35,000 ft 10,668 m	37	-
5100N01000W LATLON	- -	51.00000 -10.00000	35,000 ft 10,668 m	37	-
5100N0900W LATLON	- -	51.00000 -9.00000	35,000 ft 10,668 m	37	-
LESLU FIX	- -	51.00000 -8.00000	35,000 ft 10,668 m	37	-
PAVLO FIX	N514 AWY-HI	50.93470 -5.89556	35,000 ft 10,668 m	79	-
DIDEL FIX	N514 AWY-HI	50.84310 -3.99722	31,400 ft 9,571 m	72	-
BEKDA FIX	N514 AWY-HI	50.79690 -2.54583	19,600 ft 5,974 m	55	-
EGKK APT	- -	51.14880 -0.19192	0 ft 0 m	91	London Gatwick

KBOS

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 6

Elevation: 19 ft / 6 m
Location: 42.363000 -71.006800
Magnetic Var: 14.283 W

METAR

KBOS 040554Z 10005KT 10SM SCT095 14/13 A3001 RMK AO2 SLP162 T01440128 10167 20144 51013

TAF

TAF KBOS 040535Z 0406/0512 10006KT P6SM SCT100 FM041400 09010KT P6SM SCT250 FM050000 16007KT P6SM BKN250 FM050300

Frequencies

REC - 135.00 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 121.65 MHz - CLEARANCE DELIVERY	GND - 121.75 MHz - BOSTON GROUND
GND - 121.90 MHz - BOSTON GROUND	TWR - 128.80 MHz - BOSTON TOWER
TWR - 124.72 MHz - BOSTON TOWER	TWR - 132.22 MHz - BOSTON TOWER
APP - 118.25 MHz - BOSTON APPROACH	APP - 120.60 MHz - BOSTON APPROACH
APP - 127.20 MHz - BOSTON APPROACH	DEP - 133.00 MHz - BOSTON DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	148 ft	10,092 ft	135.27	ASPHALT	883 ft	197 ft
	45 m	3,076 m	149.55		269 m	60 m
33L	148 ft	10,092 ft	315.29	ASPHALT	0 ft	167 ft
	45 m	3,076 m	329.57		0 m	51 m
04R	148 ft	10,012 ft	19.69	ASPHALT	1,155 ft	420 ft
	45 m	3,052 m	33.97		352 m	128 m
22L	148 ft	10,012 ft	199.69	ASPHALT	1,201 ft	200 ft
	45 m	3,052 m	213.98		366 m	61 m
04L	148 ft	7,871 ft	19.66	ASPHALT	0 ft	1,250 ft
	45 m	2,399 m	33.94		0 m	381 m
22R	148 ft	7,871 ft	199.66	ASPHALT	820 ft	200 ft
	45 m	2,399 m	213.94		250 m	61 m
09	148 ft	7,008 ft	76.51	ASPHALT	0 ft	932 ft
	45 m	2,136 m	90.79		0 m	284 m
27	148 ft	7,008 ft	256.53	ASPHALT	0 ft	161 ft
	45 m	2,136 m	270.81		0 m	49 m
14	98 ft	5,005 ft	125.76	ASPHALT	0 ft	0 ft
	30 m	1,526 m	140.04		0 m	0 m
32	98 ft	5,005 ft	305.77	ASPHALT	0 ft	801 ft
	30 m	1,526 m	320.05		0 m	244 m
15L	98 ft	2,558 ft	135.31	ASPHALT	0 ft	305 ft
	30 m	780 m	149.59		0 m	93 m
33R	98 ft	2,558 ft	315.31	ASPHALT	0 ft	59 ft
	30 m	780 m	329.59		0 m	18 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IBOS	110.30 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
15R	DME	IMDC	110.70 MHz	18 nm	-	-	27 ft
				33 km	-		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22L	DME	ILQN	110.30 MHz	18 nm 33 km	- -	-	35 ft 35 m
27	DME	IDGU	111.30 MHz	18 nm 33 km	- -	-	28 ft 28 m
33L	DME	ILIP	110.70 MHz	18 nm 33 km	- -	-	19 ft 19 m
04R	LOC-ILS	IBOS	110.30 MHz	18 nm 33 km	19.68 33.96	-	20 ft 20 m
15R	LOC-ILS	IMDC	110.70 MHz	18 nm 33 km	135.28 149.56	-	20 ft 20 m
22L	LOC-ILS	ILQN	110.30 MHz	18 nm 33 km	199.68 213.96	-	20 ft 20 m
27	LOC-ILS	IDGU	111.30 MHz	18 nm 33 km	256.52 270.80	-	20 ft 20 m
33L	LOC-ILS	ILIP	110.70 MHz	18 nm 33 km	315.28 329.56	-	20 ft 20 m
04R	GS	IBOS	110.30 MHz	10 nm 19 km	19.68 33.96	3.00	20 ft 20 m
15R	GS	IMDC	110.70 MHz	10 nm 19 km	135.28 149.56	3.00	20 ft 20 m
22L	GS	ILQN	110.30 MHz	10 nm 19 km	199.68 213.96	3.00	20 ft 20 m
27	GS	IDGU	111.30 MHz	10 nm 19 km	256.52 270.80	3.00	20 ft 20 m
33L	GS	ILIP	110.70 MHz	10 nm 19 km	315.28 329.56	3.00	20 ft 20 m

EGKK

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 187 ft / 57 m
Location: 51.148800 -0.191923
Magnetic Var: 0.505 E

METAR

EGKK 040620Z 19002KT 9999 BKN037 16/14 Q1014

TAF

TAF EGKK 040456Z 0406/0512 VRB02KT 9999 SCT035 BECMG 0406/0409 23012KT PROB40 TEMPO 0415/0421 6000 RA PROB30 TEMPO

Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.09		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.13		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.08		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.11		414 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.12		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.12		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.12		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.12		187 m