


2024/05/04 0145Z

PAQH BET PABE

62.31 nm / 115.39 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAQH	-	59.75700	0 ft	-	Quinhagak
APT	-	-161.87900	0 m		
BET	-	60.78480	100 ft	61	BETHEL
VOR	-	-161.82400	30 m		
PABE	-	60.77850	0 ft	0	Bethel
APT	-	-161.83800	0 m		

## PABE

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 128 ft / 39 m

Location: 60.778500 -161.838000

Magnetic Var: 9.568 E

## METAR

PABE 040053Z 07014G22KT 10SM -RA OVC050 07/03 A2933 RMK A02 RAB2359 SLP933 P0000 T00720033

## TAF

PABE 032336Z 0400/0424 06015G22KT P6SM -RA SCT015 OVC035 FM040500 10010KT 5SM -RA BR BKN015 FM041200 16007KT 4SM E

## Frequencies

REC - 119.80 MHz - ATIS

TWR - 118.70 MHz - BETHEL TOWER

DEP - 372.00 MHz - ANCHORAGE ARTCC DEP

GND - 121.70 MHz - BETHEL GROUND

APP - 125.20 MHz - ANCHORAGE ARTCC APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	150 ft	6,406 ft	23.35	ASPHALT	0 ft	112 ft
	46 m	1,953 m	13.79		0 m	34 m
19R	150 ft	6,406 ft	203.37	ASPHALT	0 ft	0 ft
	46 m	1,953 m	193.80		0 m	0 m
12	75 ft	1,860 ft	128.52	GRAVEL	0 ft	0 ft
	23 m	567 m	118.95		0 m	0 m
30	75 ft	1,860 ft	308.52	GRAVEL	0 ft	187 ft
	23 m	567 m	298.96		0 m	57 m
01R	75 ft	4,004 ft	23.36	ASPHALT	0 ft	0 ft
	23 m	1,220 m	13.80		0 m	0 m
19L	75 ft	4,004 ft	203.37	ASPHALT	0 ft	0 ft
	23 m	1,220 m	193.80		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19R	LOC-ILS	IBET	111.50 MHz	18 nm	203.37	-	128 ft
				33 km	193.80		128 m
19R	GS	IBET	111.50 MHz	10 nm	203.37	3.00	128 ft
				19 km	193.80		128 m