

OEJN

King Abdulaziz Intl


OETB

TABUK

2024/05/16 1927Z

OEJN MIGDA L677 WEJ V54 LABUN OETB

440.60 nm / 815.99 km



Notes

Basic altitude profile:

- Ascent Rate: 15000ft/min
- Ascent Speed: 340kts
- Cruise Altitude: 150000ft
- Cruise Speed: 360kts
- Descent Rate: 4000ft/min
- Descent Speed: 260kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OEJN APT	-	21.68280 39.15510	0 ft 0 m	-	King Abdulaziz Intl
MIGDA FIX	-	22.64140 38.71480	150,000 ft 45,720 m	62	-
RIDEP FIX	L677 AWY-HI	23.64640 38.26610	150,000 ft 45,720 m	65	-
YEN VOR	L677 AWY-HI	24.14950 38.03860	150,000 ft 45,720 m	32	YENBO
MUVAT FIX	L677 AWY-HI	25.63190 36.91280	114,600 ft 34,930 m	108	-
WEJ VOR	L677 AWY-HI	26.17930 36.48810	87,900 ft 26,792 m	40	WEJH
LABUN FIX	V54 AWY-HI	26.66560 36.51500	68,400 ft 20,848 m	29	-
OETB APT	-	28.37180 36.63000	0 ft 0 m	102	TABUK

OEJN

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 3

Elevation: 49 ft / 15 m
Location: 21.682800 39.155100
Magnetic Var: 3.896 E

METAR

OEJN 161900Z 33010KT CAVOK 27/21 Q1010 NOSIG

TAF

TAF OEJN 161700Z 1618/1724 34006KT 7000 NSC PROB30 TEMPO 1618/1702 4000 HZ BECMG 1706/1708 32013KT

Frequencies

TWR - 118.20 MHz - JEDDAH TOWER
GND - 121.90 MHz - JEDDAH GROUND
REC - 126.20 MHz - JEDDAH ATIS
APP - 119.10 MHz - JEDDAH APPROACH
APP - 123.80 MHz - JEDDAH DIRECTOR

TWR - 124.30 MHz - JEDDAH TOWER
GND - 121.60 MHz - JEDDAH GROUND
DEP - 124.00 MHz - JEDDAH DEPARTURE
APP - 124.00 MHz - JEDDAH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,170 ft	159.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	155.99		0 m	121 m
34R	197 ft	13,170 ft	339.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	336.00		0 m	121 m
16C	197 ft	13,168 ft	159.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	155.98		0 m	122 m
34C	197 ft	13,168 ft	339.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	335.99		0 m	122 m
16R	194 ft	12,511 ft	159.87	ASPHALT	0 ft	394 ft
	59 m	3,813 m	155.97		0 m	120 m
34L	194 ft	12,511 ft	339.87	ASPHALT	0 ft	390 ft
	59 m	3,813 m	335.97		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	IJDC	109.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	IDFJ	108.50 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
16R	DME	IJDD	109.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
34C	DME	IJDW	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
34L	DME	IJDL	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34R	DME	IEAL	108.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
16C	LOC-ILS	IJDC	109.70 MHz	18 nm	159.88	-	49 ft
				33 km	155.98		49 m
16L	LOC-ILS	IDFJ	108.50 MHz	18 nm	159.89	-	49 ft
				33 km	155.99		49 m
16R	LOC-ILS	IJDD	109.30 MHz	18 nm	159.87	-	49 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	155.97		49 m
34C	LOC-ILS	IJDW	109.50 MHz	18 nm	339.88	-	49 ft
				33 km	335.98		49 m
34L	LOC-ILS	IJDL	109.10 MHz	18 nm	339.87	-	49 ft
				33 km	335.97		49 m
34R	LOC-ILS	IEAL	108.30 MHz	18 nm	339.89	-	49 ft
				33 km	335.99		49 m
16C	GS	IJDC	109.70 MHz	10 nm	159.88	3.00	49 ft
				19 km	155.98		49 m
16L	GS	IDFJ	108.50 MHz	10 nm	159.89	3.00	49 ft
				19 km	155.99		49 m
16R	GS	IJDD	109.30 MHz	10 nm	159.87	3.00	49 ft
				19 km	155.97		49 m
34C	GS	IJDW	109.50 MHz	10 nm	339.88	3.00	49 ft
				19 km	335.98		49 m
34L	GS	IJDL	109.10 MHz	10 nm	339.87	3.00	49 ft
				19 km	335.97		49 m
34R	GS	IEAL	108.30 MHz	10 nm	339.89	3.00	49 ft
				19 km	335.99		49 m

OETB

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 3

Elevation: 2,552 ft / 778 m
Location: 28.371800 36.630000
Magnetic Var: 4.765 E

METAR

OETB 161900Z 34014KT CAVOK 27/M08 Q1017 NOSIG

TAF

UNKNOWN

Frequencies

REC - 128.20 MHz - ATIS	TWR - 125.90 MHz -
GND - 126.30 MHz -	GND - 287.90 MHz -
CLD - 128.75 MHz - CLNC DEL	APP - 119.70 MHz -
APP - 125.50 MHz -	APP - 285.50 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	151 ft	10,003 ft	132.35	ASPHALT	0 ft	978 ft
	46 m	3,049 m	127.58		0 m	298 m
31	151 ft	10,003 ft	312.36	ASPHALT	0 ft	997 ft
	46 m	3,049 m	307.59		0 m	304 m
06R	150 ft	8,835 ft	64.84	ASPHALT	0 ft	1,033 ft
	46 m	2,693 m	60.08		0 m	315 m
24L	150 ft	8,835 ft	244.86	ASPHALT	0 ft	997 ft
	46 m	2,693 m	240.09		0 m	304 m
06	148 ft	10,983 ft	64.89	ASPHALT	0 ft	1,142 ft
	45 m	3,348 m	60.12		0 m	348 m
24	148 ft	10,983 ft	244.90	ASPHALT	0 ft	1,148 ft
	45 m	3,348 m	240.14		0 m	350 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	IPKS	111.90 MHz	18 nm	-	-	2,551 ft
				33 km	-		2,551 m
31	LOC-ILS	IPKS	111.90 MHz	18 nm	312.35	-	2,551 ft
				33 km	307.58		2,551 m
31	GS	IPKS	111.90 MHz	10 nm	313.09	3.00	2,533 ft
				19 km	308.32		2,533 m