

RPLL

Ninoy Aquino Intl


RPMO

Ozamis

2024/05/06 0417Z

RPLL IBAGO **B472** IOO IOO **B472** ALDIN RPMO

416.09 nm / 770.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RPLL APT	-	14.51130 121.01300	0 ft 0 m	-	Ninoy Aquino Intl
IBAGO FIX	-	13.54380 121.31000	21,600 ft 6,584 m	60	-
TAPER FIX	B472 AWY-HI	12.36570 121.82800	35,000 ft 10,668 m	76	-
LAMBO FIX	B472 AWY-HI	11.16210 122.35100	35,000 ft 10,668 m	78	-
IOO VOR	B472 AWY-HI	10.83540 122.49200	35,000 ft 10,668 m	21	ILOILO
IOO DME	-	10.70950 122.54200	35,000 ft 10,668 m	8	ILOILO VOR-DME
GULFO FIX	B472 AWY-HI	10.38210 122.70600	31,800 ft 9,693 m	21	-
NANAS FIX	B472 AWY-HI	9.79051 122.98500	23,400 ft 7,132 m	39	-
ALDIN FIX	B472 AWY-HI	9.11700 123.30100	13,800 ft 4,206 m	44	-
RPMO APT	-	8.17842 123.84100	0 ft 0 m	64	Ozamis

RPLL

Region: PHILIPPINES
Timezone: ASIA/MANILA
Runways: 2

Elevation: 75 ft / 23 m
Location: 14.511300 121.013000
Magnetic Var: 2.778 W

METAR

RPLL 060400Z 12009KT 060V180 9999 FEW025 SCT100 34/25 Q1011 NOSIG RMK A2985

TAF

TAF RPLL 052300Z 0600/0706 12008KT 9999 FEW025 TX36/0605Z TN27/0621Z TEMPO 0600/0604 08010KT SCT025 SCT100 TEMPO

Frequencies

REC - 126.40 MHz - ATIS	APP - 119.70 MHz - MANILA APPROACH
APP - 121.10 MHz - MANILA APPROACH	APP - 127.70 MHz - MANILA APPROACH
TWR - 118.10 MHz - MANILA TOWER	GND - 121.80 MHz - MANILA GROUND
GND - 121.70 MHz - MANILA RAMP	GND - 128.80 MHz - MANILA RAMP
GND - 123.25 MHz - MANILA RAMP	GND - 121.35 MHz - MANILA RAMP
CLD - 125.10 MHz - MANILA CLEARANCE DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	11,742 ft	60.15	ASPHALT	545 ft	0 ft
	60 m	3,579 m	62.92		166 m	0 m
24	197 ft	11,742 ft	240.15	ASPHALT	0 ft	0 ft
	60 m	3,579 m	242.93		0 m	0 m
13	144 ft	7,729 ft	134.96	ASPHALT	804 ft	0 ft
	44 m	2,356 m	137.74		245 m	0 m
31	144 ft	7,729 ft	314.96	ASPHALT	0 ft	0 ft
	44 m	2,356 m	317.74		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IML	109.10 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
24	DME	IMA	109.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
06	LOC-ILS	IML	109.10 MHz	18 nm	60.15	-	75 ft
				33 km	62.93		75 m
24	LOC-ILS	IMA	109.90 MHz	18 nm	240.15	-	75 ft
				33 km	242.93		75 m
06	GS	IML	109.10 MHz	10 nm	60.15	3.01	75 ft
				19 km	62.93		75 m
24	GS	IMA	109.90 MHz	10 nm	240.15	3.06	75 ft
				19 km	242.93		75 m