

# KTMB

Miami Executive Airport


# MYEN

Normans Cay

2024/05/05 0452Z

KTMB LUCSS MYEN

207.21 nm / 383.75 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KTMB	-	25.64780	0 ft	-	Miami Executive Airport
APT	-	-80.43350	0 m		
LUCSS	-	24.96900	21,400 ft	107	-
FIX	-	-78.60670	6,523 m		
MYEN	-	24.59440	0 ft	99	Normans Cay
APT	-	-76.82020	0 m		

## KTMB

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 8 ft / 2 m  
Location: 25.647800 -80.433500  
Magnetic Var: 7.169 W

## METAR

KTMB 050353Z AUTO 09009KT 10SM CLR 24/21 A3002 RMK A02 SLP166 T02440206 \$

## TAF

KTMB 050243Z 0503/0524 11007KT P6SM FEW050 SCT250 FM050500 VRB04KT P6SM FEW025 FM051300 11012G20KT P6SM SCT025

## Frequencies

REC - 124.00 MHz - ATIS  
CLD - 133.00 MHz - CLNC DEL  
TWR - 134.60 MHz -  
COM - 118.90 MHz - CTAF  
GND - 121.70 MHz -  
APP - 125.50 MHz - MIAMI APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	150 ft	5,008 ft	87.28	ASPHALT	0 ft	0 ft
	46 m	1,526 m	94.45		0 m	0 m
27R	150 ft	5,008 ft	267.29	ASPHALT	0 ft	0 ft
	46 m	1,526 m	274.45		0 m	0 m
09R	150 ft	6,006 ft	87.33	ASPHALT	0 ft	184 ft
	46 m	1,831 m	94.50		0 m	56 m
27L	150 ft	6,006 ft	267.34	ASPHALT	0 ft	0 ft
	46 m	1,831 m	274.51		0 m	0 m
13	150 ft	4,005 ft	127.50	ASPHALT	0 ft	0 ft
	46 m	1,221 m	134.67		0 m	0 m
31	150 ft	4,005 ft	307.50	ASPHALT	0 ft	0 ft
	46 m	1,221 m	314.67		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	LOC-ILS	ITMB	108.70 MHz	18 nm	87.33	-	8 ft
				33 km	94.50		8 m
09R	GS	ITMB	108.70 MHz	10 nm	87.33	3.00	6 ft
				19 km	94.50		6 m