

SARE

Resistencia Intl


SABE

Aeroparque Jorge Newbery

2024/05/07 0502Z

SARE DAMIS **UL793** GUA SABE

428.28 nm / 793.17 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SARE APT	-	-27.44990 -59.05610	0 ft 0 m	-	Resistencia Intl
DAMIS FIX	-	-28.86060 -58.94920	30,300 ft 9,235 m	84	-
KILIP FIX	UL793 AWY-HI	-29.67830 -58.88500	35,000 ft 10,668 m	49	-
TODES FIX	UL793 AWY-HI	-30.49580 -58.82060	35,000 ft 10,668 m	49	-
IMBAK FIX	UL793 AWY-HI	-30.93360 -58.78310	35,000 ft 10,668 m	26	-
DALAB FIX	UL793 AWY-HI	-32.33330 -58.67080	28,700 ft 8,748 m	84	-
GUA VOR	UL793 AWY-HI	-33.00970 -58.61420	20,000 ft 6,096 m	40	GUALEGUAYCHU
SABE APT	-	-34.55920 -58.41570	0 ft 0 m	93	Aeroparque Jorge Newbery

SARE

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/CORDOBA
Runways: 1

Elevation: 174 ft / 53 m
Location: -27.449900 -59.056100
Magnetic Var: 13.269 W

METAR

SARE 070400Z 04007KT CAVOK 26/23 Q1003

TAF

TAF SARE 062300Z 0700/0724 02005KT CAVOK TX33/0719Z TN24/0710Z BECMG 0713/0715 02010G25KT 9999 SCT030

Frequencies

REC - 127.85 MHz - RESISTENCIA ATIS
TWR - 118.70 MHz - RESISTENCIA TOWER
GND - 121.95 MHz - RESISTENCIA GROUND
APP - 118.70 MHz - RESISTENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	147 ft	9,116 ft	20.78	ASPHALT	0 ft	115 ft
	45 m	2,778 m	34.05		0 m	35 m
21	147 ft	9,116 ft	200.78	ASPHALT	0 ft	115 ft
	45 m	2,778 m	214.05		0 m	35 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	LOC-ILS	RS	110.30 MHz	18 nm	200.74	-	174 ft
				33 km	214.01		174 m
21	GS	RS	110.30 MHz	10 nm	201.62	3.00	174 ft
				19 km	214.89		174 m

SABE

Region: ARGENTINA
Timezone: UNKNOWN
Runways: 1

Elevation: 18 ft / 5 m
Location: -34.559200 -58.415700
Magnetic Var: 10.072 W

METAR

SABE 070400Z 12008KT 9999 BKN005 OVC012 17/17 Q1007 NOSIG

TAF

TAF SABE 062300Z 0700/0724 12010KT 7000 OVC004 TX19/0718Z TN17/0710Z TEMPO 0700/0704 1500 DZ BR OVC003 BECMG 0703

Frequencies

REC - 127.60 MHz - AEROPARQUE ATIS
TWR - 118.85 MHz - AEROPARQUE TWR

GND - 121.90 MHz - AEROPARQUE GRD
APP - 120.60 MHz - AEROPARQUE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	131 ft	6,881 ft	124.10	CONCRETE	0 ft	791 ft
	40 m	2,097 m	134.17		0 m	241 m
31	131 ft	6,881 ft	304.09	CONCRETE	430 ft	505 ft
	40 m	2,097 m	314.16		131 m	154 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	AE	109.50 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
13	LOC-ILS	AE	109.50 MHz	18 nm	124.09	-	18 ft
				33 km	134.16		18 m
13	GS	AE	109.50 MHz	10 nm	124.09	3.00	18 ft
				19 km	134.16		18 m