

KBOI

Boise Air Terminal Gowen Fld


KRKS

ROCK SPRINGS SWEETWATER CO

2024/06/04 2026Z

KBOI JEROT V4 GEGME KRKS

341.90 nm / 633.20 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBOI APT	-	43.56440 -116.22300	0 ft 0 m	-	Boise Air Terminal Gowen Fld
JEROT FIX	-	42.75100 -114.44400	32,800 ft 9,997 m	91	-
HAZZL FIX	V4 AWY-LO	42.64220 -114.07400	35,000 ft 10,668 m	17	-
BYI VOR	V4 AWY-LO	42.58020 -113.86600	35,000 ft 10,668 m	9	BURLEY
MEDEA FIX	V4 AWY-LO	42.42380 -113.27400	35,000 ft 10,668 m	27	-
MLD VOR	V4 AWY-LO	42.19990 -112.45100	33,300 ft 10,150 m	38	MALAD CITY
TINRE FIX	V4 AWY-LO	42.14990 -112.14300	30,300 ft 9,235 m	14	-
FILOB FIX	V4 AWY-LO	42.11380 -111.92500	28,200 ft 8,595 m	9	-
HODNI FIX	V4 AWY-LO	42.07740 -111.70600	26,000 ft 7,925 m	10	-
GEGME FIX	V4 AWY-LO	41.90740 -110.72200	16,400 ft 4,999 m	45	-
KRKS APT	-	41.59410 -109.06600	0 ft 0 m	76	ROCK SPRINGS SWEETWATER CO

KBOI

Region: UNITED STATES
Timezone: AMERICA/BOISE
Runways: 2

Elevation: 2,872 ft / 875 m
Location: 43.564400 -116.223000
Magnetic Var: 12.609 E

METAR

KBOI 041953Z VRB03KT 10SM CLR 23/07 A3004 RMK A02 SLP152 T02330067

TAF

KBOI 041739Z 0418/0518 VRB05KT P6SM SCT100 FM050600 29006KT P6SM SKC

Frequencies

REC - 123.90 MHz - D-ATIS	COM - 122.95 MHz - BOISE UNICOM
GND - 121.70 MHz - BOISE GROUND	TWR - 118.10 MHz - BOISE TOWER
TWR - 119.00 MHz - BOISE TOWER	CLD - 125.90 MHz - BOISE CLEARANCE DELIVERY
DEP - 119.60 MHz - BIG SKY DEPARTURE	DEP - 126.90 MHz - BIG SKY DEPARTURE
APP - 119.60 MHz - BIG SKY APPROACH	APP - 126.90 MHz - BIG SKY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	150 ft	9,982 ft	115.22	ASPHALT	0 ft	197 ft
	46 m	3,043 m	102.61		0 m	60 m
28R	150 ft	9,982 ft	295.24	ASPHALT	0 ft	200 ft
	46 m	3,043 m	282.63		0 m	61 m
10R	150 ft	9,746 ft	115.20	ASPHALT	0 ft	200 ft
	46 m	2,971 m	102.59		0 m	61 m
28L	150 ft	9,746 ft	295.23	ASPHALT	0 ft	200 ft
	46 m	2,971 m	282.62		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10R	DME	IBOI	111.10 MHz	18 nm	-	-	2,879 ft
				33 km	-		2,879 m
28R	LOC-ILS	IAAD	110.15 MHz	18 nm	295.23	-	2,872 ft
				33 km	282.62		2,872 m
10R	LOC-ILS	IBOI	111.10 MHz	18 nm	115.22	-	2,872 ft
				33 km	102.61		2,872 m
10R	GS	IBOI	111.10 MHz	10 nm	115.42	3.00	2,872 ft
				19 km	102.81		2,872 m
28R	GS	IAAD	110.15 MHz	10 nm	295.23	3.00	2,872 ft
				19 km	282.62		2,872 m

KRKS

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 2

Elevation: 6,759 ft / 2,060 m
Location: 41.594100 -109.066000
Magnetic Var: 9.695 E

METAR

KRKS 041954Z AUTO 27018G33KT 10SM CLR 19/00 A3008 RMK AO2 PK WND 25041/1919 SLP119 T01940000

TAF

KRKS 041727Z 0418/0518 27025G35KT P6SM FEW060 SCT120 FM050400 25012KT P6SM FEW080 SCT120 FM050700 23008KT P6SM FE

Frequencies

COM - 122.80 MHz - ROCK SPRINGS UNICOM
REC - 118.37 MHz - ASOS

COM - 122.80 MHz - ROCK SPRINGS CTAF
REC - 135.07 MHz - AWOS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	75 ft	5,231 ft	45.13	ASPHALT	0 ft	0 ft
	23 m	1,595 m	35.44		0 m	0 m
21	75 ft	5,231 ft	225.14	ASPHALT	0 ft	0 ft
	23 m	1,595 m	215.45		0 m	0 m
09	151 ft	10,009 ft	103.25	ASPHALT	0 ft	0 ft
	46 m	3,051 m	93.55		0 m	0 m
27	151 ft	10,009 ft	283.27	ASPHALT	0 ft	0 ft
	46 m	3,051 m	273.57		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IRKS	109.30 MHz	18 nm	-	-	6,737 ft
				33 km	-		6,737 m
27	LOC-ILS	IRKS	109.30 MHz	18 nm	283.26	-	6,722 ft
				33 km	273.57		6,722 m
27	GS	IRKS	109.30 MHz	10 nm	283.60	3.00	6,756 ft
				19 km	273.91		6,756 m