


2024/05/06 1713Z

OMDB KHM **M318** ASMUK **W32** YZD YZD **W32** PURKI **T215** OBRIX **N39** NSR **G667** PUTMA **B377** KRS KRS **A240** AKT AKT
A357 ATR **A122** URL **A368** KZN **B105** DIKIN **B117** KUMEN **W161** MZ **B954** RINOV SONEP **G108** GIMON **A841** AGATA
8000N02900E 8100N02300E 8200N01600E 8200N01500E 8200N01400E 8200N01300E 8200N01200E 8300N0300E
8300N0200E 8300N0100E 8300N0000E 8300N0100W 8300N0200W 8300N0300W 8300N0400W 8300N0500W
8300N0600W 8300N0700W 8300N0800W 8300N0900W 8300N0100W 8300N01100W 8300N01200W 8300N01300W
8300N01400W 8300N01500W 8300N01600W 8300N01700W 8300N01800W 8300N01900W 8300N02000W 8300N02100W
8300N02200W 8300N02300W 8300N02400W 8300N02500W 8300N02600W 8300N02700W 8300N02800W 8300N02900W
8300N03000W 8300N03100W 8300N03200W 8300N03300W 8300N03400W 8300N03500W 8300N03600W 8300N03700W
8300N03800W 8300N03900W 8300N04000W 8300N04100W 8300N04200W 8300N04300W 8300N04400W 8300N04500W
8300N04600W 8300N04700W 8300N04800W 8300N04900W 8300N05000W 8300N05100W 8300N05200W 8300N05300W
8300N05400W 8300N05500W 8300N05600W 8300N05700W 8300N05800W LT **BR84** CB **J477** ZF **J519** YMM **J517**
CACHO **Q882** BIRKO YYC **J537** REO **J7** FMG **J5** EHF KLAX

7628.78 nm / 14128.50 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min

- Ascent Speed: 250kts
- Cruise Altitude: 41000ft
- Cruise Speed: 488kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25110	0 ft	-	Dubai Intl
APT	-	55.37110	0 m		
KHM	-	26.76310	29,200 ft	95	GHESHM ISLAND
NDB	-	55.90770	8,900 m		
ASMUK	M318	28.16440	41,000 ft	84	-
FIX	AWY-HI	56.08140	12,497 m		
SOLAK	W32	28.86560	41,000 ft	43	-
FIX	AWY-HI	55.87080	12,497 m		
SRJ	W32	29.55620	41,000 ft	42	SIRJAN
VOR	AWY-HI	55.66030	12,497 m		
DAVUT	W32	30.03720	41,000 ft	32	-
FIX	AWY-HI	55.38360	12,497 m		
DESLA	W32	30.76060	41,000 ft	48	-
FIX	AWY-HI	54.96220	12,497 m		
GADPU	W32	31.45250	41,000 ft	46	-
FIX	AWY-HI	54.55060	12,497 m		
YZD	W32	31.88530	41,000 ft	28	YAZD SHAHID SADOOGHI TACAN
DME	AWY-HI	54.30080	12,497 m		
YZD	-	31.89770	41,000 ft	1	YAZD
VOR	-	54.28270	12,497 m		
BONOL	W32	32.37890	41,000 ft	30	-
FIX	AWY-HI	54.12280	12,497 m		
ALNER	W32	32.85610	41,000 ft	29	-
FIX	AWY-HI	54.02170	12,497 m		
PURKI	W32	33.19440	41,000 ft	20	-
FIX	AWY-HI	53.94920	12,497 m		
KAVEK	T215	33.38030	41,000 ft	19	-
FIX	AWY-HI	53.63720	12,497 m		
RERET	T215	33.56000	41,000 ft	14	-
FIX	AWY-HI	53.44750	12,497 m		
OBRIX	T215	34.76110	41,000 ft	96	-
FIX	AWY-HI	52.14440	12,497 m		
ELEDI	N39	35.02670	41,000 ft	16	-
FIX	AWY-HI	52.06560	12,497 m		
DEMBA	N39	35.92500	41,000 ft	55	-
FIX	AWY-HI	51.79470	12,497 m		
NSR	N39	36.65980	41,000 ft	46	NOSHAHR
NDB	AWY-HI	51.46810	12,497 m		
PUTMA	G667	37.80000	41,000 ft	72	-
FIX	AWY-HI	51.96000	12,497 m		
NENIS	B377	39.29170	41,000 ft	95	-
FIX	AWY-HI	52.63670	12,497 m		
DURDY	B377	39.73500	41,000 ft	28	-
FIX	AWY-HI	52.83670	12,497 m		
KRS	B377	40.04030	41,000 ft	20	TURKMENBASHI
VOR	AWY-HI	53.01220	12,497 m		
KRS	-	40.08500	41,000 ft	2	TURKMENBASHI VOR-DME
DME	-	53.00000	12,497 m		
TABAB	A240	40.90330	41,000 ft	52	-
FIX	AWY-HI	52.60830	12,497 m		
KERUL	A240	41.85780	41,000 ft	61	-
FIX	AWY-HI	52.13920	12,497 m		
DEKUR	A240	42.37970	41,000 ft	33	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	51.87530	12,497 m		
ADEDA	A240	42.57720	41,000 ft	12	-
FIX	AWY-HI	51.77440	12,497 m		
LUMUR	A240	43.11080	41,000 ft	34	-
FIX	AWY-HI	51.49810	12,497 m		
AKT	A240	43.85860	41,000 ft	48	AKTAU VOR-DME
DME	AWY-HI	51.10190	12,497 m		
AKT	-	43.87230	41,000 ft	1	AKTAU
VOR	-	51.06440	12,497 m		
PIRIM	A357	44.80220	41,000 ft	56	-
FIX	AWY-HI	51.29470	12,497 m		
KOLIB	A357	45.67970	41,000 ft	53	-
FIX	AWY-HI	51.48000	12,497 m		
NIKNA	A357	46.43250	41,000 ft	45	-
FIX	AWY-HI	51.64390	12,497 m		
ATR	A357	47.14390	41,000 ft	43	ATYRAU
VOR	AWY-HI	51.80150	12,497 m		
OLAPU	A122	47.86280	41,000 ft	43	-
FIX	AWY-HI	51.75860	12,497 m		
BAGIR	A122	49.02530	41,000 ft	69	-
FIX	AWY-HI	51.68500	12,497 m		
DOKUS	A122	50.42750	41,000 ft	84	-
FIX	AWY-HI	51.59110	12,497 m		
URL	A122	51.14870	41,000 ft	43	URALSK
VOR	AWY-HI	51.54380	12,497 m		
OGAPI	A368	51.44670	41,000 ft	21	-
FIX	AWY-HI	51.22670	12,497 m		
GUTAN	A368	51.67330	41,000 ft	16	-
FIX	AWY-HI	50.98670	12,497 m		
PENIR	A368	52.11170	41,000 ft	31	-
FIX	AWY-HI	50.50060	12,497 m		
GITEK	A368	52.56670	41,000 ft	33	-
FIX	AWY-HI	49.98170	12,497 m		
URUKA	A368	53.26670	41,000 ft	45	-
FIX	AWY-HI	50.43170	12,497 m		
MOF	A368	53.51010	41,000 ft	17	SAMARA
VOR	AWY-HI	50.17720	12,497 m		
GINUK	A368	54.23330	41,000 ft	43	-
FIX	AWY-HI	50.06500	12,497 m		
RILKI	A368	54.37330	41,000 ft	8	-
FIX	AWY-HI	50.03330	12,497 m		
DANDU	A368	54.75000	41,000 ft	22	-
FIX	AWY-HI	49.94830	12,497 m		
RD	A368	54.88330	41,000 ft	8	BAZARNYYE-MATAKI
NDB	AWY-HI	49.91500	12,497 m		
LENRU	A368	55.12560	41,000 ft	16	-
FIX	AWY-HI	49.70250	12,497 m		
KZN	A368	55.60560	41,000 ft	32	KAZAN
VOR	AWY-HI	49.27240	12,497 m		
PINOL	B105	56.12830	41,000 ft	32	-
FIX	AWY-HI	49.50690	12,497 m		
NURKA	B105	56.76110	41,000 ft	39	-
FIX	AWY-HI	49.82080	12,497 m		
DINTU	B105	58.15390	41,000 ft	85	-
FIX	AWY-HI	50.32890	12,497 m		
DIKIN	B105	58.57470	41,000 ft	25	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	50.49920	12,497 m		
OLMED	B117	59.03360	41,000 ft	31	-
FIX	AWY-HI	50.01610	12,497 m		
UNKES	B117	60.32330	41,000 ft	88	-
FIX	AWY-HI	48.57830	12,497 m		
RETKI	B117	60.83060	41,000 ft	35	-
FIX	AWY-HI	47.94890	12,497 m		
ODOMI	B117	61.30860	41,000 ft	33	-
FIX	AWY-HI	47.33440	12,497 m		
PESIB	B117	61.41860	41,000 ft	7	-
FIX	AWY-HI	47.18970	12,497 m		
DIBIN	B117	62.01920	41,000 ft	42	-
FIX	AWY-HI	46.38030	12,497 m		
AMDEK	B117	62.56250	41,000 ft	38	-
FIX	AWY-HI	45.61560	12,497 m		
GERDA	B117	62.95280	41,000 ft	28	-
FIX	AWY-HI	45.04610	12,497 m		
ERMOS	B117	63.24640	41,000 ft	21	-
FIX	AWY-HI	44.60580	12,497 m		
TELGU	B117	63.40440	41,000 ft	11	-
FIX	AWY-HI	44.36470	12,497 m		
KUMEN	B117	64.28330	41,000 ft	64	-
FIX	AWY-HI	42.96420	12,497 m		
PINOD	W161	64.71690	41,000 ft	28	-
FIX	AWY-HI	43.41420	12,497 m		
MZ	W161	65.83940	41,000 ft	70	MEZEN
NDB	AWY-HI	44.26720	12,497 m		
DELIL	B954	66.65030	41,000 ft	56	-
FIX	AWY-HI	45.42390	12,497 m		
ANEPA	B954	67.40530	41,000 ft	54	-
FIX	AWY-HI	46.70220	12,497 m		
RINOV	B954	68.78530	41,000 ft	101	-
FIX	AWY-HI	49.31390	12,497 m		
SONEP	-	70.31690	41,000 ft	92	-
FIX	-	48.78530	12,497 m		
GIMON	G108	71.51690	41,000 ft	86	-
FIX	AWY-HI	46.38000	12,497 m		
TILGA	A841	73.77250	41,000 ft	145	-
FIX	AWY-HI	43.42970	12,497 m		
PIBOL	A841	74.82140	41,000 ft	68	-
FIX	AWY-HI	41.75690	12,497 m		
ROTLA	A841	77.55360	41,000 ft	182	-
FIX	AWY-HI	36.16110	12,497 m		
AGATA	A841	78.00000	41,000 ft	30	-
FIX	AWY-HI	35.00000	12,497 m		
8000N02900E	-	80.00000	41,000 ft	138	-
LATLON	-	29.00000	12,497 m		
8100N02300E	-	81.00000	41,000 ft	84	-
LATLON	-	23.00000	12,497 m		
8200N01600E	-	82.00000	41,000 ft	86	-
LATLON	-	16.00000	12,497 m		
8200N01500E	-	82.00000	41,000 ft	8	-
LATLON	-	15.00000	12,497 m		
8200N01400E	-	82.00000	41,000 ft	8	-
LATLON	-	14.00000	12,497 m		
8200N01300E	-	82.00000	41,000 ft	8	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	13.00000	12,497 m		
8200N01200E	-	82.00000	41,000 ft	8	-
LATLON	-	12.00000	12,497 m		
8300N0300E	-	83.00000	41,000 ft	92	-
LATLON	-	3.00000	12,497 m		
8300N0200E	-	83.00000	41,000 ft	7	-
LATLON	-	2.00000	12,497 m		
8300N0100E	-	83.00000	41,000 ft	7	-
LATLON	-	1.00000	12,497 m		
8300N0000E	-	83.00000	41,000 ft	7	-
LATLON	-	0.00000	12,497 m		
8300N0100W	-	83.00000	41,000 ft	7	-
LATLON	-	-1.00000	12,497 m		
8300N0200W	-	83.00000	41,000 ft	7	-
LATLON	-	-2.00000	12,497 m		
8300N0300W	-	83.00000	41,000 ft	7	-
LATLON	-	-3.00000	12,497 m		
8300N0400W	-	83.00000	41,000 ft	7	-
LATLON	-	-4.00000	12,497 m		
8300N0500W	-	83.00000	41,000 ft	7	-
LATLON	-	-5.00000	12,497 m		
8300N0600W	-	83.00000	41,000 ft	7	-
LATLON	-	-6.00000	12,497 m		
8300N0700W	-	83.00000	41,000 ft	7	-
LATLON	-	-7.00000	12,497 m		
8300N0800W	-	83.00000	41,000 ft	7	-
LATLON	-	-8.00000	12,497 m		
8300N0900W	-	83.00000	41,000 ft	7	-
LATLON	-	-9.00000	12,497 m		
8300N01000W	-	83.00000	41,000 ft	7	-
LATLON	-	-10.00000	12,497 m		
8300N01100W	-	83.00000	41,000 ft	7	-
LATLON	-	-11.00000	12,497 m		
8300N01200W	-	83.00000	41,000 ft	7	-
LATLON	-	-12.00000	12,497 m		
8300N01300W	-	83.00000	41,000 ft	7	-
LATLON	-	-13.00000	12,497 m		
8300N01400W	-	83.00000	41,000 ft	7	-
LATLON	-	-14.00000	12,497 m		
8300N01500W	-	83.00000	41,000 ft	7	-
LATLON	-	-15.00000	12,497 m		
8300N01600W	-	83.00000	41,000 ft	7	-
LATLON	-	-16.00000	12,497 m		
8300N01700W	-	83.00000	41,000 ft	7	-
LATLON	-	-17.00000	12,497 m		
8300N01800W	-	83.00000	41,000 ft	7	-
LATLON	-	-18.00000	12,497 m		
8300N01900W	-	83.00000	41,000 ft	7	-
LATLON	-	-19.00000	12,497 m		
8300N02000W	-	83.00000	41,000 ft	7	-
LATLON	-	-20.00000	12,497 m		
8300N02100W	-	83.00000	41,000 ft	7	-
LATLON	-	-21.00000	12,497 m		
8300N02200W	-	83.00000	41,000 ft	7	-
LATLON	-	-22.00000	12,497 m		
8300N02300W	-	83.00000	41,000 ft	7	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-23.00000	12,497 m		
8300N02400W	-	83.00000	41,000 ft	7	-
LATLON	-	-24.00000	12,497 m		
8300N02500W	-	83.00000	41,000 ft	7	-
LATLON	-	-25.00000	12,497 m		
8300N02600W	-	83.00000	41,000 ft	7	-
LATLON	-	-26.00000	12,497 m		
8300N02700W	-	83.00000	41,000 ft	7	-
LATLON	-	-27.00000	12,497 m		
8300N02800W	-	83.00000	41,000 ft	7	-
LATLON	-	-28.00000	12,497 m		
8300N02900W	-	83.00000	41,000 ft	7	-
LATLON	-	-29.00000	12,497 m		
8300N03000W	-	83.00000	41,000 ft	7	-
LATLON	-	-30.00000	12,497 m		
8300N03100W	-	83.00000	41,000 ft	7	-
LATLON	-	-31.00000	12,497 m		
8300N03200W	-	83.00000	41,000 ft	7	-
LATLON	-	-32.00000	12,497 m		
8300N03300W	-	83.00000	41,000 ft	7	-
LATLON	-	-33.00000	12,497 m		
8300N03400W	-	83.00000	41,000 ft	7	-
LATLON	-	-34.00000	12,497 m		
8300N03500W	-	83.00000	41,000 ft	7	-
LATLON	-	-35.00000	12,497 m		
8300N03600W	-	83.00000	41,000 ft	7	-
LATLON	-	-36.00000	12,497 m		
8300N03700W	-	83.00000	41,000 ft	7	-
LATLON	-	-37.00000	12,497 m		
8300N03800W	-	83.00000	41,000 ft	7	-
LATLON	-	-38.00000	12,497 m		
8300N03900W	-	83.00000	41,000 ft	7	-
LATLON	-	-39.00000	12,497 m		
8300N04000W	-	83.00000	41,000 ft	7	-
LATLON	-	-40.00000	12,497 m		
8300N04100W	-	83.00000	41,000 ft	7	-
LATLON	-	-41.00000	12,497 m		
8300N04200W	-	83.00000	41,000 ft	7	-
LATLON	-	-42.00000	12,497 m		
8300N04300W	-	83.00000	41,000 ft	7	-
LATLON	-	-43.00000	12,497 m		
8300N04400W	-	83.00000	41,000 ft	7	-
LATLON	-	-44.00000	12,497 m		
8300N04500W	-	83.00000	41,000 ft	7	-
LATLON	-	-45.00000	12,497 m		
8300N04600W	-	83.00000	41,000 ft	7	-
LATLON	-	-46.00000	12,497 m		
8300N04700W	-	83.00000	41,000 ft	7	-
LATLON	-	-47.00000	12,497 m		
8300N04800W	-	83.00000	41,000 ft	7	-
LATLON	-	-48.00000	12,497 m		
8300N04900W	-	83.00000	41,000 ft	7	-
LATLON	-	-49.00000	12,497 m		
8300N05000W	-	83.00000	41,000 ft	7	-
LATLON	-	-50.00000	12,497 m		
8300N05100W	-	83.00000	41,000 ft	7	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-51.00000	12,497 m		
8300N05200W	-	83.00000	41,000 ft	7	-
LATLON	-	-52.00000	12,497 m		
8300N05300W	-	83.00000	41,000 ft	7	-
LATLON	-	-53.00000	12,497 m		
8300N05400W	-	83.00000	41,000 ft	7	-
LATLON	-	-54.00000	12,497 m		
8300N05500W	-	83.00000	41,000 ft	7	-
LATLON	-	-55.00000	12,497 m		
8300N05600W	-	83.00000	41,000 ft	7	-
LATLON	-	-56.00000	12,497 m		
8300N05700W	-	83.00000	41,000 ft	7	-
LATLON	-	-57.00000	12,497 m		
8300N05800W	-	83.00000	41,000 ft	7	-
LATLON	-	-58.00000	12,497 m		
LT	-	82.52580	41,000 ft	42	ALERT
NDB	-	-62.21170	12,497 m		
YEU	BR84	79.99100	41,000 ft	261	EUREKA
NDB	AWY-LO	-85.89870	12,497 m		
RB	BR84	74.74690	41,000 ft	335	RESOLUTE BAY
NDB	AWY-LO	-94.99500	12,497 m		
CB	BR84	69.11480	41,000 ft	385	CAMBRIDGE BAY
NDB	AWY-LO	-105.01600	12,497 m		
BOTER	J477	63.75560	41,000 ft	373	-
FIX	AWY-HI	-112.96000	12,497 m		
ZF	J477	62.41100	41,000 ft	90	YELLOWKNIFE
NDB	AWY-HI	-114.43400	12,497 m		
YSM	J519	60.02010	41,000 ft	160	FORT SMITH
VOR	AWY-HI	-111.96900	12,497 m		
YMM	J519	56.64720	41,000 ft	204	FORT MCMURRAY
VOR	AWY-HI	-111.12200	12,497 m		
LETRM	J517	55.89610	41,000 ft	49	-
FIX	AWY-HI	-111.76400	12,497 m		
CACHO	J517	54.90400	41,000 ft	65	-
FIX	AWY-HI	-112.57000	12,497 m		
IGVUX	Q882	52.77030	41,000 ft	128	-
FIX	AWY-HI	-112.71300	12,497 m		
DUDNI	Q882	52.23670	41,000 ft	33	-
FIX	AWY-HI	-112.94500	12,497 m		
BIRKO	Q882	51.47580	41,000 ft	47	-
FIX	AWY-HI	-113.26400	12,497 m		
YYC	-	51.11500	41,000 ft	31	CALGARY
VOR	-	-113.88200	12,497 m		
HAYDN	J537	50.46690	41,000 ft	40	-
FIX	AWY-HI	-114.21500	12,497 m		
ONEAL	J537	49.00000	41,000 ft	92	-
FIX	AWY-HI	-114.93500	12,497 m		
MLP	J537	47.45690	41,000 ft	96	MULLAN PASS
VOR	AWY-HI	-115.64600	12,497 m		
REO	J537	42.59050	41,000 ft	307	ROME
VOR	AWY-HI	-117.86800	12,497 m		
GASSI	J7	40.57170	41,000 ft	132	-
FIX	AWY-HI	-119.06800	12,497 m		
FMG	J7	39.53130	41,000 ft	68	MUSTANG (RENO)
VOR	AWY-HI	-119.65600	12,497 m		
TILTS	J5	38.63470	41,000 ft	54	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-119.52700	12,497 m		
SONNY	J5	38.33570	41,000 ft	18	-
FIX	AWY-HI	-119.48500	12,497 m		
TIOGA	J5	37.93290	41,000 ft	24	-
FIX	AWY-HI	-119.42800	12,497 m		
PINNI	J5	36.79780	32,800 ft	68	-
FIX	AWY-HI	-119.27200	9,997 m		
EHF	J5	35.48460	18,100 ft	79	SHAFTER (BAKERSFIELD)
VOR	AWY-HI	-119.09700	5,517 m		
KLAX	-	33.94310	0 ft	98	Los Angeles Intl
APT	-	-118.40900	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 061700Z 06006KT 030V100 CAVOK 31/19 Q1007 NOSIG

TAF

TAF OMDB 061100Z 0612/0718 32011KT CAVOK BECMG 0615/0617 08005KT BECMG 0703/0705 18012KT BECMG 0708/0710 32014KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.442 E

METAR

KLAX 061653Z 00000KT 10SM FEW160 18/06 A3002 RMK AO2 SLP164 T01780056 \$

TAF

TAF AMD KLAX 061436Z 0615/0718 11007KT P6SM SKC FM061530 VRB03KT P6SM SKC FM061700 26008KT P6SM SKC FM062000 26015

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.51		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.53		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.50		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.52		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m