

ROTM

MCAS Futenma


RJTY

YOKOTA AB

2024/05/02 1013Z

ROTM ONC **B597** YUWAN AMAMI **Y535** KALGU **Z25** YACKL **Z27** IMPAL **Y755** ALBAT **A1** KEC **V52** SHIMA **Y12** KOHWA
Y55 GAKKI RJTY

838.19 nm / 1552.33 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ROTM	-	26.27430	0 ft	-	MCAS Futenma
APT	-	127.75600	0 m		
ONC	-	27.43290	30,700 ft	85	ERABU (OKIERABU I)
VOR	-	128.69900	9,357 m		
PINNE	B597	27.82190	35,000 ft	31	-
FIX	AWY-HI	129.09100	10,668 m		
YUWAN	B597	28.18610	35,000 ft	29	-
FIX	AWY-HI	129.45900	10,668 m		
AMAMI	-	28.44370	35,000 ft	16	-
FIX	-	129.58400	10,668 m		
ASTAK	Y535	30.00620	35,000 ft	122	-
FIX	AWY-HI	131.09100	10,668 m		
KALGU	Y535	30.20670	35,000 ft	15	-
FIX	AWY-HI	131.29000	10,668 m		
YACKL	Z25	30.96340	35,000 ft	59	-
FIX	AWY-HI	132.04700	10,668 m		
YUUPA	Z27	32.60850	35,000 ft	157	-
FIX	AWY-HI	134.44900	10,668 m		
IMPAL	Z27	33.09940	35,000 ft	48	-
FIX	AWY-HI	135.20200	10,668 m		
ALBAT	Y755	33.36450	35,000 ft	19	-
FIX	AWY-HI	135.44200	10,668 m		
KEC	A1	33.44770	35,000 ft	18	KUSHIMOTO
VOR	AWY-HI	135.79400	10,668 m		
AYANO	V52	34.09610	35,000 ft	49	-
FIX	AWY-HI	136.39400	10,668 m		
SHIMA	V52	34.30440	35,000 ft	15	-
FIX	AWY-HI	136.58900	10,668 m		
KOHWA	Y12	34.70460	29,400 ft	30	-
FIX	AWY-HI	136.95800	8,961 m		
GAKKI	Y55	34.74790	21,700 ft	35	-
FIX	AWY-HI	137.68100	6,614 m		
RJTY	-	35.74850	0 ft	101	YOKOTA AB
APT	-	139.34800	0 m		

RJTY

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 459 ft / 140 m
Location: 35.748500 139.348000
Magnetic Var: 7.937 W

METAR

RJTY 020955Z 13005KT 10SM FEW055 16/06 A3008 RMK A02A SLP189 T01610057 \$

TAF

TAF RJTY 020500Z 0205/0311 04010KT 9999 SCT060 BKN250 QNH3000INS BECMG 0211/0212 VRB06KT 9999 FEW040 SCT250 QNH3000

Frequencies

REC - 128.40 MHz - ATIS
TWR - 134.30 MHz -
DEP - 122.10 MHz -
GND - 133.20 MHz -
APP - 118.30 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	200 ft	11,028 ft	170.34	CONCRETE	0 ft	1,001 ft
	61 m	3,361 m	178.28		0 m	305 m
36	200 ft	11,028 ft	350.34	CONCRETE	0 ft	1,001 ft
	61 m	3,361 m	358.28		0 m	305 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	YAS	108.70 MHz	18 nm	170.33	-	408 ft
				33 km	178.27		408 m
36	LOC-ILS	IYOK	109.70 MHz	18 nm	350.33	-	462 ft
				33 km	358.27		462 m
18	GS	YAS	108.70 MHz	10 nm	170.67	3.00	452 ft
				19 km	178.61		452 m
36	GS	IYOK	109.70 MHz	10 nm	350.67	2.50	421 ft
				19 km	358.61		421 m