

SLLP

El Alto Intl


SBNT

Natal Augusto Severo Air Base

2024/05/02 2153Z

SLLP NEGAX TRI PALEP GEDOG MSS RATEP NT364 SBNT

2080.81 nm / 3853.66 km



Notes

Requested: SLLP NEGAX TRI PALEP GEDOG MSS RATEP NT364 SBNT

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SLLP	-	-16.51330	0 ft	-	El Alto Intl
APT	-	-68.19230	0 m		
NEGAX	-	-15.65360	0 ft	106	-
FIX	-	-66.58170	0 m		
TRI	-	-14.79920	0 ft	108	TRINIDAD
VOR	-	-64.93810	0 m		
PALEP	-	-11.89320	0 ft	539	-
FIX	-	-56.19950	0 m		
GEDOG	-	-8.57600	0 ft	496	-
FIX	-	-48.50470	0 m		
MSS	-	-5.19733	0 ft	694	MOSSORO VOR-DME
DME	-	-37.36450	0 m		
RATEP	-	-5.69600	0 ft	93	-
FIX	-	-35.88320	0 m		
NT364	-	-5.77181	0 ft	31	-
FIX	-	-35.35700	0 m		
SBNT	-	-5.91171	0 ft	10	Natal Augusto Severo Air Base
APT	-	-35.24770	0 m		

SLLP

Region: BOLIVIA
Timezone: AMERICA/LA_PAZ
Runways: 1

Elevation: 13,314 ft / 4,058 m
Location: -16.513300 -68.192300
Magnetic Var: 9.169 W

METAR

SLLP 022100Z 32007KT 9999 FEW017 FEW020CB BKN070 BKN200 12/03 Q1034

TAF

TAF SLLP 021600Z 0218/0318 27010G20KT 9999 TS SCT017 FEW020CB TX15/0219Z TN01/0310Z TEMPO 0219/0222 SHRA BECMG 02

Frequencies

GND - 121.90 MHz - LA PAZ GROUND
APP - 119.50 MHz - LA PAZ APPROACH

TWR - 118.30 MHz - LA PAZ TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	13,108 ft	91.90	CONCRETE	0 ft	108 ft
	46 m	3,995 m	101.06		0 m	33 m
28	151 ft	13,108 ft	271.88	CONCRETE	0 ft	125 ft
	46 m	3,995 m	281.05		0 m	38 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	ILPA	110.30 MHz	18 nm	91.89	-	13,313 ft
				33 km	101.06		13,313 m
10	GS	ILPA	110.30 MHz	10 nm	92.79	2.40	13,313 ft
				19 km	101.96		13,313 m

SBNT

Region: BRAZIL
Timezone: AMERICA/FORTALEZA
Runways: 3

Elevation: 171 ft / 52 m
Location: -5.911710 -35.247700
Magnetic Var: 21.115 W

METAR

SBNT 022100Z 13008KT 9999 FEW021 28/25 Q1008

TAF

TAF SBNT 021500Z 0218/0306 15013KT 7000 BKN023 FEW030TCU TX31/0218Z TN26/0306Z BECMG 0220/0223 15007KT SCT020 BECMG 0223/0226 15007KT 9999 FEW021 28/25 Q1008

Frequencies

REC - 132.65 MHz - NATAL ATIS
TWR - 118.70 MHz - NATAL TOWER
APP - 119.65 MHz - NATAL APPROACH

GND - 121.90 MHz - NATAL GROUND
APP - 119.30 MHz - NATAL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,545 ft	141.11	ASPHALT	0 ft	279 ft
	45 m	2,604 m	162.23		0 m	85 m
34R	148 ft	8,545 ft	321.11	ASPHALT	0 ft	197 ft
	45 m	2,604 m	342.23		0 m	60 m
12	148 ft	5,993 ft	99.04	ASPHALT	0 ft	0 ft
	45 m	1,827 m	120.16		0 m	0 m
30	148 ft	5,993 ft	279.04	ASPHALT	0 ft	0 ft
	45 m	1,827 m	300.16		0 m	0 m
16R	148 ft	5,924 ft	141.20	ASPHALT	0 ft	0 ft
	45 m	1,806 m	162.32		0 m	0 m
34L	148 ft	5,924 ft	321.20	ASPHALT	0 ft	1,335 ft
	45 m	1,806 m	342.31		0 m	407 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	INT	109.30 MHz	18 nm	-	-	169 ft
				33 km	-		169 m
16L	LOC-ILS	INT	109.30 MHz	18 nm	141.11	-	170 ft
				33 km	162.23		170 m
16L	GS	INT	109.30 MHz	10 nm	141.11	3.00	170 ft
				19 km	162.23		170 m