

KIAD

Washington Dulles Intl


KSBY

Salisbury-Ocean City Wicomico Regional Airport

2024/05/02 2153Z

KIAD LOUIE KSBY

98.56 nm / 182.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KIAD	-	38.94770	0 ft	-	Washington Dulles Intl	
APT	-	-77.46090	0 m			
LOUIE	-	38.61230	8,700 ft	57	-	
FIX	-	-76.30120	2,652 m			
KSBY	-	38.34010	0 ft	40	Salisbury-Ocean City Wicomico Regional Airport	
APT	-	-75.50970	0 m			

KIAD

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 312 ft / 95 m
Location: 38.947700 -77.460900
Magnetic Var: 10.663 W

METAR

KIAD 022052Z VRB03KT 10SM FEW070 32/13 A2991 RMK AO2 SLP125 T03220133 56019

TAF

KIAD 022043Z 0221/0324 25008KT P6SM FEW050 FM022300 VRB03KT P6SM FEW200 FM030900 05005KT P6SM FEW250 FM031400 090

Frequencies

COM - 122.95 MHz - UNICOM	REC - 134.85 MHz - D-ATIS
CLD - 135.70 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - DULLES GROUND
GND - 121.90 MHz - DULLES GROUND	TWR - 120.10 MHz - DULLES TOWER
TWR - 120.25 MHz - DULLES TOWER	TWR - 134.42 MHz - DULLES TOWER
APP - 120.45 MHz - POTOMAC APPROACH	APP - 126.10 MHz - POTOMAC APPROACH
APP - 128.52 MHz - POTOMAC APPROACH	DEP - 126.65 MHz - POTOMAC DEPARTURE
DEP - 125.05 MHz - POTOMAC DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	151 ft	9,408 ft	0.64	CONCRETE	0 ft	404 ft
	46 m	2,868 m	11.30		0 m	123 m
19R	151 ft	9,408 ft	180.64	CONCRETE	0 ft	404 ft
	46 m	2,868 m	191.30		0 m	123 m
01C	151 ft	11,510 ft	0.65	CONCRETE	0 ft	407 ft
	46 m	3,508 m	11.31		0 m	124 m
19C	151 ft	11,510 ft	180.65	CONCRETE	0 ft	43 ft
	46 m	3,508 m	191.31		0 m	13 m
01R	151 ft	11,510 ft	0.66	CONCRETE	0 ft	43 ft
	46 m	3,508 m	11.33		0 m	13 m
19L	151 ft	11,510 ft	180.66	CONCRETE	0 ft	387 ft
	46 m	3,508 m	191.33		0 m	118 m
12	151 ft	10,513 ft	110.71	CONCRETE	0 ft	20 ft
	46 m	3,204 m	121.37		0 m	6 m
30	151 ft	10,513 ft	290.73	CONCRETE	0 ft	387 ft
	46 m	3,204 m	301.39		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	IIAD	110.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
19L	DME	ISGC	110.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
19R	DME	IISU	110.75 MHz	18 nm	-	-	313 ft
				33 km	-		313 m
01C	LOC-ILS	IOSZ	111.30 MHz	18 nm	0.65	-	312 ft
				33 km	11.31		312 m
01R	LOC-ILS	IIAD	110.10 MHz	18 nm	0.67	-	312 ft
				33 km	11.33		312 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IAJU	109.30 MHz	18 nm	110.74	-	312 ft
				33 km	121.40		312 m
19C	LOC-ILS	IDLX	111.30 MHz	18 nm	180.65	-	312 ft
				33 km	191.31		312 m
19L	LOC-ILS	ISGC	110.10 MHz	18 nm	180.67	-	312 ft
				33 km	191.33		312 m
19R	LOC-ILS	IISU	110.75 MHz	18 nm	180.58	-	312 ft
				33 km	191.24		312 m
01L	LOC-ILS	IOIU	110.75 MHz	18 nm	0.58	-	312 ft
				33 km	11.24		312 m
01C	GS	IOSZ	111.30 MHz	10 nm	0.65	3.00	312 ft
				19 km	11.31		312 m
01R	GS	IIAD	110.10 MHz	10 nm	0.67	3.00	312 ft
				19 km	11.33		312 m
12	GS	IAJU	109.30 MHz	10 nm	110.74	3.00	312 ft
				19 km	121.40		312 m
19C	GS	IDLX	111.30 MHz	10 nm	180.65	3.00	312 ft
				19 km	191.31		312 m
19L	GS	ISGC	110.10 MHz	10 nm	180.67	3.00	312 ft
				19 km	191.33		312 m
19R	GS	IISU	110.75 MHz	10 nm	180.58	3.00	312 ft
				19 km	191.24		312 m
01L	GS	IOIU	110.75 MHz	10 nm	0.58	3.00	312 ft
				19 km	11.24		312 m

KSBY

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 52 ft / 16 m
Location: 38.340100 -75.509700
Magnetic Var: 11.590 W

METAR

KSBY 022054Z 22010G14KT 10SM CLR 29/13 A2993 RMK A02 SLP136 T02890133 56015

TAF

KSBY 021720Z 0218/0318 24009KT P6SM FEW250 FM030800 06005KT P6SM SCT250 FM031000 07007KT P6SM SCT250 FM031400 080

Frequencies

REC - 118.32 MHz - ASOS
COM - 122.95 MHz - UNICOM
TWR - 119.42 MHz - SALISBURY TOWER
APP - 127.95 MHz - PATUXENT APPROACH
COM - 119.42 MHz - CTAF
GND - 123.77 MHz - SALISBURY GROUND
APP - 127.20 MHz - PATUXENT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	100 ft	6,395 ft	126.81	ASPHALT	0 ft	200 ft
	30 m	1,949 m	138.40		0 m	61 m
32	100 ft	6,395 ft	306.82	ASPHALT	0 ft	207 ft
	30 m	1,949 m	318.41		0 m	63 m
05	100 ft	5,006 ft	36.57	ASPHALT	0 ft	0 ft
	30 m	1,526 m	48.16		0 m	0 m
23	100 ft	5,006 ft	216.58	ASPHALT	0 ft	0 ft
	30 m	1,526 m	228.17		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	LOC-ILS	ISBY	108.70 MHz	18 nm	306.81	-	52 ft
				33 km	318.40		52 m
32	GS	ISBY	108.70 MHz	10 nm	306.81	3.00	52 ft
				19 km	318.40		52 m