


2024/05/15 2112Z

TNCC RHC BAQ BOGAL TBG MPTO

682.36 nm / 1263.73 km



Notes

Requested: TNCC RHC BAQ BOGAL TBG MPTO

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TNCC	-	12.18890	0 ft	-	Hato Intl
APT	-	-68.95970	0 m		
RHC	-	11.52750	0 ft	235	RIOHACHA
VOR	-	-72.91750	0 m		
BAQ	-	10.79530	0 ft	122	BARRANQUILLA
VOR	-	-74.86030	0 m		
BOGAL	-	9.56833	0 ft	168	-
FIX	-	-77.41670	0 m		
TBG	-	8.78757	0 ft	135	TABOGA ISLAND
VOR	-	-79.56200	0 m		
MPTO	-	9.07140	0 ft	20	Tocumen Intl
APT	-	-79.38350	0 m		

TNCC

Region: Elevation: 29 ft / 9 m
CARIBBEAN NETHERLANDS, ARUBA, CURAÇAO, SINT MAARTEN Location: 12.188900 -68.959700
Timezone: UNKNOWN Magnetic Var: 11.941 W
Runways: 1

METAR

TNCC 152100Z 10010KT 9999 FEW021 31/25 Q1010 NOSIG

TAF

TAF TNCC 151715Z 1518/1618 10017KT 9999 FEW025

Frequencies

TWR - 132.60 MHz - ATIS TWR - 118.30 MHz - HATO TOWER
APP - 119.60 MHz - CURACAO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	11,208 ft	102.14	CONCRETE	2,739 ft	0 ft
	60 m	3,416 m	114.09		835 m	0 m
29	197 ft	11,208 ft	282.15	CONCRETE	0 ft	0 ft
	60 m	3,416 m	294.09		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	IATO	111.90 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
11	LOC-ILS	IATO	111.90 MHz	18 nm	102.23	-	29 ft
				33 km	114.17		29 m
11	GS	IATO	111.90 MHz	10 nm	102.48	3.00	29 ft
				19 km	114.42		29 m

MPTO

Region: PANAMA
Timezone: AMERICA/PANAMA
Runways: 2

Elevation: 134 ft / 41 m
Location: 9.071400 -79.383500
Magnetic Var: 5.455 W

METAR

MPTO 152100Z 18006KT 9999 SCT016 BKN080 29/25 Q1009 NOSIG

TAF

TAF MPTO 151650Z 1518/1624 17008KT 9999 SCT018 PROB40 1519/1523 5000 TSRA FEW004 SCT015CB BKN080 TEMPO 1605/1609 Z

Frequencies

REC - 127.70 MHz - ATIS	TWR - 118.10 MHz - TOCUMEN TOWER
GND - 121.90 MHz - TOCUMEN GROUND	GND - 112.05 MHz - TOCUMEN GROUND
CLD - 129.80 MHz - CLEARANCE DELIVERY	APP - 121.20 MHz - PANAMA APPROACH
APP - 123.30 MHz - PANAMA APPROACH	APP - 119.70 MHz - PANAMA APPROACH
APP - 119.20 MHz - PANAMA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,049 ft	29.33	CONCRETE	0 ft	0 ft
	45 m	3,063 m	34.78		0 m	0 m
21L	148 ft	10,049 ft	209.33	CONCRETE	0 ft	0 ft
	45 m	3,063 m	214.78		0 m	0 m
03L	148 ft	8,832 ft	30.67	ASPHALT	814 ft	0 ft
	45 m	2,692 m	36.13		248 m	0 m
21R	148 ft	8,832 ft	210.67	ASPHALT	0 ft	0 ft
	45 m	2,692 m	216.13		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03R	DME	INAT	110.70 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
03R	LOC-ILS	INAT	110.70 MHz	18 nm	29.33	-	134 ft
				33 km	34.78		134 m
03R	GS	INAT	110.70 MHz	10 nm	29.33	3.00	134 ft
				19 km	34.78		134 m