

EBLG

Liege


EHRD

Rotterdam The Hague

2024/06/06 1339Z

EBLG ELSIK EHRD

87.82 nm / 162.64 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBLG	-	50.63640	0 ft	-	Liege
APT	-	5.44278	0 m		
ELSIK	-	51.19500	10,700 ft	37	-
FIX	-	4.99861	3,261 m		
EHRD	-	51.95750	0 ft	50	Rotterdam The Hague
APT	-	4.44169	0 m		

EBLG

Region: BELGIUM
Timezone: EUROPE/BRUSSELS
Runways: 2

Elevation: 645 ft / 197 m
Location: 50.636400 5.442780
Magnetic Var: 2.303 E

METAR

EBLG 061250Z 27011KT 9999 FEW045 18/05 Q1018 NOSIG

TAF

TAF EBLG 061112Z 0612/0718 34006KT 9999 FEW045

Frequencies

APP - 119.27 MHz - APPROACH
APP - 243.00 MHz - APPROACH
TWR - 130.62 MHz - TOWER
REC - 126.25 MHz - INFO

APP - 121.00 MHz - APPROACH
TWR - 129.25 MHz - TOWER
GND - 121.92 MHz - GROUND
CLD - 128.20 MHz - HOMER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	12,068 ft	45.17	ASPHALT	761 ft	226 ft
	45 m	3,678 m	42.87		232 m	69 m
22L	148 ft	12,068 ft	225.20	ASPHALT	1,306 ft	0 ft
	45 m	3,678 m	222.89		398 m	0 m
04L	148 ft	7,664 ft	45.15	ASPHALT	0 ft	0 ft
	45 m	2,336 m	42.84		0 m	0 m
22R	148 ft	7,664 ft	225.16	ASPHALT	0 ft	0 ft
	45 m	2,336 m	222.86		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IHH	108.75 MHz	18 nm	45.19	-	645 ft
				33 km	42.89		645 m
22L	LOC-ILS	ILG	109.35 MHz	18 nm	225.19	-	645 ft
				33 km	222.89		645 m
22R	LOC-ILS	IBI	109.35 MHz	18 nm	225.16	-	645 ft
				33 km	222.86		645 m
04R	GS	IHH	108.75 MHz	10 nm	45.19	3.00	645 ft
				19 km	42.89		645 m
22L	GS	ILG	109.35 MHz	10 nm	225.19	3.00	645 ft
				19 km	222.89		645 m
22R	GS	IBI	109.35 MHz	10 nm	225.16	3.00	645 ft
				19 km	222.86		645 m

EHRD

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 1

Elevation: -15 ft / -5 m
Location: 51.957500 4.441690
Magnetic Var: 1.962 E

METAR

EHRD 061255Z AUTO 29010KT 240V360 9999 NSC 17/05 Q1017 NOSIG

TAF

TAF EHRD 061052Z 0612/0718 28012KT 9999 BKN045 BECMG 0616/0619 30005KT PROB30 TEMPO 0704/0710 6000 SHRA FEW020CB

Frequencies

TWR - 118.20 MHz - ROTTERDAM TOWER
REC - 110.40 MHz - ROTTERDAM ATIS
GND - 122.17 MHz - ROTTERDAM GROUND

APP - 127.02 MHz - ROTTERDAM APPROACH
CLD - 128.80 MHz - ROTTERDAM DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,198 ft	57.03	ASPHALT	643 ft	0 ft
	45 m	2,194 m	55.07		196 m	0 m
24	148 ft	7,198 ft	237.05	ASPHALT	646 ft	0 ft
	45 m	2,194 m	235.09		197 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ROS	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
24	DME	RSV	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
06	LOC-ILS	ROS	109.10 MHz	18 nm	56.94	-	-15 ft
				33 km	54.98		-15 m
24	LOC-ILS	RSV	110.90 MHz	18 nm	236.94	-	-15 ft
				33 km	234.98		-15 m