

KFHU

Sierra Vista Muni - Libby AAF


KIWA

Phoenix-Mesa Gateway

2024/06/15 0933Z

KFHU CROME KIWA

122.79 nm / 227.41 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KFHU	-	31.58900	0 ft	-		Sierra Vista Muni - Libby AAF
APT	-	-110.34300	0 m			
CROME	-	32.72370	9,000 ft	80	-	
FIX	-	-111.18600	2,743 m			
KIWA	-	33.30780	0 ft	42		Phoenix-Mesa Gateway
APT	-	-111.65500	0 m			

KFHU

Region: UNITED STATES
Timezone: AMERICA/PHOENIX
Runways: 3

Elevation: 4,719 ft / 1,438 m
Location: 31.589000 -110.343000
Magnetic Var: 8.920 E

METAR

KFHU 150855Z AUTO 25009KT 10SM CLR 24/M04 A3004 RMK A02 SLP094 T02391043 55005

TAF

TAF KFHU 150400Z 1504/1610 25012KT 9999 SKC QNH3004INS WND VRB06KT AFT 1513 BECMG 1517/1518 33009KT 9999 SKC QNH29

Frequencies

TWR - 284.75 MHz - LIBBY TOWER
GND - 268.70 MHz - LIBBY GROUND
TWR - 254.35 MHz - LIBBY DEPARTURE
REC - 134.75 MHz - ATIS
COM - 124.95 MHz - CTAF

TWR - 124.95 MHz - LIBBY TOWER
GND - 121.70 MHz - LIBBY GROUND
TWR - 127.05 MHz - LIBBY APPROACH
REC - 263.02 MHz - ATIS
COM - 122.95 MHz - UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	11,976 ft	89.88	CONCRETE	0 ft	1,001 ft
	46 m	3,650 m	80.96		0 m	305 m
26	150 ft	11,976 ft	269.90	CONCRETE	0 ft	1,001 ft
	46 m	3,650 m	260.98		0 m	305 m
12	100 ft	5,365 ft	126.82	ASPHALT	0 ft	449 ft
	30 m	1,635 m	117.90		0 m	137 m
30	100 ft	5,365 ft	306.83	ASPHALT	0 ft	200 ft
	30 m	1,635 m	297.91		0 m	61 m
03	75 ft	4,290 ft	36.55	ASPHALT	1,253 ft	0 ft
	23 m	1,307 m	27.63		382 m	0 m
21	75 ft	4,290 ft	216.56	ASPHALT	0 ft	446 ft
	23 m	1,307 m	207.64		0 m	136 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	LOC-ILS	IFHU	109.90 MHz	18 nm	269.89	-	4,719 ft
				33 km	260.97		4,719 m
26	GS	IFHU	109.90 MHz	10 nm	269.89	3.00	4,719 ft
				19 km	260.97		4,719 m

KIWA

Region: UNITED STATES
Timezone: AMERICA/PHOENIX
Runways: 3

Elevation: 1,382 ft / 421 m
Location: 33.307800 -111.655000
Magnetic Var: 9.580 E

METAR

KIWA 150915Z AUTO 12006KT 10SM CLR 25/M03 A2978 RMK A02 T02551028

TAF

TAF AMD KIWA 150539Z 1506/1606 14008KT P6SM SKC FM152000 27008KT P6SM SKC AMD LTD TO CLD VIS AND WIND TIL 151200

Frequencies

COM - 120.60 MHz - CTAF	REC - 133.50 MHz - ATIS
REC - 270.27 MHz - ATIS	CLD - 135.05 MHz - CLNC DEL
GND - 128.25 MHz -	GND - 275.80 MHz -
TWR - 120.60 MHz -	TWR - 289.40 MHz -
APP - 124.90 MHz - DEP/APP	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	151 ft	10,405 ft	135.70	CONCRETE	0 ft	994 ft
	46 m	3,171 m	126.12		0 m	303 m
30L	151 ft	10,405 ft	315.71	CONCRETE	0 ft	1,004 ft
	46 m	3,171 m	306.13		0 m	306 m
12C	151 ft	10,205 ft	135.69	ASPHALT	0 ft	1,001 ft
	46 m	3,111 m	126.11		0 m	305 m
30C	151 ft	10,205 ft	315.71	ASPHALT	0 ft	1,007 ft
	46 m	3,111 m	306.13		0 m	307 m
12L	151 ft	9,307 ft	135.72	CONCRETE	0 ft	400 ft
	46 m	2,837 m	126.13		0 m	122 m
30R	151 ft	9,307 ft	315.73	CONCRETE	0 ft	397 ft
	46 m	2,837 m	306.15		0 m	121 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30C	LOC-ILS	IIWA	110.15 MHz	18 nm	318.06	-	1,382 ft
				33 km	308.48		1,382 m
30C	GS	IIWA	110.15 MHz	10 nm	318.88	3.00	1,382 ft
				19 km	309.30		1,382 m