


2024/05/06 0715Z

CYVR COHOE **V317** YZT **J523** YZP **TR18** KATCH **B757** GRIZZ RWO **J604** HBT **G12** KOTIZ CDB **J115** DUT **G215** SYA
PASY

2398.83 nm / 4442.64 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYVR	-	49.19400	0 ft	-	Vancouver
APT	-	-123.18500	0 m		
COHOE	-	49.94060	34,800 ft	97	-
FIX	-	-125.41400	10,607 m		
ATUNA	V317	50.37320	35,000 ft	50	-
FIX	AWY-LO	-126.53100	10,668 m		
FENEL	V317	50.45780	35,000 ft	9	-
FIX	AWY-LO	-126.75600	10,668 m		
CORMO	V317	50.54250	35,000 ft	9	-
FIX	AWY-LO	-126.98000	10,668 m		
YZT	V317	50.68410	35,000 ft	16	PORT HARDY
VOR	AWY-LO	-127.36500	10,668 m		
YZP	J523	53.25220	35,000 ft	225	SANDSPIT
VOR	AWY-HI	-131.80700	10,668 m		
KALTS	TR18	53.62170	35,000 ft	74	-
FIX	AWY-HI	-133.80500	10,668 m		
KATCH	TR18	54.00000	35,000 ft	81	-
FIX	AWY-HI	-136.00000	10,668 m		
HMPTN	B757	56.19440	35,000 ft	304	-
FIX	AWY-HI	-144.00200	10,668 m		
GRIZZ	B757	57.11490	35,000 ft	158	-
FIX	AWY-HI	-148.50200	10,668 m		
RWO	-	57.77480	35,000 ft	129	WOODY ISLAND (KODIAK)
NDB	-	-152.32500	10,668 m		
HBT	J604	55.31570	35,000 ft	308	BORLAND (SAND POINT)
NDB	AWY-HI	-160.51800	10,668 m		
DUGAC	G12	55.31460	35,000 ft	19	-
FIX	AWY-LO	-161.10200	10,668 m		
MILAM	G12	55.30870	35,000 ft	27	-
FIX	AWY-LO	-161.90300	10,668 m		
UCLON	G12	55.30710	35,000 ft	4	-
FIX	AWY-LO	-162.04900	10,668 m		
KOTIZ	G12	55.30110	35,000 ft	15	-
FIX	AWY-LO	-162.48900	10,668 m		
CDB	-	55.26730	35,000 ft	9	COLD BAY
VOR	-	-162.77400	10,668 m		
DUT	J115	53.90510	35,000 ft	154	DUTCH HARBOR
NDB	AWY-HI	-166.54800	10,668 m		
CURVS	G215	53.64500	35,000 ft	380	-
FIX	AWY-HI	-177.25800	10,668 m		
SYA	G215	52.72200	400 ft	317	SHEMYA
NDB	AWY-HI	174.06000	122 m		
PASY	-	52.71220	0 ft	2	EARECKSON AS
APT	-	174.11400	0 m		

CYVR

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 3

Elevation: 13 ft / 4 m
Location: 49.194000 -123.185000
Magnetic Var: 15.270 E

METAR

CYVR 060700Z 10006KT 20SM BKN064 OVC093 10/07 A2977 RMK SC6AC2 SLP083

TAF

TAF CYVR 060540Z 0606/0712 20012KT P6SM SCT050 BKN100 TEMPO 0606/0609 P6SM -SHRA BKN050 OVC100 FM060900 20012KT P

Frequencies

REC - 124.60 MHz - ATIS	CLD - 121.40 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - VANCOUVER GROUND	GND - 127.50 MHz - VANCOUVER GROUND
TWR - 118.70 MHz - VANCOUVER TOWER	TWR - 119.55 MHz - VANCOUVER TOWER
APP - 128.60 MHz - VANCOUVER APPROACH	APP - 133.10 MHz - VANCOUVER APPROACH
DEP - 126.12 MHz - VANCOUVER DEPARTURE	DEP - 132.30 MHz - VANCOUVER DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	200 ft	10,777 ft	99.88	ASPHALT	0 ft	0 ft
	61 m	3,285 m	84.61		0 m	0 m
26L	200 ft	10,777 ft	279.91	ASPHALT	0 ft	0 ft
	61 m	3,285 m	264.64		0 m	0 m
13	200 ft	7,294 ft	141.92	ASPHALT	0 ft	0 ft
	61 m	2,223 m	126.65		0 m	0 m
31	200 ft	7,294 ft	321.93	ASPHALT	0 ft	0 ft
	61 m	2,223 m	306.66		0 m	0 m
08L	200 ft	9,916 ft	99.89	CONCRETE	0 ft	0 ft
	61 m	3,022 m	84.62		0 m	0 m
26R	200 ft	9,916 ft	279.92	CONCRETE	0 ft	0 ft
	61 m	3,022 m	264.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ITL	110.55 MHz	18 nm	-	-	1 ft
				33 km	-		1 m
08R	DME	IVR	109.50 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
26L	DME	IFZ	111.95 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
26R	DME	IRD	110.70 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
08L	LOC-ILS	ITL	110.55 MHz	18 nm	99.90	-	13 ft
				33 km	84.63		13 m
08R	LOC-ILS	IVR	109.50 MHz	18 nm	99.89	-	13 ft
				33 km	84.62		13 m
13	LOC-ILS	IMK	111.10 MHz	18 nm	141.93	-	13 ft
				33 km	126.66		13 m
26L	LOC-ILS	IFZ	110.70 MHz	18 nm	279.89	-	13 ft
				33 km	264.62		13 m
26R	LOC-ILS	IRD	111.95 MHz	18 nm	279.90	-	13 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	264.63		13 m
08L	GS	ITL	110.55 MHz	10 nm	99.90	3.00	13 ft
				19 km	84.63		13 m
08R	GS	IVR	109.50 MHz	10 nm	99.89	3.00	13 ft
				19 km	84.62		13 m
13	GS	IMK	111.10 MHz	10 nm	141.93	3.00	13 ft
				19 km	126.66		13 m
26L	GS	IFZ	110.70 MHz	10 nm	279.89	3.00	13 ft
				19 km	264.62		13 m
26R	GS	IRD	111.95 MHz	10 nm	279.90	3.00	13 ft
				19 km	264.63		13 m

PASY

Region: USA (ALASKA)
Timezone: AMERICA/ADAK
Runways: 1

Elevation: 98 ft / 30 m
Location: 52.712200 174.114000
Magnetic Var: 0.281 W

METAR

PASY 060655Z AUTO 11011KT 6SM BR M 03/02 A3005

TAF

TAF PASY 060600Z 0606/0712 12015KT 9000 BR OVC003 QNH3000INS BECMG 0616/0617 09015KT 8000 -RA OVC003 QNH2999INS B

Frequencies

REC - 135.65 MHz - ASOS

COM - 127.20 MHz - CTAF

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	9,978 ft	107.03	ASPHALT	0 ft	0 ft
	46 m	3,041 m	107.31		0 m	0 m
28	150 ft	9,978 ft	287.06	ASPHALT	0 ft	0 ft
	46 m	3,041 m	287.34		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	ISYA	110.10 MHz	18 nm	287.74	-	98 ft
				33 km	288.03		98 m
28	GS	ISYA	110.10 MHz	10 nm	287.09	2.50	98 ft
				19 km	287.37		98 m