


2024/05/06 0921Z

EDDF OBORN **UM164** POGOL **UM187** RESPO **UM129** BEBIX **UN10** SAU **UN857** PPN **UN10** HERMI LEMD

793.35 nm / 1469.29 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDF	-	50.03260	0 ft	-	Frankfurt
APT	-	8.54067	0 m		
OBORN	-	48.46190	35,000 ft	107	-
FIX	-	7.20167	10,668 m		
POGOL	UM164	48.39900	35,000 ft	20	-
FIX	AWY-HI	6.69336	10,668 m		
DANAR	UM187	48.06780	35,000 ft	32	-
FIX	AWY-HI	6.05361	10,668 m		
RESPO	UM187	47.83280	35,000 ft	22	-
FIX	AWY-HI	5.60800	10,668 m		
DJL	UM129	47.27080	35,000 ft	39	DIJON LONGVIC
VOR	AWY-HI	5.09733	10,668 m		
PIBAT	UM129	46.80580	35,000 ft	44	-
FIX	AWY-HI	4.25917	10,668 m		
MOU	UM129	46.70680	35,000 ft	26	MOULINS
VOR	AWY-HI	3.63167	10,668 m		
ENUPA	UM129	46.64830	35,000 ft	8	-
FIX	AWY-HI	3.45278	10,668 m		
KUKOR	UM129	46.54180	35,000 ft	14	-
FIX	AWY-HI	3.12917	10,668 m		
LARON	UM129	46.22750	35,000 ft	42	-
FIX	AWY-HI	2.19833	10,668 m		
GUERE	UM129	46.19000	35,000 ft	5	-
FIX	AWY-HI	2.08944	10,668 m		
BEBIX	UM129	45.94920	35,000 ft	32	-
FIX	AWY-HI	1.39972	10,668 m		
LMG	UN10	45.81590	35,000 ft	17	LIMOGES
VOR	AWY-HI	1.02558	10,668 m		
VELIN	UN10	44.98000	35,000 ft	62	-
FIX	AWY-HI	0.15556	10,668 m		
SAU	UN10	44.67680	35,000 ft	22	SAUVETERRE DE GUYENNE
VOR	AWY-HI	-0.15292	10,668 m		
BEGUY	UN857	43.05830	35,000 ft	112	-
FIX	AWY-HI	-1.45083	10,668 m		
PPN	UN857	42.73370	34,100 ft	22	PAMPLONA
VOR	AWY-HI	-1.70200	10,394 m		
VASUM	UN10	42.27190	27,400 ft	30	-
FIX	AWY-HI	-2.01100	8,352 m		
HERMI	UN10	41.47350	16,000 ft	53	-
FIX	AWY-HI	-2.53328	4,877 m		
LEMD	-	40.49530	0 ft	74	Adolfo Suárez Madrid-Barajas
APT	-	-3.56020	0 m		

## EDDF

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 4

Elevation: 362 ft / 110 m  
Location: 50.032600 8.540670  
Magnetic Var: 3.172 E

## METAR

EDDF 060850Z AUTO 19004KT 160V230 3900 -SHRA BR BKN005 BKN011 BKN017 FEW///TCU 15/14 Q1007 RESHRA TEMPO 6000

## TAF

TAF AMD EDDF 060858Z 0608/0712 20004KT 9999 BKN020 PROB30 TEMPO 0608/0612 4000 RA BR BKN008 BECMG 0611/0613 22009K

## Frequencies

REC - 118.02 MHz - ATIS ARRIVAL  
GND - 121.80 MHz - GROUND  
GND - 121.70 MHz - APRON RAMP/TAXI  
GND - 121.85 MHz - APRON RAMP/TAXI  
TWR - 118.77 MHz - TOWER  
TWR - 124.85 MHz - TOWER  
TWR - 136.50 MHz - TOWER  
APP - 127.27 MHz - FRANKFURT DIRECT  
APP - 125.35 MHz - LANGEN RADAR  
APP - 120.80 MHz - LANGEN RADAR  
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE  
GND - 121.65 MHz - APRON RAMP/TAXI  
GND - 121.95 MHz - APRON RAMP/TAXI  
GND - 121.75 MHz - APRON RAMP/TAXI  
TWR - 119.90 MHz - TOWER  
TWR - 127.32 MHz - TOWER  
CLD - 121.90 MHz - CLEARANCE DELIVERY  
APP - 118.50 MHz - FRANKFURT DIRECT  
APP - 126.55 MHz - LANGEN RADAR  
APP - 120.15 MHz - LANGEN RADAR  
APP - 119.02 MHz - LANGEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.39		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.42		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.40		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.44		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.42		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.46		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.47		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.47		0 m	37 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.42		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.41		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.44		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.42		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.44		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.41		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.42		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.41		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.44		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.42		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.44		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.41		362 m

## LEMD

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 4

Elevation: 1,998 ft / 609 m  
Location: 40.495300 -3.560200  
Magnetic Var: 0.077 E

## METAR

LEMD 060900Z 19002KT 9000 FEW020 SCT060 16/11 Q1014 NOSIG

## TAF

TAF LEMD 060500Z 0606/0712 25009KT 9999 SCT030 TX23/0613Z TN10/0704Z PROB30 TEMPO 0611/0615 4000 RA BECMG 0616/06

## Frequencies

REC - 130.85 MHz - ATIS DEPARTURE	REC - 118.25 MHz - ATIS ARRIVAL
TWR - 120.65 MHz - BARAJAS TOWER	TWR - 120.15 MHz - BARAJAS TOWER
TWR - 119.50 MHz - BARAJAS TOWER	TWR - 118.15 MHz - BARAJAS TOWER
GND - 121.75 MHz - BARAJAS GROUND	GND - 123.15 MHz - BARAJAS GROUND
GND - 121.70 MHz - BARAJAS APRON	GND - 123.25 MHz - BARAJAS APRON
GND - 121.85 MHz - BARAJAS APRON	GND - 123.00 MHz - BARAJAS APRON
CLD - 130.35 MHz - CLEARANCE DELIVERY	CLD - 130.00 MHz - CLEARANCE DELIVERY
APP - 127.50 MHz - MADRID APPROACH	APP - 136.10 MHz - MADRID APPROACH
APP - 134.00 MHz - MADRID APPROACH	APP - 130.80 MHz - MADRID APPROACH
APP - 127.10 MHz - MADRID APPROACH	APP - 124.00 MHz - MADRID APPROACH
APP - 118.75 MHz - MADRID APPROACH	APP - 118.40 MHz - MADRID APPROACH
DEP - 131.17 MHz - MADRID DEPARTURE	DEP - 124.22 MHz - MADRID DEPARTURE
APP - 134.95 MHz - MADRID DIRECT	APP - 128.70 MHz - MADRID DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14R	197 ft	13,097 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,992 m	142.23		0 m	0 m
32L	197 ft	13,097 ft	322.32	ASPHALT	3,041 ft	0 ft
	60 m	3,992 m	322.25		927 m	0 m
18R	197 ft	13,723 ft	179.75	ASPHALT	2,644 ft	0 ft
	60 m	4,183 m	179.67		806 m	0 m
36L	197 ft	13,723 ft	359.75	ASPHALT	0 ft	0 ft
	60 m	4,183 m	359.67		0 m	0 m
14L	197 ft	11,494 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,504 m	142.24		0 m	0 m
32R	197 ft	11,494 ft	322.33	ASPHALT	1,627 ft	0 ft
	60 m	3,504 m	322.26		496 m	0 m
18L	197 ft	11,494 ft	179.76	ASPHALT	1,621 ft	0 ft
	60 m	3,503 m	179.68		494 m	0 m
36R	197 ft	11,494 ft	359.76	ASPHALT	0 ft	0 ft
	60 m	3,503 m	359.68		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	DME	IML	111.50 MHz	18 nm	-	-	1,916 ft
				33 km	-		1,916 m
18R	DME	IMR	110.70 MHz	18 nm	-	-	1,986 ft
				33 km	-		1,986 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32L	DME	MAA	109.90 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
32R	DME	MBB	109.10 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
18L	LOC-ILS	IML	111.50 MHz	18 nm	179.76	-	1,998 ft
				33 km	179.68		1,998 m
18R	LOC-ILS	IMR	110.70 MHz	18 nm	179.75	-	1,998 ft
				33 km	179.67		1,998 m
32L	LOC-ILS	MAA	109.90 MHz	18 nm	322.32	-	1,998 ft
				33 km	322.24		1,998 m
32R	LOC-ILS	MBB	109.10 MHz	18 nm	322.33	-	1,998 ft
				33 km	322.25		1,998 m
18L	GS	IML	111.50 MHz	10 nm	179.76	3.00	1,998 ft
				19 km	179.68		1,998 m
18R	GS	IMR	110.70 MHz	10 nm	179.75	3.00	1,978 ft
				19 km	179.67		1,978 m
32L	GS	MAA	109.90 MHz	10 nm	322.32	3.00	1,998 ft
				19 km	322.24		1,998 m
32R	GS	MBB	109.10 MHz	10 nm	322.33	3.00	1,998 ft
				19 km	322.25		1,998 m