


2024/05/08 0131Z

KSWF THROP **L456** MARIG **L461** BOVIC **M591** BDA TXKF

714.67 nm / 1323.57 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 460kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSWF APT	-	41.50410 -74.10260	0 ft 0 m	-	Stewart
THROP FIX	-	40.10610 -72.86690	32,900 ft 10,028 m	101	-
GRAPT FIX	L456 AWY-HI	40.00420 -72.69500	36,000 ft 10,973 m	9	-
LEOES FIX	L456 AWY-HI	39.97490 -72.64590	36,000 ft 10,973 m	2	-
FINIT FIX	L456 AWY-HI	39.90190 -72.52360	36,000 ft 10,973 m	7	-
SCOOR FIX	L456 AWY-HI	39.79970 -72.35280	36,000 ft 10,973 m	9	-
FLUTE FIX	L456 AWY-HI	39.70020 -72.18770	36,000 ft 10,973 m	9	-
NAROW FIX	L456 AWY-HI	39.49330 -71.84690	36,000 ft 10,973 m	20	-
LINND FIX	L456 AWY-HI	39.40980 -71.71050	36,000 ft 10,973 m	8	-
MARIG FIX	L456 AWY-HI	38.32840 -70.05950	36,000 ft 10,973 m	100	-
TILED FIX	L461 AWY-HI	37.26610 -68.97330	36,000 ft 10,973 m	82	-
KINER FIX	L461 AWY-HI	36.57420 -68.28740	36,000 ft 10,973 m	53	-
BOVIC FIX	L461 AWY-HI	34.87350 -66.66760	35,300 ft 10,759 m	129	-
BDA VOR	M591 AWY-HI	32.36440 -64.68960	100 ft 30 m	180	BERMUDA
TXKF APT	-	32.36400 -64.67860	0 ft 0 m	0	L.F. Wade International

KSWF

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 491 ft / 150 m
Location: 41.504100 -74.102600
Magnetic Var: 12.839 W

METAR

KSWF 072345Z 00000KT 10SM SKC 22/07 A2968

TAF

KSWF 072331Z 0800/0906 VRB03KT P6SM SCT060 BKN250 FM080800 VRB03KT 3SM -SHRA BR BKN010 OVC025 FM081100 21005KT 2SM

Frequencies

REC - 124.57 MHz - STEWART ATIS
GND - 121.90 MHz - STEWART GROUND
APP - 132.75 MHz - NEW YORK APPROACH
COM - 122.95 MHz - STEWART UNICOM
TWR - 121.00 MHz - STEWART TOWER
DEP - 132.75 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	150 ft	11,798 ft	78.32	ASPHALT	1,995 ft	203 ft
	46 m	3,596 m	91.15		608 m	62 m
27	150 ft	11,798 ft	258.34	ASPHALT	1,998 ft	253 ft
	46 m	3,596 m	271.18		609 m	77 m
16	151 ft	6,007 ft	149.49	ASPHALT	0 ft	171 ft
	46 m	1,831 m	162.32		0 m	52 m
34	151 ft	6,007 ft	329.49	ASPHALT	0 ft	246 ft
	46 m	1,831 m	342.33		0 m	75 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IJKH	109.95 MHz	18 nm	-	-	496 ft
				33 km	-		496 m
09	LOC-ILS	ISWF	110.10 MHz	18 nm	78.33	-	491 ft
				33 km	91.17		491 m
27	LOC-ILS	IJKH	109.95 MHz	18 nm	258.33	-	491 ft
				33 km	271.17		491 m
09	GS	ISWF	110.10 MHz	10 nm	78.33	3.00	491 ft
				19 km	91.17		491 m
27	GS	IJKH	109.95 MHz	10 nm	258.33	3.00	491 ft
				19 km	271.17		491 m

TXKF

Region: BERMUDA
Timezone: UNKNOWN
Runways: 1

Elevation: 18 ft / 5 m
Location: 32.364000 -64.678600
Magnetic Var: 14.533 W

METAR

TXKF 080055Z 23011KT 9999 SCT028 BKN300 21/16 Q1015

TAF

TAF TXKF 072330Z 0800/0824 23012KT 9999 FEW025 SCT300

Frequencies

REC - 119.60 MHz - ATIS
APP - 119.10 MHz - NEW YORK APPROACH
COM - 122.80 MHz - BERMUDA UNICOM
DEP - 119.10 MHz - NEW YORK DEPARTURE
TWR - 118.10 MHz - BERMUDA TOWER
GND - 124.50 MHz - BERMUDA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	9,695 ft	101.50	ASPHALT	584 ft	768 ft
	46 m	2,955 m	116.03		178 m	234 m
30	150 ft	9,695 ft	281.52	ASPHALT	0 ft	203 ft
	46 m	2,955 m	296.05		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	LOC-ILS	IBDA	109.90 MHz	18 nm	281.51	-	18 ft
				33 km	296.04		18 m
30	GS	IBDA	109.90 MHz	10 nm	281.51	3.00	18 ft
				19 km	296.04		18 m