

LFBT

Tarbes Ossun Lourdes


LFMP

Rivesaltes

2024/05/21 0324Z

LFBT ASPET LFMP

129.24 nm / 239.36 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFBT	-	43.17860	0 ft	-	Tarbes Ossun Lourdes
APT	-	-0.00634	0 m		
ASPET	-	43.00000	15,900 ft	44	-
FIX	-	0.97972	4,846 m		
LFMP	-	42.74020	0 ft	84	Rivesaltes
APT	-	2.87079	0 m		

LFBT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 1,260 ft / 384 m
Location: 43.178600 -0.006338
Magnetic Var: 0.992 E

METAR

LFBT 210300Z AUTO 18008KT 9999 SCT080 08/07 Q1013 NOSIG

TAF

TAF LFBT 202300Z 2100/2124 23004KT CAVOK BECMG 2107/2109 28012KT BECMG 2110/2112 SCT018 BKN060 PROB30 TEMPO 2111/

Frequencies

REC - 125.95 MHz - ATIS
TWR - 119.05 MHz - LOURDES TOWER
APP - 121.17 MHz - PYRENEES APP
GND - 121.80 MHz - LOURDES GROUND
APP - 120.30 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,851 ft	20.27	ASPHALT	2,192 ft	0 ft
	45 m	3,003 m	19.27		668 m	0 m
20	148 ft	9,851 ft	200.28	ASPHALT	0 ft	0 ft
	45 m	3,003 m	199.28		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	OS	109.50 MHz	18 nm	-	-	1,217 ft
				33 km	-		1,217 m
20	LOC-ILS	OS	109.50 MHz	18 nm	200.27	-	1,265 ft
				33 km	199.28		1,265 m
20	GS	OS	109.50 MHz	10 nm	200.54	3.00	1,265 ft
				19 km	199.54		1,265 m

LFMP

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 143 ft / 44 m
Location: 42.740200 2.870790
Magnetic Var: 1.731 E

METAR

LFMP 210300Z AUTO VRB03KT 9999 OVC058 15/08 Q1011 NOSIG

TAF

TAF TAF LFMP 210200Z 2103/2203 30012G22KT 9999 BKN055 TEMPO 2113/2115 -RA BKN020 FEW033CB BKN040 BECMG 2115/2118 Z

Frequencies

REC - 127.87 MHz - LFMP ATIS
APP - 120.75 MHz - PERPIGNAN APP

TWR - 118.30 MHz - PERPIGNAN TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	8,296 ft	148.79	ASPHALT	0 ft	230 ft
	45 m	2,529 m	147.06		0 m	70 m
33	148 ft	8,296 ft	328.80	ASPHALT	558 ft	230 ft
	45 m	2,529 m	327.07		170 m	70 m
13	66 ft	3,635 ft	129.20	ASPHALT	0 ft	528 ft
	20 m	1,108 m	127.47		0 m	161 m
31	66 ft	3,635 ft	309.21	ASPHALT	0 ft	0 ft
	20 m	1,108 m	307.48		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	PL	111.75 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
33	LOC-ILS	PL	111.75 MHz	18 nm	328.30	-	124 ft
				33 km	326.57		124 m
33	GS	PL	111.75 MHz	10 nm	328.77	3.00	124 ft
				19 km	327.04		124 m