

VVTS

Tan Son Nhat Intl


VVVH

Vinh

2024/06/07 0053Z

VVTS KRATE 1300N10600E VIBUN **B329** VILAO VVVH

498.71 nm / 923.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VVTS	-	10.81870	0 ft	-	Tan Son Nhat Intl
APT	-	106.65200	0 m		
KRATE	-	12.48500	35,000 ft	105	-
FIX	-	106.06300	10,668 m		
1300N10600E	-	13.00000	35,000 ft	31	-
LATLON	-	106.00000	10,668 m		
VIBUN	-	13.79670	35,000 ft	58	-
FIX	-	105.43200	10,668 m		
LEKOB	B329	14.13000	35,000 ft	20	-
FIX	AWY-HI	105.52000	10,668 m		
PAK	B329	15.19670	35,000 ft	65	PAKSE
VOR	AWY-HI	105.73800	10,668 m		
VILAO	B329	17.36670	18,300 ft	131	-
FIX	AWY-HI	106.08300	5,578 m		
VVVH	-	18.73760	0 ft	85	Vinh
APT	-	105.67100	0 m		

VVTS

Region: VIETNAM
Timezone: ASIA/HO_CHI_MINH
Runways: 2

Elevation: 33 ft / 10 m
Location: 10.818700 106.652000
Magnetic Var: 0.668 W

METAR

VVTS 070030Z 27005KT 240V310 9999 FEW025 BKN046 29/28 Q1010 NOSIG

TAF

TAF VVTS 062300Z 0700/0806 25008KT 9999 SCT015 TEMPO 0707/0712 5000 TSRA BKN015 FEW017CB

Frequencies

REC - 128.00 MHz - TAN SON NHAT ATIS	TWR - 118.70 MHz - TAN SON NHAT TOWER
TWR - 130.00 MHz - TAN SON NHAT TOWER	GND - 121.60 MHz - TAN SON NHAT GROUND
GND - 121.75 MHz - TAN SON NHAT GROUND	GND - 121.90 MHz - TAN SON NHAT GROUND
GND - 121.97 MHz - TAN SON NHAT GROUND	CLD - 123.60 MHz -
CLD - 121.80 MHz -	TAN SON NHAT CLEARANCE DELIVERY
TAN SON NHAT CLEARANCE DELIVERY	APP - 126.35 MHz - TAN SON NHAT APPROACH
APP - 125.50 MHz - TAN SON NHAT APPROACH	GND - 125.50 MHz -
GND - 124.07 MHz -	TAN SON NHAT TERMINAL CONTROL AREA
TAN SON NHAT TERMINAL CONTROL AREA	APP - 127.72 MHz - TAN SON NHAT ARRIVAL
APP - 126.35 MHz - TAN SON NHAT ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	148 ft	12,541 ft	68.98	CONCRETE	2,513 ft	853 ft
	45 m	3,822 m	69.64		766 m	260 m
25L	148 ft	12,541 ft	248.98	CONCRETE	0 ft	1,030 ft
	45 m	3,822 m	249.65		0 m	314 m
07L	148 ft	10,009 ft	68.96	CONCRETE	0 ft	1,030 ft
	45 m	3,051 m	69.63		0 m	314 m
25R	148 ft	10,009 ft	248.97	CONCRETE	0 ft	1,033 ft
	45 m	3,051 m	249.64		0 m	315 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	DME	SGN	108.30 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
25R	DME	HCM	110.50 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
07R	LOC-ILS	ITS	111.70 MHz	18 nm	68.98	-	33 ft
				33 km	69.65		33 m
25L	LOC-ILS	SGN	108.30 MHz	18 nm	248.98	-	33 ft
				33 km	249.65		33 m
25R	LOC-ILS	HCM	110.50 MHz	18 nm	248.97	-	33 ft
				33 km	249.64		33 m
07R	GS	ITS	111.70 MHz	10 nm	68.98	3.00	33 ft
				19 km	69.65		33 m
25L	GS	SGN	108.30 MHz	10 nm	248.98	3.00	33 ft
				19 km	249.65		33 m
25R	GS	HCM	110.50 MHz	10 nm	248.97	3.00	33 ft
				19 km	249.64		33 m

VVH

Region: VIETNAM
Timezone: ASIA/HO_CHI_MINH
Runways: 1

Elevation: 62 ft / 19 m
Location: 18.737600 105.671000
Magnetic Var: 1.372 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

APP - 121.00 MHz - NOI BAI APPROACH

TWR - 118.30 MHz - VINH TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	7,910 ft	172.62	ASPHALT	0 ft	0 ft
	45 m	2,411 m	173.99		0 m	0 m
35	148 ft	7,910 ft	352.62	ASPHALT	991 ft	0 ft
	45 m	2,411 m	353.99		302 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	IVH	108.30 MHz	18 nm	172.63	-	62 ft
				33 km	174.00		62 m
17	GS	IVH	108.30 MHz	10 nm	172.63	3.00	62 ft
				19 km	174.00		62 m