


2024/06/01 1710Z

WMKK SALAX **N633** PKU **G337** BKL 600S10100E 800S10000E 900S10000E EPGUP **B325** CC YPCC

1036.56 nm / 1919.70 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WMKK APT	-	2.73834 101.70200	0 ft 0 m	-	Kuala Lumpur Intl
SALAX FIX	-	2.20670 101.56300	11,700 ft 3,566 m	33	-
PKU VOR	N633 AWY-HI	0.42558 101.44200	35,000 ft 10,668 m	107	PEKANBARU
BIBUL FIX	G337 AWY-HI	-2.67684 102.09000	35,000 ft 10,668 m	190	-
BKL DME	G337 AWY-HI	-3.86051 102.33300	35,000 ft 10,668 m	72	BENGKULU VOR-DME
600S10100E LATLON	-	-6.00000 101.00000	35,000 ft 10,668 m	151	-
800S10000E LATLON	-	-8.00000 100.00000	35,000 ft 10,668 m	134	-
900S10000E LATLON	-	-9.00000 100.00000	35,000 ft 10,668 m	60	-
EPGUP FIX	-	-10.65050 99.55160	35,000 ft 10,668 m	102	-
CC VOR	B325 AWY-HI	-12.20060 96.84090	100 ft 30 m	184	COCOS ISLAND
YPCC APT	-	-12.19130 96.83370	0 ft 0 m	0	Cocos-Keeling Island

WMKK

Region: MALAYSIA (PENINSULAR MALAYSIA)
Timezone: ASIA/KUALA_LUMPUR
Runways: 3

Elevation: 68 ft / 21 m
Location: 2.738340 101.702000
Magnetic Var: 0.057 E

METAR

WMKK 011700Z VRB02KT 9000 FEW010 26/25 Q1012 NOSIG

TAF

TAF WMKK 011100Z 0112/0218 VRB03KT 9999 FEW018 PROB30 TEMPO 0112/0114 5000 TSRA FEW017CB

Frequencies

APP - 118.65 MHz - LUMPUR RADAR	APP - 121.25 MHz - LUMPUR RADAR
APP - 124.20 MHz - LUMPUR RADAR	APP - 125.80 MHz - LUMPUR RADAR
APP - 119.45 MHz - LUMPUR RADAR	APP - 120.35 MHz - LUMPUR RADAR
APP - 124.65 MHz - LUMPUR RADAR	APP - 125.10 MHz - LUMPUR RADAR
APP - 135.75 MHz - LUMPUR RADAR	DEP - 135.25 MHz - LUMPUR DEPARTURE
TWR - 118.80 MHz - LUMPUR TOWER	TWR - 118.50 MHz - LUMPUR TOWER
TWR - 119.80 MHz - LUMPUR TOWER	GND - 121.65 MHz - LUMPUR GROUND
GND - 121.80 MHz - LUMPUR GROUND	GND - 122.52 MHz - LUMPUR GROUND
GND - 118.05 MHz - LUMPUR GROUND	GND - 122.15 MHz - LUMPUR GROUND
GND - 122.85 MHz - LUMPUR GROUND	GND - 122.27 MHz - LUMPUR GROUND
GND - 123.25 MHz - LUMPUR GROUND	GND - 121.72 MHz - LUMPUR GROUND
GND - 122.55 MHz - LUMPUR GROUND	GND - 130.75 MHz - LUMPUR GROUND
CLD - 126.00 MHz - LUMPUR DELIVERY	REC - 126.45 MHz - LUMPUR TERMINAL INFORMATION
REC - 128.05 MHz - LUMPUR TERMINAL INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	197 ft	13,034 ft	146.21	ASPHALT	0 ft	390 ft
	60 m	3,973 m	146.16		0 m	119 m
33	197 ft	13,034 ft	326.21	ASPHALT	0 ft	394 ft
	60 m	3,973 m	326.16		0 m	120 m
14L	197 ft	13,248 ft	146.20	ASPHALT	0 ft	384 ft
	60 m	4,038 m	146.14		0 m	117 m
32R	197 ft	13,248 ft	326.20	ASPHALT	0 ft	0 ft
	60 m	4,038 m	326.14		0 m	0 m
14R	197 ft	13,185 ft	146.21	ASPHALT	0 ft	0 ft
	60 m	4,019 m	146.16		0 m	0 m
32L	197 ft	13,185 ft	326.21	ASPHALT	0 ft	390 ft
	60 m	4,019 m	326.16		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IWK	110.10 MHz	18 nm	-	-	-1 ft
				33 km	-		-1 m
33	DME	IWM	111.50 MHz	18 nm	-	-	-1 ft
				33 km	-		-1 m
14L	DME	IEL	108.50 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
14R	DME	IWR	110.70 MHz	18 nm	-	-	78 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	-		78 m
32L	DME	IWL	111.90 MHz	18 nm	-	-	81 ft
				33 km	-		81 m
32R	DME	IER	109.10 MHz	18 nm	-	-	70 ft
				33 km	-		70 m
14L	LOC-ILS	IEL	108.50 MHz	18 nm	146.20	-	68 ft
				33 km	146.14		68 m
14R	LOC-ILS	IWR	110.70 MHz	18 nm	146.21	-	68 ft
				33 km	146.15		68 m
15	LOC-ILS	IWK	110.10 MHz	18 nm	146.21	-	68 ft
				33 km	146.15		68 m
32L	LOC-ILS	IWL	111.90 MHz	18 nm	326.21	-	68 ft
				33 km	326.15		68 m
32R	LOC-ILS	IER	109.10 MHz	18 nm	326.20	-	68 ft
				33 km	326.14		68 m
33	LOC-ILS	IWM	111.50 MHz	18 nm	326.21	-	68 ft
				33 km	326.15		68 m
14L	GS	IEL	108.50 MHz	10 nm	146.20	3.00	68 ft
				19 km	146.14		68 m
14R	GS	IWR	110.70 MHz	10 nm	146.21	3.00	68 ft
				19 km	146.15		68 m
15	GS	IWK	110.10 MHz	10 nm	146.21	3.00	68 ft
				19 km	146.15		68 m
32L	GS	IWL	111.90 MHz	10 nm	326.21	3.00	68 ft
				19 km	326.15		68 m
32R	GS	IER	109.10 MHz	10 nm	326.20	3.00	68 ft
				19 km	326.14		68 m
33	GS	IWM	111.50 MHz	10 nm	326.21	3.00	68 ft
				19 km	326.15		68 m