

SBFZ

Pinto Martins Intl


SBCT

Afonso Pena Intl Curitiba

2024/05/01 0521Z

SBFZ RODIT **UM654** PUREU **UN741** FLORI SBCT

1445.49 nm / 2677.05 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBFZ	-	-3.77630	0 ft	-	Pinto Martins Intl
APT	-	-38.53260	0 m		
RODIT	-	-4.67633	22,000 ft	61	-
FIX	-	-39.02780	6,706 m		
PUREU	UM654	-6.23633	35,000 ft	106	-
FIX	AWY-HI	-39.86330	10,668 m		
VAROP	UN741	-7.25100	35,000 ft	64	-
FIX	AWY-HI	-40.24070	10,668 m		
BISSA	UN741	-8.84500	35,000 ft	102	-
FIX	AWY-HI	-40.83720	10,668 m		
DALMA	UN741	-10.21420	35,000 ft	90	-
FIX	AWY-HI	-41.46530	10,668 m		
ILNOS	UN741	-11.49050	35,000 ft	84	-
FIX	AWY-HI	-42.05950	10,668 m		
MUGAV	UN741	-11.62130	35,000 ft	8	-
FIX	AWY-HI	-42.12380	10,668 m		
ILPUR	UN741	-12.87030	35,000 ft	83	-
FIX	AWY-HI	-42.72980	10,668 m		
HAMBU	UN741	-14.48430	35,000 ft	107	-
FIX	AWY-HI	-43.52470	10,668 m		
MALRA	UN741	-14.87800	35,000 ft	26	-
FIX	AWY-HI	-43.71950	10,668 m		
CARDO	UN741	-15.62730	35,000 ft	49	-
FIX	AWY-HI	-44.09530	10,668 m		
GEVMI	UN741	-16.85300	35,000 ft	82	-
FIX	AWY-HI	-44.73800	10,668 m		
NITGI	UN741	-17.40230	35,000 ft	36	-
FIX	AWY-HI	-45.02420	10,668 m		
LISBO	UN741	-17.66700	35,000 ft	17	-
FIX	AWY-HI	-45.17000	10,668 m		
DOKBA	UN741	-18.14480	35,000 ft	32	-
FIX	AWY-HI	-45.42130	10,668 m		
REINA	UN741	-18.43800	35,000 ft	19	-
FIX	AWY-HI	-45.57130	10,668 m		
PANAP	UN741	-18.85980	35,000 ft	27	-
FIX	AWY-HI	-45.77370	10,668 m		
UNIDO	UN741	-19.21120	35,000 ft	23	-
FIX	AWY-HI	-45.95030	10,668 m		
GAXEV	UN741	-19.44370	35,000 ft	15	-
FIX	AWY-HI	-46.06500	10,668 m		
MUMDI	UN741	-20.53020	35,000 ft	71	-
FIX	AWY-HI	-46.60280	10,668 m		
MUKLO	UN741	-21.04920	35,000 ft	34	-
FIX	AWY-HI	-46.86280	10,668 m		
KOTRA	UN741	-21.23220	35,000 ft	12	-
FIX	AWY-HI	-46.96230	10,668 m		
NESRA	UN741	-21.72220	35,000 ft	32	-
FIX	AWY-HI	-47.20730	10,668 m		
PIR	UN741	-21.98460	35,000 ft	17	PIRASSUNUNGA
VOR	AWY-HI	-47.34450	10,668 m		
RCL	UN741	-22.43020	35,000 ft	29	RIO CLARO
NDB	AWY-HI	-47.56250	10,668 m		
CHIRE	UN741	-22.59170	35,000 ft	11	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-47.65920	10,668 m		
EVMIM	UN741	-22.81580	35,000 ft	15	-
FIX	AWY-HI	-47.79380	10,668 m		
ISPAN	UN741	-22.99330	35,000 ft	12	-
FIX	AWY-HI	-47.89700	10,668 m		
RAXEG	UN741	-23.08630	34,700 ft	6	-
FIX	AWY-HI	-47.96000	10,577 m		
EGITO	UN741	-23.28570	31,600 ft	14	-
FIX	AWY-HI	-48.09570	9,632 m		
IVPIT	UN741	-23.47850	28,700 ft	13	-
FIX	AWY-HI	-48.22730	8,748 m		
FLORI	UN741	-23.97170	21,200 ft	34	-
FIX	AWY-HI	-48.56600	6,462 m		
SBCT	-	-25.52880	0 ft	99	Afonso Pena Intl Curitiba
APT	-	-49.17310	0 m		

SBFZ

Region: BRAZIL
Timezone: AMERICA/FORTALEZA
Runways: 1

Elevation: 82 ft / 25 m
Location: -3.776300 -38.532600
Magnetic Var: 20.889 W

METAR

SBFZ 010500Z 19003KT 9999 FEW023 26/25 Q1010

TAF

TAF SBFZ 302130Z 0100/0124 10008KT 8000 SCT020 TN25/0109Z TX29/0118Z TEMPO 0100/0106 17007KT 6000 SCT017 FEW025TC

Frequencies

REC - 127.70 MHz - ATIS
TWR - 129.00 MHz - PINTO MARTINS TOWER
APP - 133.00 MHz - FORTALEZA APPROACH

GND - 121.95 MHz - PINTO MARTINS GROUND
APP - 120.50 MHz - FORTALEZA APPROACH
APP - 134.55 MHz - FORTALEZA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	8,367 ft	105.02	ASPHALT	0 ft	187 ft
	45 m	2,550 m	125.91		0 m	57 m
31	148 ft	8,367 ft	285.02	ASPHALT	0 ft	138 ft
	45 m	2,550 m	305.91		0 m	42 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IFZ	109.30 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
13	LOC-ILS	IFZ	109.30 MHz	18 nm	105.02	-	82 ft
				33 km	125.91		82 m
13	GS	IFZ	109.30 MHz	10 nm	105.02	3.00	82 ft
				19 km	125.91		82 m

SBCT

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,989 ft / 911 m
Location: -25.528800 -49.173100
Magnetic Var: 20.540 W

METAR

SBCT 010500Z 03002KT CAVOK 19/18 Q1017

TAF

TAF SBCT 302100Z 0100/0124 34010KT CAVOK TN17/0109Z TX32/0118Z PROB30 0104/0108 06008KT 5000 BR BKN012 TEMPO 0118

Frequencies

REC - 127.80 MHz - CURITIBA ATIS
TWR - 118.15 MHz - CURITIBA TOWER
APP - 120.65 MHz - CURITIBA APPROACH
APP - 129.55 MHz - CURITIBA APPROACH
GND - 121.90 MHz - CURITIBA GROUND
APP - 119.95 MHz - CURITIBA APPROACH
APP - 120.95 MHz - CURITIBA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	7,278 ft	134.69	ASPHALT	0 ft	230 ft
	45 m	2,218 m	155.23		0 m	70 m
33	148 ft	7,278 ft	314.69	ASPHALT	0 ft	213 ft
	45 m	2,218 m	335.23		0 m	65 m
11	148 ft	5,905 ft	91.73	ASPHALT	0 ft	0 ft
	45 m	1,800 m	112.27		0 m	0 m
29	148 ft	5,905 ft	271.73	ASPHALT	0 ft	89 ft
	45 m	1,800 m	292.27		0 m	27 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	ICT	109.30 MHz	18 nm	134.69	-	2,988 ft
				33 km	155.23		2,988 m
33	LOC-ILS	ITA	110.30 MHz	18 nm	314.69	-	2,988 ft
				33 km	335.23		2,988 m
15	GS	ICT	109.30 MHz	10 nm	134.69	3.00	2,988 ft
				19 km	155.23		2,988 m
33	GS	ITA	110.30 MHz	10 nm	314.69	3.00	2,988 ft
				19 km	335.23		2,988 m