


2024/05/07 1319Z

SBSP USITO NIBRU KEVUN GELUT 46NM RJ031 RJ107 RJ904 RJ906 RJ901 SBRJ

209.15 nm / 387.35 km



Notes

Requested: SBSP USITO NIBRU KEVUN GELUT 46NM RJ031 RJ107 RJ904 RJ906 RJ901 SBRJ

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBSP	-	-23.62610	0 ft	-	Congonhas
APT	-	-46.65640	0 m	-	
USITO	-	-23.79430	0 ft	11	-
FIX	-	-46.54030	0 m	-	-
NIBRU	-	-23.57300	0 ft	60	-
FIX	-	-45.46900	0 m	-	-
KEVUN	-	-23.46300	0 ft	29	-
FIX	-	-44.95170	0 m	-	-
GELUT	-	-22.94850	0 ft	85	-
FIX	-	-43.50970	0 m	-	-
46NM	-	-22.91680	0 ft	4	-
FIX	-	-43.43480	0 m	-	-
RJ031	-	-22.88270	0 ft	4	-
FIX	-	-43.35430	0 m	-	-
RJ107	-	-22.85430	0 ft	5	-
FIX	-	-43.26620	0 m	-	-
RJ904	-	-22.86780	0 ft	4	-
FIX	-	-43.18720	0 m	-	-
RJ906	-	-22.88790	0 ft	1	-
FIX	-	-43.16430	0 m	-	-
RJ901	-	-22.90460	0 ft	1	-
FIX	-	-43.16320	0 m	-	-
SBRJ	-	-22.91040	0 ft	0	Santos Dumont
APT	-	-43.16320	0 m	-	

SBSP

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,631 ft / 802 m
Location: -23.626100 -46.656400
Magnetic Var: 22.100 W

METAR

SBSP 071300Z 36008KT 330V040 CAVOK 26/16 Q1021

TAF

TAF SBSP 070900Z 0712/0724 06005KT CAVOK TX32/0718Z TN23/0724Z BECMG 0714/0716 33005KT BECMG 0721/0723 08005KT RM

Frequencies

REC - 127.65 MHz - CONGONHAS ATIS	CLD - 120.60 MHz - CONGONHAS CLEARANCE
GND - 121.90 MHz - CONGONHAS GROUND	TWR - 118.05 MHz - CONGONHAS TOWER
TWR - 127.15 MHz - CONGONHAS TOWER	APP - 133.85 MHz - SAO PAULO APPROACH
APP - 119.05 MHz - SAO PAULO APPROACH	APP - 134.90 MHz - SAO PAULO APPROACH
APP - 119.80 MHz - SAO PAULO APPROACH	APP - 129.00 MHz - SAO PAULO APPROACH
APP - 119.60 MHz - SAO PAULO APPROACH	APP - 122.75 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	6,360 ft	147.63	ASPHALT	407 ft	0 ft
	45 m	1,938 m	169.73		124 m	0 m
35L	148 ft	6,360 ft	327.63	ASPHALT	180 ft	0 ft
	45 m	1,938 m	349.73		55 m	0 m
17L	148 ft	4,920 ft	147.63	ASPHALT	197 ft	0 ft
	45 m	1,500 m	169.73		60 m	0 m
35R	148 ft	4,920 ft	327.63	ASPHALT	0 ft	0 ft
	45 m	1,500 m	349.73		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17R	LOC-ILS	ISP	109.30 MHz	18 nm	147.63	-	2,631 ft
				33 km	169.73		2,631 m
35L	LOC-ILS	ISO	109.70 MHz	18 nm	327.63	-	2,631 ft
				33 km	349.73		2,631 m
17R	GS	ISP	109.30 MHz	10 nm	147.63	2.90	2,631 ft
				19 km	169.73		2,631 m
35L	GS	ISO	109.70 MHz	10 nm	327.63	3.00	2,631 ft
				19 km	349.73		2,631 m