


LIPX
VILLAFRANCA

LIRN
Naples Capodichino

2024/05/11 0542Z

LIPX VERNAL DENAL NIKMA PNZ ISKIA OLEVA POM10 LIRN

351.23 nm / 650.48 km



Notes

Requested: LIPX VERNAL DENAL VERUM NIKMA PNZ ISKIA OLEVA PO 17 POM10 LIRN
Unmatched points: VERUM 17

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPX	-	45.39694	0 ft	-	VILLAFRANCA
APT	-	10.89042	0 m		
VERNA	-	43.74222	0 ft	107	-
FIX	-	11.83167	0 m		
DENAL	-	43.50889	0 ft	14	-
FIX	-	11.87722	0 m		
NIKMA	-	43.06639	0 ft	29	-
FIX	-	12.18028	0 m		
PNZ	-	40.91111	0 ft	133	PONZA NDB
NDB	-	12.95611	0 m		
ISKIA	-	40.69083	0 ft	44	-
FIX	-	13.89083	0 m		
OLEVA	-	40.75972	0 ft	8	-
FIX	-	14.05000	0 m		
POM10	-	40.83983	0 ft	8	-
FIX	-	14.19703	0 m		
LIRN	-	40.88603	0 ft	5	Naples Capodichino
APT	-	14.29078	0 m		

LIPX

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 236 ft / 72 m
Location: 45.397000 10.890300
Magnetic Var: 3.591 E

METAR

LIPX 110520Z VRB01KT 9999 SCT090 19/12 Q1019

TAF

TAF LIPX 102300Z 1100/1124 VRB05KT CAVOK

Frequencies

GND - 121.75 MHz - VILLAFRANCA GROUND
REC - 123.25 MHz - ATIS
APP - 118.55 MHz - GARDA APPROACH
TWR - 118.65 MHz - VILLAFRANCA TOWER
APP - 124.25 MHz - GARDA APPROACH
APP - 135.90 MHz - GARDA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	10,074 ft	45.59	ASPHALT	194 ft	797 ft
	45 m	3,071 m	42.00		59 m	243 m
22	148 ft	10,074 ft	225.61	ASPHALT	1,339 ft	184 ft
	45 m	3,071 m	222.02		408 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IVF	110.10 MHz	18 nm	-	-	248 ft
				33 km	-		248 m
04	LOC-ILS	IVF	110.10 MHz	18 nm	45.62	-	237 ft
				33 km	42.03		237 m
04	GS	IVF	110.10 MHz	10 nm	45.62	3.00	237 ft
				19 km	42.03		237 m

LIRN

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 292 ft / 89 m
Location: 40.886000 14.290800
Magnetic Var: 3.962 E

METAR

LIRN 110520Z 04004KT CAVOK 16/08 Q1016 NOSIG

TAF

TAF LIRN 102300Z 1100/1124 VRB05KT 9999 FEW040 BECMG 1110/1112 26012KT BECMG 1118/1120 VRB05KT

Frequencies

APP - 124.35 MHz - NAPOLI APPROACH
TWR - 118.50 MHz - NAPOLI TOWER
REC - 135.97 MHz - ATIS

APP - 120.95 MHz - NAPOLI APPROACH
GND - 121.90 MHz - NAPOLI GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,630 ft	58.04	ASPHALT	1,312 ft	217 ft
	45 m	2,630 m	54.07		400 m	66 m
24	148 ft	8,630 ft	238.05	ASPHALT	607 ft	230 ft
	45 m	2,630 m	234.09		185 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	NPC	110.15 MHz	25 nm	-	-	294 ft
				46 km	-		294 m
24	DME	INPL	109.50 MHz	25 nm	-	-	250 ft
				46 km	-		250 m
06	LOC-ILS	NPC	110.15 MHz	18 nm	58.08	-	292 ft
				33 km	54.12		292 m
24	LOC-ILS	INPL	109.50 MHz	18 nm	238.03	-	288 ft
				33 km	234.06		288 m
24	LOC-ILS	INP	109.50 MHz	18 nm	238.08	-	292 ft
				33 km	234.12		292 m
24	GS	INPL	109.50 MHz	10 nm	238.06	3.33	250 ft
				19 km	234.10		250 m
24	GS	INP	109.50 MHz	10 nm	238.08	3.33	292 ft
				19 km	234.12		292 m