


2024/04/28 0218Z

KLVK GOALI **J126** LAX KSAN

389.00 nm / 720.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 38000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLVK APT	-	37.69320 -121.82000	0 ft 0 m	-	Livermore Muni
GOALI FIX	-	36.45950 -121.42400	27,300 ft 8,321 m	76	-
ROBIE FIX	J126 AWY-HI	35.98150 -121.00900	38,000 ft 11,582 m	35	-
CEANO FIX	J126 AWY-HI	35.36950 -120.48800	38,000 ft 11,582 m	44	-
RZS VOR	J126 AWY-HI	34.50950 -119.77100	36,400 ft 11,095 m	62	SAN MARCUS (SANTA BARBARA)
LAX VOR	J126 AWY-HI	33.93320 -118.43200	20,400 ft 6,218 m	74	LOS ANGELES
KSAN APT	-	32.73360 -117.19000	0 ft 0 m	95	San Diego Intl

KLVK

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 399 ft / 122 m
Location: 37.693200 -121.820000
Magnetic Var: 12.775 E

METAR

KLVK 280153Z 26006KT 10SM CLR 16/08 A3009 RMK A02 SLP186 T01560078

TAF

TAF KLVK 272333Z 2800/2824 26015G20KT P6SM BKN250 FM280400 25010KT P6SM SCT025 BKN250 FM282100 26012G20KT P6SM SC

Frequencies

REC - 119.65 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.10 MHz -
APP - 125.35 MHz - NORCAL APP/DEP
COM - 118.10 MHz - CTAF
GND - 121.60 MHz -
APP - 123.85 MHz - NORCAL APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	98 ft	5,241 ft	90.57	ASPHALT	0 ft	151 ft
	30 m	1,598 m	77.79		0 m	46 m
25R	98 ft	5,241 ft	270.58	ASPHALT	0 ft	151 ft
	30 m	1,598 m	257.81		0 m	46 m
07R	75 ft	2,694 ft	90.58	ASPHALT	0 ft	0 ft
	23 m	821 m	77.80		0 m	0 m
25L	75 ft	2,694 ft	270.58	ASPHALT	0 ft	0 ft
	23 m	821 m	257.81		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ILVK	110.50 MHz	18 nm	270.56	-	365 ft
				33 km	257.79		365 m
25R	GS	ILVK	110.50 MHz	10 nm	271.15	3.00	393 ft
				19 km	258.37		393 m

KSAN

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 17 ft / 5 m
Location: 32.733600 -117.190000
Magnetic Var: 10.973 E

METAR

KSAN 280151Z 31005KT 10SM FEW027 17/12 A3001 RMK A02 SLP163 T01720122 \$

TAF

KSAN 272325Z 2800/2906 23008KT P6SM FEW027 FM280200 29005KT P6SM SCT030 FM281000 16003KT P6SM BKN015 FM281600 190

Frequencies

REC - 134.80 MHz - LINDBERGH ATIS	CLD - 125.90 MHz - LINDBERGH CLEARANCE
GND - 123.90 MHz - LINDBERGH GROUND	TWR - 118.30 MHz - LINDBERGH TOWER
DEP - 119.60 MHz - SOCAL WEST DEPARTURE	DEP - 124.35 MHz - SOCAL EAST DEPARTURE
APP - 119.60 MHz - SOCAL WEST APPROACH	APP - 124.35 MHz - SOCAL EAST APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	200 ft	9,388 ft	106.13	ASPHALT	1,004 ft	390 ft
	61 m	2,861 m	95.16		306 m	119 m
27	200 ft	9,388 ft	286.15	ASPHALT	1,811 ft	0 ft
	61 m	2,861 m	275.18		552 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ISAN	111.55 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
27	DME	IUBR	110.90 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
09	LOC-ILS	ISAN	111.55 MHz	18 nm	106.14	-	17 ft
				33 km	95.17		17 m
27	LOC-LOC	IUBR	110.90 MHz	18 nm	286.14	-	17 ft
				33 km	275.17		17 m
09	GS	ISAN	111.55 MHz	10 nm	106.14	3.10	17 ft
				19 km	95.17		17 m