

# KLAX

Los Angeles Intl


# LIRF

Roma-Fiumicino "Leonardo da Vinci"

2024/06/04 0201Z

KLAX BLIPP **Q842** WINEN KU570 KU69Q KD90W KP12A VBI MISAX PELEE JOVIE HOIST 5500N05000W 5600N04000W  
5600N03000W 5600N02000W PIKIL SOVED LUTOV SOSIM MOTOX ETINO RIPUS GERSA SOSON ODINA EKPAL TINKU  
XIBIL LIRF

5639.58 nm / 10444.50 km



## Notes

Requested: KLAX Q70 BLIPP Q842 WINEN KU570 KU69Q KD90W KP12A VBI MISAX PELEE JOVIE HOIST 5500N/05000W 5600N/04000W  
Unmatched points: DEVDI

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX	-	33.94310	0 ft	-	Los Angeles Intl
APT	-	-118.40900	0 m		
BLIPP	-	36.71150	0 ft	254	-
FIX	-	-114.47400	0 m		
WINEN	Q842	37.93330	0 ft	86	-
FIX	AWY-HI	-113.50000	0 m		
KU570	-	39.50000	0 ft	117	-
FIX	-	-112.00000	0 m		
KU69Q	-	41.50000	0 ft	150	-
FIX	-	-110.00000	0 m		
KD90W	-	45.00000	0 ft	336	-
FIX	-	-104.00000	0 m		
KP12A	-	47.00000	0 ft	205	-
FIX	-	-100.00000	0 m		
VBI	-	49.47690	0 ft	280	SIOUX NARROWS
VOR	-	-94.04670	0 m		
MISAX	-	50.50000	0 ft	167	-
FIX	-	-90.00000	0 m		
PELEE	-	52.91670	0 ft	399	-
FIX	-	-80.00000	0 m		
JOVIE	-	54.16670	0 ft	469	-
FIX	-	-67.00000	0 m		
HOIST	-	55.03330	0 ft	351	-
FIX	-	-57.00000	0 m		
5500N05000W	-	55.00000	0 ft	240	-
LATLON	-	-50.00000	0 m		
5600N04000W	-	56.00000	0 ft	345	-
LATLON	-	-40.00000	0 m		
5600N03000W	-	56.00000	0 ft	335	-
LATLON	-	-30.00000	0 m		
5600N02000W	-	56.00000	0 ft	335	-
LATLON	-	-20.00000	0 m		
PIKIL	-	56.00000	0 ft	167	-
FIX	-	-15.00000	0 m		
SOVED	-	56.00000	0 ft	33	-
FIX	-	-14.00000	0 m		
LUTOV	-	55.23940	0 ft	143	-
FIX	-	-10.00000	0 m		
SOSIM	-	53.81560	0 ft	209	-
FIX	-	-4.50833	0 m		
MOTOX	-	50.95780	0 ft	278	-
FIX	-	1.46667	0 m		
ETINO	-	48.88750	0 ft	186	-
FIX	-	5.05611	0 m		
RIPUS	-	47.26030	0 ft	169	-
FIX	-	8.50000	0 m		
GERSA	-	47.03940	0 ft	13	-
FIX	-	8.53211	0 m		
SOSON	-	46.60670	0 ft	26	-
FIX	-	8.59417	0 m		
ODINA	-	46.10440	0 ft	30	-
FIX	-	8.66492	0 m		
EKPAL	-	44.48420	0 ft	116	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	10.16250	0 m		
TINKU	-	43.76330	0 ft	46	-
FIX	-	10.54060	0 m		
XIBIL	-	42.79700	0 ft	61	-
FIX	-	10.98390	0 m		
LIRF	-	41.81080	0 ft	81	Roma-Fiumicino "Leonardo da Vinci"
APT	-	12.25090	0 m		

## KLAX

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 4

Elevation: 125 ft / 38 m  
Location: 33.943100 -118.409000  
Magnetic Var: 11.435 E

## METAR

KLAX 040053Z 27010KT 10SM FEW013 BKN200 17/13 A2985 RMK A02 SLP107 T01720133 \$

## TAF

TAF KLAX 032344Z 0400/0506 26010G20KT P6SM SCT015 BKN200 FM040200 23006KT P6SM OVC012 FM041000 11006KT P6SM OVC01

## Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.52		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m

## LIRF

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 3

Elevation: 13 ft / 4 m  
Location: 41.810800 12.250900  
Magnetic Var: 3.672 E

## METAR

LIRF 040120Z 32004KT CAVOK 14/13 Q1015 NOSIG

## TAF

TAF LIRF 032300Z 0400/0506 VRB05KT CAVOK BECMG 0410/0412 28012KT BECMG 0418/0420 VRB05KT

## Frequencies

REC - 120.17 MHz - ATIS ARRIVAL  
REC - 121.85 MHz - ATIS DEPARTURE  
GND - 121.72 MHz - FIUME APRON  
GND - 121.90 MHz - FIUME GROUND  
TWR - 127.62 MHz - FIUME TOWER  
TWR - 118.70 MHz - FIUME TOWER  
DEP - 131.10 MHz - ROMA DEPARTURE  
APP - 125.50 MHz - ROMA ARRIVAL  
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL  
CLD - 121.80 MHz - CLEARANCE DELIVERY  
GND - 121.67 MHz - FIUME GROUND  
GND - 122.12 MHz - FIUME GROUND  
TWR - 123.72 MHz - FIUME TOWER  
DEP - 130.90 MHz - ROMA DEPARTURE  
APP - 127.95 MHz - ROMA ARRIVAL  
APP - 119.20 MHz - ROMA DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.01		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.03		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	158.99		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.00		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m