


2024/05/01 1939Z

OMDB TONVO **P307** VAXIM **L301** AAU AAU **L301** MABUR **L759** PUT **W14** HTY **A334** VKB 600N10300E UPRON **M904**
ENREP **N875** MUMSO ELGOR **M758** OLKIT **M759** BRU MAMOK **M768** PORAK EMONA **A215** LEBON TOREX **B472** IDELU
B598 PEBTA **B473** CS **G591** LTO NWWW

7481.32 nm / 13855.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25110	0 ft	-	Dubai Intl
APT	-	55.37110	0 m		
TONVO	-	25.08330	22,800 ft	63	-
FIX	-	56.53330	6,949 m		
PURNI	P307	24.63440	35,000 ft	70	-
FIX	AWY-HI	57.73170	10,668 m		
KUNUS	P307	24.32420	35,000 ft	47	-
FIX	AWY-HI	58.54060	10,668 m		
ALSAS	P307	24.01500	35,000 ft	47	-
FIX	AWY-HI	59.33190	10,668 m		
DERTO	P307	23.84250	35,000 ft	27	-
FIX	AWY-HI	59.79610	10,668 m		
VAXIM	P307	23.31670	35,000 ft	82	-
FIX	AWY-HI	61.18330	10,668 m		
RASKI	L301	23.05830	35,000 ft	148	-
FIX	AWY-HI	63.86670	10,668 m		
ANKOX	L301	22.04900	35,000 ft	157	-
FIX	AWY-HI	66.47830	10,668 m		
KARKU	L301	20.97430	35,000 ft	160	-
FIX	AWY-HI	69.11080	10,668 m		
BETKU	L301	20.47750	35,000 ft	165	-
FIX	AWY-HI	72.01640	10,668 m		
AKTIV	L301	20.24810	35,000 ft	71	-
FIX	AWY-HI	73.25830	10,668 m		
AAU	L301	19.86470	35,000 ft	122	AURANGABAD VOR-DME
DME	AWY-HI	75.39410	10,668 m		
AAU	-	19.86110	35,000 ft	0	AURANGABAD
VOR	-	75.40520	10,668 m		
ASOGA	L301	19.54250	35,000 ft	82	-
FIX	AWY-HI	76.83220	10,668 m		
BEVSU	L301	19.44690	35,000 ft	24	-
FIX	AWY-HI	77.25920	10,668 m		
NUSRU	L301	19.29530	35,000 ft	38	-
FIX	AWY-HI	77.92280	10,668 m		
BUSBO	L301	19.24940	35,000 ft	11	-
FIX	AWY-HI	78.12500	10,668 m		
MEPOK	L301	18.07030	35,000 ft	231	-
FIX	AWY-HI	81.99830	10,668 m		
VVZ	L301	17.66770	35,000 ft	75	VISHAKHAPATNAM
VOR	AWY-HI	83.25280	10,668 m		
POTAS	L301	17.50000	35,000 ft	39	-
FIX	AWY-HI	83.92080	10,668 m		
OLSOR	L301	17.35830	35,000 ft	34	-
FIX	AWY-HI	84.50000	10,668 m		
DOGEM	L301	17.16780	35,000 ft	47	-
FIX	AWY-HI	85.30610	10,668 m		
URKOK	L301	16.73670	35,000 ft	109	-
FIX	AWY-HI	87.15170	10,668 m		
LEBIS	L301	16.22690	35,000 ft	126	-
FIX	AWY-HI	89.28750	10,668 m		
MABUR	L301	16.01670	35,000 ft	52	-
FIX	AWY-HI	90.16830	10,668 m		
LIBDI	L759	14.25140	35,000 ft	149	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	91.99690	10,668 m		
NISUN	L759	13.93470	35,000 ft	27	-
FIX	AWY-HI	92.33030	10,668 m		
LADER	L759	12.22220	35,000 ft	143	-
FIX	AWY-HI	94.03060	10,668 m		
MIPAK	L759	11.83330	35,000 ft	32	-
FIX	AWY-HI	94.41670	10,668 m		
TAVUN	L759	10.00000	35,000 ft	167	-
FIX	AWY-HI	96.55010	10,668 m		
ANPAN	L759	8.85433	35,000 ft	93	-
FIX	AWY-HI	97.62230	10,668 m		
PUT	L759	8.11523	35,000 ft	60	PHUKET
VOR	AWY-HI	98.30630	10,668 m		
TRN	W14	7.50894	35,000 ft	86	TRANG
VOR	AWY-HI	99.62600	10,668 m		
HTY	W14	6.93410	35,000 ft	57	HAT YAI
VOR	AWY-HI	100.38800	10,668 m		
PASVA	A334	6.25810	35,000 ft	108	-
FIX	AWY-HI	102.07500	10,668 m		
VKB	A334	6.16345	35,000 ft	15	KOTA BHARU
VOR	AWY-HI	102.31400	10,668 m		
600N10300E	-	6.00000	35,000 ft	42	-
LATLON	-	103.00000	10,668 m		
UPRON	-	6.15095	35,000 ft	22	-
FIX	-	103.34400	10,668 m		
ENREP	M904	4.87306	35,000 ft	93	-
FIX	AWY-HI	104.24500	10,668 m		
NOPAT	N875	4.38694	35,000 ft	44	-
FIX	AWY-HI	104.79900	10,668 m		
DAMOG	N875	4.20694	35,000 ft	16	-
FIX	AWY-HI	105.00400	10,668 m		
SUSAR	N875	3.98000	35,000 ft	20	-
FIX	AWY-HI	105.26300	10,668 m		
MUMSO	N875	3.73889	35,000 ft	21	-
FIX	AWY-HI	105.53700	10,668 m		
ELGOR	-	3.50389	35,000 ft	21	-
FIX	-	105.80500	10,668 m		
LUSMO	M758	3.56139	35,000 ft	67	-
FIX	AWY-HI	106.92600	10,668 m		
TERIX	M758	4.25583	35,000 ft	164	-
FIX	AWY-HI	109.58200	10,668 m		
OLKIT	M758	4.83611	35,000 ft	140	-
FIX	AWY-HI	111.85500	10,668 m		
BRU	M759	4.87458	35,000 ft	181	BRUNEI
VOR	AWY-HI	114.88500	10,668 m		
MAMOK	-	4.08500	35,000 ft	71	-
FIX	-	115.78700	10,668 m		
LADOP	M768	0.02843	35,000 ft	330	-
FIX	AWY-HI	119.51100	10,668 m		
PORAK	M768	-4.97746	35,000 ft	403	-
FIX	AWY-HI	124.00700	10,668 m		
EMONA	-	-5.26500	35,000 ft	21	-
FIX	-	124.21700	10,668 m		
LEBON	A215	-5.65000	35,000 ft	508	-
FIX	AWY-HI	132.72000	10,668 m		
TOREX	-	-7.40000	35,000 ft	117	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	133.59200	10,668 m		
IDELU	B472	-11.59590	35,000 ft	300	-
FIX	AWY-HI	136.36300	10,668 m		
PEBTA	B598	-10.96400	35,000 ft	227	-
FIX	AWY-HI	140.17500	10,668 m		
WP	B473	-12.67360	35,000 ft	145	WEIPA
VOR	AWY-HI	141.92300	10,668 m		
MEMOS	B473	-14.98420	35,000 ft	184	-
FIX	AWY-HI	144.00900	10,668 m		
LAKED	B473	-16.22950	35,000 ft	100	-
FIX	AWY-HI	145.16200	10,668 m		
CS	B473	-16.85000	35,000 ft	50	CAIRNS
VOR	AWY-HI	145.74400	10,668 m		
PESKY	G591	-17.06940	35,000 ft	42	-
FIX	AWY-HI	146.44200	10,668 m		
LAMEK	G591	-18.15460	35,000 ft	216	-
FIX	AWY-HI	150.04300	10,668 m		
PUGEL	G591	-19.82750	35,000 ft	365	-
FIX	AWY-HI	156.22400	10,668 m		
MEPAB	G591	-21.38050	35,000 ft	392	-
FIX	AWY-HI	163.00000	10,668 m		
TEPAM	G591	-21.60330	25,800 ft	63	-
FIX	AWY-HI	164.10300	7,864 m		
LTO	G591	-22.00540	100 ft	120	TONTOUTA (NOUMEA)
VOR	AWY-HI	166.21200	30 m		
NWWW	-	-22.01450	0 ft	0	Noumea La Tontouta
APT	-	166.21300	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.351 E

METAR

OMDB 011900Z 07010KT CAVOK 32/19 Q1005 NOSIG

TAF

TAF OMDB 011700Z 0118/0300 13007KT 8000 NSC PROB40 0122/0207 32015KT TEMPO 0123/0213 VRB28G45KT 1500 TSRA BLDU BKN

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

NWWW

Region: NEW CALEDONIA
Timezone: PACIFIC/NOUMEA
Runways: 1

Elevation: 50 ft / 15 m
Location: -22.014500 166.213000
Magnetic Var: 12.523 E

METAR

NWWW 011900Z AUTO 00000KT 9999 BKN060 BKN070 19/17 Q1015 NOSIG

TAF

TAF NWWW 011700Z 0118/0218 VRB02KT 9999 SCT060 BECMG 0122/0124 19015KT PROB30 TEMPO 0201/0206 4500 SHRA FEW020TCU

Frequencies

APP - 119.70 MHz - NOUMEA LA APPROACH
TWR - 118.10 MHz - NOUMEA LA TOWER
COM - 119.70 MHz - TONTOUTA INFORMATION
DEP - 128.30 MHz - NOUMEA LA DEPARTURE
REC - 126.20 MHz - TONTOUTA ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	10,673 ft	121.25	ASPHALT	0 ft	328 ft
	45 m	3,253 m	108.73		0 m	100 m
29	148 ft	10,673 ft	301.24	ASPHALT	0 ft	325 ft
	45 m	3,253 m	288.72		0 m	99 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	LT	109.90 MHz	18 nm	120.69	-	52 ft
				33 km	108.16		52 m
11	GS	LT	109.90 MHz	10 nm	121.40	3.00	24 ft
				19 km	108.88		24 m