

KSBD

San Bernardino Intl


KVQQ

Cecil Airport

2024/05/02 2215Z

KSBD DECAS **J212** BXK **T306** PXR **J65** TCS **J166** CME **J65** ABI **J50** CEW **J2** DEFUN **V198** SZW **J2** CAPPS KVQQ

1824.01 nm / 3378.06 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSBD	-	34.09540	0 ft	-	San Bernardino Intl
APT	-	-117.23500	0 m		
DECAS	-	33.82360	32,100 ft	90	-
FIX	-	-115.45700	9,784 m		
CURIV	J212	33.77300	35,000 ft	45	-
FIX	AWY-HI	-114.54400	10,668 m		
HRRBR	J212	33.64990	35,000 ft	34	-
FIX	AWY-HI	-113.86500	10,668 m		
CULTS	J212	33.58420	35,000 ft	18	-
FIX	AWY-HI	-113.51100	10,668 m		
BXK	J212	33.45350	35,000 ft	35	BUCKEYE
VOR	AWY-HI	-112.82500	10,668 m		
PERKY	T306	33.44580	35,000 ft	17	-
FIX	AWY-LO	-112.47300	10,668 m		
PXR	T306	33.43300	35,000 ft	25	PHOENIX
VOR	AWY-LO	-111.97000	10,668 m		
TAGGS	J65	33.42000	35,000 ft	39	-
FIX	AWY-HI	-111.17400	10,668 m		
TMACK	J65	33.31910	35,000 ft	157	-
FIX	AWY-HI	-108.04600	10,668 m		
TCS	J65	33.28250	35,000 ft	38	TRUTH OR CONSEQUENCES
VOR	AWY-HI	-107.28100	10,668 m		
CME	J166	33.33750	35,000 ft	133	CHISUM (ROSWELL)
VOR	AWY-HI	-104.62100	10,668 m		
ABI	J65	32.48130	35,000 ft	245	ABILENE
VOR	AWY-HI	-99.86340	10,668 m		
HICOE	J50	31.93810	35,000 ft	94	-
FIX	AWY-HI	-98.11900	10,668 m		
ACT	J50	31.66220	35,000 ft	46	WACO
VOR	AWY-HI	-97.26900	10,668 m		
TORNN	J50	31.52040	35,000 ft	39	-
FIX	AWY-HI	-96.51470	10,668 m		
CRIED	J50	31.35400	35,000 ft	44	-
FIX	AWY-HI	-95.66140	10,668 m		
LFK	J50	31.16240	35,000 ft	49	LUFKIN
VOR	AWY-HI	-94.71680	10,668 m		
VELCO	J50	31.17780	35,000 ft	15	-
FIX	AWY-HI	-94.40920	10,668 m		
TBEND	J50	31.19860	35,000 ft	22	-
FIX	AWY-HI	-93.96620	10,668 m		
CIDOR	J50	31.21800	35,000 ft	22	-
FIX	AWY-HI	-93.52350	10,668 m		
AEX	J50	31.25670	35,000 ft	52	ALEXANDRIA
VOR	AWY-HI	-92.50100	10,668 m		
MCB	J50	31.30450	35,000 ft	115	MC COMB
VOR	AWY-HI	-90.25820	10,668 m		
CEW	J50	30.82620	35,000 ft	186	CRESTVIEW
VOR	AWY-HI	-86.67910	10,668 m		
DEFUN	J2	30.81420	35,000 ft	28	-
FIX	AWY-HI	-86.13140	10,668 m		
IKMOQ	V198	30.81140	35,000 ft	5	-
FIX	AWY-LO	-86.01820	10,668 m		
LAARA	V198	30.80910	35,000 ft	4	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-85.92290	10,668 m		
CHEWS	V198	30.79870	35,000 ft	19	-
FIX	AWY-LO	-85.54060	10,668 m		
BJLEW	V198	30.79580	35,000 ft	5	-
FIX	AWY-LO	-85.43970	10,668 m		
MAI	V198	30.78620	35,000 ft	16	MARIANNA
VOR	AWY-LO	-85.12450	10,668 m		
SNEAD	V198	30.69130	33,200 ft	17	-
FIX	AWY-LO	-84.81260	10,119 m		
QUILL	V198	30.62250	30,600 ft	12	-
FIX	AWY-LO	-84.58840	9,327 m		
SZW	V198	30.55620	28,100 ft	11	SEMINOLE
VOR	AWY-LO	-84.37390	8,565 m		
CAPPS	J2	30.54530	22,900 ft	24	-
FIX	AWY-HI	-83.90500	6,980 m		
KVQQ	-	30.21920	0 ft	106	Cecil Airport
APT	-	-81.87640	0 m		

KSBD

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 1,159 ft / 353 m
Location: 34.095400 -117.235000
Magnetic Var: 11.222 E

METAR

KSBD 022100Z 25005KT 5SM HZ CLR 24/09 A2987

TAF

TAF KSBD 021725Z 0218/0318 23005KT 5SM HZ SKC FM022000 26009KT P6SM SKC FM030400 VRB04KT P6SM SKC FM031200 VRB04KT

Frequencies

COM - 122.97 MHz - UNICOM	APP - 135.40 MHz - SOCAL APPROACH
APP - 125.50 MHz - SOCAL APPROACH	APP - 127.00 MHz - SOCAL APPROACH
APP - 134.00 MHz - SOCAL APPROACH	TWR - 119.45 MHz - SAN BERNARDINO TOWER
GND - 121.80 MHz - SAN BERNARDINO GROUND	DEP - 135.40 MHz - SOCAL DEPARTURE
DEP - 134.00 MHz - SOCAL DEPARTURE	DEP - 127.00 MHz - SOCAL DEPARTURE
DEP - 125.50 MHz - SOCAL DEPARTURE	REC - 124.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	9,990 ft	70.34	CONCRETE	0 ft	0 ft
	61 m	3,045 m	59.12		0 m	0 m
24	200 ft	9,990 ft	250.35	CONCRETE	0 ft	0 ft
	61 m	3,045 m	239.13		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	ISBD	109.30 MHz	18 nm	70.35	-	1,159 ft
				33 km	59.13		1,159 m
06	GS	ISBD	109.30 MHz	10 nm	70.35	3.00	1,159 ft
				19 km	59.13		1,159 m

KVQQ

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 81 ft / 25 m
Location: 30.219200 -81.876400
Magnetic Var: 6.862 W

METAR

KVQQ 022150Z 11005G11KT 10SM CLR 30/16 A2994

TAF

TAF KVQQ 021720Z 0218/0318 09009KT P6SM SCT040 FM030100 12003KT P6SM SCT120 FM031500 12006KT P6SM FEW040

Frequencies

REC - 125.27 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 126.10 MHz - CECIL TOWER
COM - 126.10 MHz - CTAF
GND - 121.62 MHz - CECIL GROUND
APP - 123.80 MHz - JACKSONVILLE APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	200 ft	12,545 ft	179.57	ASPHALT	0 ft	102 ft
	61 m	3,824 m	186.43		0 m	31 m
36R	200 ft	12,545 ft	359.57	ASPHALT	0 ft	98 ft
	61 m	3,824 m	6.43		0 m	30 m
09R	200 ft	7,990 ft	89.56	ASPHALT	0 ft	98 ft
	61 m	2,435 m	96.43		0 m	30 m
27L	200 ft	7,990 ft	269.58	ASPHALT	0 ft	98 ft
	61 m	2,435 m	276.44		0 m	30 m
18R	200 ft	8,028 ft	179.56	ASPHALT	0 ft	102 ft
	61 m	2,447 m	186.42		0 m	31 m
36L	200 ft	8,028 ft	359.56	ASPHALT	0 ft	98 ft
	61 m	2,447 m	6.42		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36R	DME	IVQQ	109.50 MHz	18 nm	-	-	81 ft
				33 km	-		81 m
36R	LOC-ILS	IVQQ	109.50 MHz	18 nm	359.57	-	81 ft
				33 km	6.43		81 m
36R	GS	IVQQ	109.50 MHz	10 nm	359.57	3.00	81 ft
				19 km	6.43		81 m