

KSGJ

Northeast Florida Regional


KLAX

Los Angeles Intl

2024/06/15 1312Z

KSGJ HADDE **V198** DEFUN **J2** CEW **J50** ABI **J65** CME **J166** TCS **J65** PXR **T306** PSP KLAX

1913.19 nm / 3543.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSGJ APT	-	29.95820 -81.33920	0 ft 0 m	-	Northeast Florida Regional
HADDE FIX	-	30.53180 -83.23060	35,000 ft 10,668 m	103	-
GEF VOR	V198 AWY-LO	30.55130 -83.78310	35,000 ft 10,668 m	28	GREENVILLE
LLOYD FIX	V198 AWY-LO	30.55430 -84.10160	35,000 ft 10,668 m	16	-
SZW VOR	V198 AWY-LO	30.55620 -84.37390	35,000 ft 10,668 m	14	SEMINOLE
QUILL FIX	V198 AWY-LO	30.62250 -84.58840	35,000 ft 10,668 m	11	-
SNEAD FIX	V198 AWY-LO	30.69130 -84.81260	35,000 ft 10,668 m	12	-
MAI VOR	V198 AWY-LO	30.78620 -85.12450	35,000 ft 10,668 m	17	MARIANNA
BJLEW FIX	V198 AWY-LO	30.79580 -85.43970	35,000 ft 10,668 m	16	-
CHEWS FIX	V198 AWY-LO	30.79870 -85.54060	35,000 ft 10,668 m	5	-
LAARA FIX	V198 AWY-LO	30.80910 -85.92290	35,000 ft 10,668 m	19	-
IKMOQ FIX	V198 AWY-LO	30.81140 -86.01820	35,000 ft 10,668 m	4	-
DEFUN FIX	V198 AWY-LO	30.81420 -86.13140	35,000 ft 10,668 m	5	-
CEW VOR	J2 AWY-HI	30.82620 -86.67910	35,000 ft 10,668 m	28	CRESTVIEW
MCB VOR	J50 AWY-HI	31.30450 -90.25820	35,000 ft 10,668 m	186	MC COMB
AEX VOR	J50 AWY-HI	31.25670 -92.50100	35,000 ft 10,668 m	115	ALEXANDRIA
CIDOR FIX	J50 AWY-HI	31.21800 -93.52350	35,000 ft 10,668 m	52	-
TBEND FIX	J50 AWY-HI	31.19860 -93.96620	35,000 ft 10,668 m	22	-
VELCO FIX	J50 AWY-HI	31.17780 -94.40920	35,000 ft 10,668 m	22	-
LFK VOR	J50 AWY-HI	31.16240 -94.71680	35,000 ft 10,668 m	15	LUFKIN
CRIED FIX	J50 AWY-HI	31.35400 -95.66140	35,000 ft 10,668 m	49	-
TORNN FIX	J50 AWY-HI	31.52040 -96.51470	35,000 ft 10,668 m	44	-
ACT VOR	J50 AWY-HI	31.66220 -97.26900	35,000 ft 10,668 m	39	WACO
HICOE FIX	J50 AWY-HI	31.93810 -98.11900	35,000 ft 10,668 m	46	-
ABI VOR	J50 AWY-HI	32.48130 -99.86340	35,000 ft 10,668 m	94	ABILENE
CME VOR	J65 AWY-HI	33.33750 -104.62100	35,000 ft 10,668 m	245	CHISUM (ROSWELL)
TCS	J166	33.28250	35,000 ft	133	TRUTH OR CONSEQUENCES

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	-107.28100	10,668 m		
TMACK	J65	33.31910	35,000 ft	38	-
FIX	AWY-HI	-108.04600	10,668 m		
TAGGS	J65	33.42000	35,000 ft	157	-
FIX	AWY-HI	-111.17400	10,668 m		
PXR	J65	33.43300	35,000 ft	39	PHOENIX
VOR	AWY-HI	-111.97000	10,668 m		
PERKY	T306	33.44580	35,000 ft	25	-
FIX	AWY-LO	-112.47300	10,668 m		
BXK	T306	33.45350	35,000 ft	17	BUCKEYE
VOR	AWY-LO	-112.82500	10,668 m		
BLH	T306	33.59610	35,000 ft	97	BLYTHE
VOR	AWY-LO	-114.76100	10,668 m		
PSP	T306	33.87000	21,100 ft	84	PALM SPRINGS
VOR	AWY-LO	-116.43000	6,431 m		
KLAX	-	33.94310	0 ft	98	Los Angeles Intl
APT	-	-118.40900	0 m		

KSGJ

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 9 ft / 3 m
Location: 29.958200 -81.339200
Magnetic Var: 7.168 W

METAR

KSGJ 151256Z 03006KT 10SM FEW012 28/24 A2999 RMK A02 SLP154 T02830244

TAF

TAF KSGJ 151120Z 1512/1612 VRB05KT P6SM SCT015 SCT250 FM151500 08010KT P6SM SCT020 SCT250 FM152200 14007KT P6SM SCT020

Frequencies

REC - 119.62 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 127.62 MHz -
COM - 127.62 MHz - CTAF
GND - 121.17 MHz -
APP - 120.75 MHz - JACKSONVILLE APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	151 ft	8,010 ft	126.44	ASPHALT	1,066 ft	194 ft
	46 m	2,441 m	133.61		325 m	59 m
31	151 ft	8,010 ft	306.45	ASPHALT	810 ft	197 ft
	46 m	2,441 m	313.62		247 m	60 m
06	59 ft	2,703 ft	61.75	CONCRETE	0 ft	0 ft
	18 m	824 m	68.92		0 m	0 m
24	59 ft	2,703 ft	241.76	CONCRETE	0 ft	0 ft
	18 m	824 m	248.93		0 m	0 m
02	75 ft	2,614 ft	20.95	ASPHALT	0 ft	0 ft
	23 m	797 m	28.11		0 m	0 m
20	75 ft	2,614 ft	200.95	ASPHALT	0 ft	0 ft
	23 m	797 m	208.12		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	IGUH	111.10 MHz	18 nm	-	-	10 ft
				33 km	-		10 m
31	LOC-ILS	IGUH	111.10 MHz	18 nm	307.92	-	10 ft
				33 km	315.09		10 m
31	GS	IGUH	111.10 MHz	10 nm	306.89	3.00	5 ft
				19 km	314.06		5 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.432 E

METAR

KLAX 151257Z 00000KT 6SM BR FEW006 16/15 A2984 RMK A02 T01610150

TAF

KLAX 151125Z 1512/1618 VRB03KT P6SM SKC FM151400 VRB03KT 5SM BR SKC FM151700 26006KT P6SM SKC FM152000 26012KT P6SM

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.52		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.52		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.55	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.55	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.55	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.55	3.00	125 ft 125 m