


2024/05/03 1945Z

KLAX EHF **J5** FMG **J7** REO **J537** YYC BIRKO **Q882** CACHO **J517** YMM **J519** ZF **J477** CB **BR84** LT 8300N05800W
8300N05700W 8300N05600W 8300N05500W 8300N05400W 8300N05300W 8300N05200W 8300N05100W 8300N05000W
8300N04900W 8300N04800W 8300N04700W 8300N04600W 8300N04500W 8300N04400W 8300N04300W 8300N04200W
8300N04100W 8300N04000W 8300N03900W 8300N03800W 8300N03700W 8300N03600W 8300N03500W 8300N03400W
8300N03300W 8300N03200W 8300N03100W 8300N03000W 8300N02900W 8300N02800W 8300N02700W 8300N02600W
8300N02500W 8300N02400W 8300N02300W 8300N02200W 8300N02100W 8300N02000W 8300N01900W 8300N01800W
8300N01700W 8300N01600W 8300N01500W 8300N01400W 8300N01300W 8300N01200W 8300N01100W 8300N01000W
8300N0900W 8300N0800W 8300N0700W 8300N0600W 8300N0500W 8300N0400W 8300N0300W 8300N0200W
8300N0100W 8300N0000E 8300N0100E 8300N0200E 8300N0300E 8200N01200E 8200N01300E 8200N01400E
8200N01500E 8200N01600E 8100N02300E 8000N02900E AGATA **A841** GIMON **G108** SONEP RINOV **B954** MZ **W161**
KUMEN **B117** DIKIN **B105** KZN **A368** URL **A122** ATR **A357** AKT AKT **A240** KRS KRS **B377** PUTMA **G667** NSR **N39**
OBRIX **T215** PURKI **W32** YZD YZD **W32** BND BND **M324** MOBET OMDB

7637.90 nm / 14145.40 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min

- Ascent Speed: 250kts
- Cruise Altitude: 37000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX APT	-	33.94310 -118.40900	0 ft 0 m	-	Los Angeles Intl
EHF VOR	-	35.48460 -119.09700	35,200 ft 10,729 m	98	SHAFTER (BAKERSFIELD)
PINNI FIX	J5 AWY-HI	36.79780 -119.27200	37,000 ft 11,278 m	79	-
TIOGA FIX	J5 AWY-HI	37.93290 -119.42800	37,000 ft 11,278 m	68	-
SONNY FIX	J5 AWY-HI	38.33570 -119.48500	37,000 ft 11,278 m	24	-
TILTS FIX	J5 AWY-HI	38.63470 -119.52700	37,000 ft 11,278 m	18	-
FMG VOR	J5 AWY-HI	39.53130 -119.65600	37,000 ft 11,278 m	54	MUSTANG (RENO)
GASSI FIX	J7 AWY-HI	40.57170 -119.06800	37,000 ft 11,278 m	68	-
REO VOR	J7 AWY-HI	42.59050 -117.86800	37,000 ft 11,278 m	132	ROME
MLP VOR	J537 AWY-HI	47.45690 -115.64600	37,000 ft 11,278 m	307	MULLAN PASS
ONEAL FIX	J537 AWY-HI	49.00000 -114.93500	37,000 ft 11,278 m	96	-
HAYDN FIX	J537 AWY-HI	50.46690 -114.21500	37,000 ft 11,278 m	92	-
YYC VOR	J537 AWY-HI	51.11500 -113.88200	37,000 ft 11,278 m	40	CALGARY
BIRKO FIX	-	51.47580 -113.26400	37,000 ft 11,278 m	31	-
DUDNI FIX	Q882 AWY-HI	52.23670 -112.94500	37,000 ft 11,278 m	47	-
IGVUX FIX	Q882 AWY-HI	52.77030 -112.71300	37,000 ft 11,278 m	33	-
CACHO FIX	Q882 AWY-HI	54.90400 -112.57000	37,000 ft 11,278 m	128	-
LETRM FIX	J517 AWY-HI	55.89610 -111.76400	37,000 ft 11,278 m	65	-
YMM VOR	J517 AWY-HI	56.64720 -111.12200	37,000 ft 11,278 m	49	FORT MCMURRAY
YSM VOR	J519 AWY-HI	60.02010 -111.96900	37,000 ft 11,278 m	204	FORT SMITH
ZF NDB	J519 AWY-HI	62.41100 -114.43400	37,000 ft 11,278 m	160	YELLOWKNIFE
BOTER FIX	J477 AWY-HI	63.75560 -112.96000	37,000 ft 11,278 m	90	-
CB NDB	J477 AWY-HI	69.11480 -105.01600	37,000 ft 11,278 m	373	CAMBRIDGE BAY
RB NDB	BR84 AWY-LO	74.74690 -94.99500	37,000 ft 11,278 m	385	RESOLUTE BAY
YEU NDB	BR84 AWY-LO	79.99100 -85.89870	37,000 ft 11,278 m	335	EUREKA
LT NDB	BR84 AWY-LO	82.52580 -62.21170	37,000 ft 11,278 m	261	ALERT
8300N05800W	-	83.00000	37,000 ft	42	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-58.00000	11,278 m		
8300N05700W	-	83.00000	37,000 ft	7	-
LATLON	-	-57.00000	11,278 m		
8300N05600W	-	83.00000	37,000 ft	7	-
LATLON	-	-56.00000	11,278 m		
8300N05500W	-	83.00000	37,000 ft	7	-
LATLON	-	-55.00000	11,278 m		
8300N05400W	-	83.00000	37,000 ft	7	-
LATLON	-	-54.00000	11,278 m		
8300N05300W	-	83.00000	37,000 ft	7	-
LATLON	-	-53.00000	11,278 m		
8300N05200W	-	83.00000	37,000 ft	7	-
LATLON	-	-52.00000	11,278 m		
8300N05100W	-	83.00000	37,000 ft	7	-
LATLON	-	-51.00000	11,278 m		
8300N05000W	-	83.00000	37,000 ft	7	-
LATLON	-	-50.00000	11,278 m		
8300N04900W	-	83.00000	37,000 ft	7	-
LATLON	-	-49.00000	11,278 m		
8300N04800W	-	83.00000	37,000 ft	7	-
LATLON	-	-48.00000	11,278 m		
8300N04700W	-	83.00000	37,000 ft	7	-
LATLON	-	-47.00000	11,278 m		
8300N04600W	-	83.00000	37,000 ft	7	-
LATLON	-	-46.00000	11,278 m		
8300N04500W	-	83.00000	37,000 ft	7	-
LATLON	-	-45.00000	11,278 m		
8300N04400W	-	83.00000	37,000 ft	7	-
LATLON	-	-44.00000	11,278 m		
8300N04300W	-	83.00000	37,000 ft	7	-
LATLON	-	-43.00000	11,278 m		
8300N04200W	-	83.00000	37,000 ft	7	-
LATLON	-	-42.00000	11,278 m		
8300N04100W	-	83.00000	37,000 ft	7	-
LATLON	-	-41.00000	11,278 m		
8300N04000W	-	83.00000	37,000 ft	7	-
LATLON	-	-40.00000	11,278 m		
8300N03900W	-	83.00000	37,000 ft	7	-
LATLON	-	-39.00000	11,278 m		
8300N03800W	-	83.00000	37,000 ft	7	-
LATLON	-	-38.00000	11,278 m		
8300N03700W	-	83.00000	37,000 ft	7	-
LATLON	-	-37.00000	11,278 m		
8300N03600W	-	83.00000	37,000 ft	7	-
LATLON	-	-36.00000	11,278 m		
8300N03500W	-	83.00000	37,000 ft	7	-
LATLON	-	-35.00000	11,278 m		
8300N03400W	-	83.00000	37,000 ft	7	-
LATLON	-	-34.00000	11,278 m		
8300N03300W	-	83.00000	37,000 ft	7	-
LATLON	-	-33.00000	11,278 m		
8300N03200W	-	83.00000	37,000 ft	7	-
LATLON	-	-32.00000	11,278 m		
8300N03100W	-	83.00000	37,000 ft	7	-
LATLON	-	-31.00000	11,278 m		
8300N03000W	-	83.00000	37,000 ft	7	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-30.00000	11,278 m		
8300N02900W	-	83.00000	37,000 ft	7	-
LATLON	-	-29.00000	11,278 m		
8300N02800W	-	83.00000	37,000 ft	7	-
LATLON	-	-28.00000	11,278 m		
8300N02700W	-	83.00000	37,000 ft	7	-
LATLON	-	-27.00000	11,278 m		
8300N02600W	-	83.00000	37,000 ft	7	-
LATLON	-	-26.00000	11,278 m		
8300N02500W	-	83.00000	37,000 ft	7	-
LATLON	-	-25.00000	11,278 m		
8300N02400W	-	83.00000	37,000 ft	7	-
LATLON	-	-24.00000	11,278 m		
8300N02300W	-	83.00000	37,000 ft	7	-
LATLON	-	-23.00000	11,278 m		
8300N02200W	-	83.00000	37,000 ft	7	-
LATLON	-	-22.00000	11,278 m		
8300N02100W	-	83.00000	37,000 ft	7	-
LATLON	-	-21.00000	11,278 m		
8300N02000W	-	83.00000	37,000 ft	7	-
LATLON	-	-20.00000	11,278 m		
8300N01900W	-	83.00000	37,000 ft	7	-
LATLON	-	-19.00000	11,278 m		
8300N01800W	-	83.00000	37,000 ft	7	-
LATLON	-	-18.00000	11,278 m		
8300N01700W	-	83.00000	37,000 ft	7	-
LATLON	-	-17.00000	11,278 m		
8300N01600W	-	83.00000	37,000 ft	7	-
LATLON	-	-16.00000	11,278 m		
8300N01500W	-	83.00000	37,000 ft	7	-
LATLON	-	-15.00000	11,278 m		
8300N01400W	-	83.00000	37,000 ft	7	-
LATLON	-	-14.00000	11,278 m		
8300N01300W	-	83.00000	37,000 ft	7	-
LATLON	-	-13.00000	11,278 m		
8300N01200W	-	83.00000	37,000 ft	7	-
LATLON	-	-12.00000	11,278 m		
8300N01100W	-	83.00000	37,000 ft	7	-
LATLON	-	-11.00000	11,278 m		
8300N01000W	-	83.00000	37,000 ft	7	-
LATLON	-	-10.00000	11,278 m		
8300N0900W	-	83.00000	37,000 ft	7	-
LATLON	-	-9.00000	11,278 m		
8300N0800W	-	83.00000	37,000 ft	7	-
LATLON	-	-8.00000	11,278 m		
8300N0700W	-	83.00000	37,000 ft	7	-
LATLON	-	-7.00000	11,278 m		
8300N0600W	-	83.00000	37,000 ft	7	-
LATLON	-	-6.00000	11,278 m		
8300N0500W	-	83.00000	37,000 ft	7	-
LATLON	-	-5.00000	11,278 m		
8300N0400W	-	83.00000	37,000 ft	7	-
LATLON	-	-4.00000	11,278 m		
8300N0300W	-	83.00000	37,000 ft	7	-
LATLON	-	-3.00000	11,278 m		
8300N0200W	-	83.00000	37,000 ft	7	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-2.00000	11,278 m		
8300N0100W	-	83.00000	37,000 ft	7	-
LATLON	-	-1.00000	11,278 m		
8300N0000E	-	83.00000	37,000 ft	7	-
LATLON	-	0.00000	11,278 m		
8300N0100E	-	83.00000	37,000 ft	7	-
LATLON	-	1.00000	11,278 m		
8300N0200E	-	83.00000	37,000 ft	7	-
LATLON	-	2.00000	11,278 m		
8300N0300E	-	83.00000	37,000 ft	7	-
LATLON	-	3.00000	11,278 m		
8200N01200E	-	82.00000	37,000 ft	92	-
LATLON	-	12.00000	11,278 m		
8200N01300E	-	82.00000	37,000 ft	8	-
LATLON	-	13.00000	11,278 m		
8200N01400E	-	82.00000	37,000 ft	8	-
LATLON	-	14.00000	11,278 m		
8200N01500E	-	82.00000	37,000 ft	8	-
LATLON	-	15.00000	11,278 m		
8200N01600E	-	82.00000	37,000 ft	8	-
LATLON	-	16.00000	11,278 m		
8100N02300E	-	81.00000	37,000 ft	86	-
LATLON	-	23.00000	11,278 m		
8000N02900E	-	80.00000	37,000 ft	84	-
LATLON	-	29.00000	11,278 m		
AGATA	-	78.00000	37,000 ft	138	-
FIX	-	35.00000	11,278 m		
ROTLA	A841	77.55360	37,000 ft	30	-
FIX	AWY-HI	36.16110	11,278 m		
PIBOL	A841	74.82140	37,000 ft	182	-
FIX	AWY-HI	41.75690	11,278 m		
TILGA	A841	73.77250	37,000 ft	68	-
FIX	AWY-HI	43.42970	11,278 m		
GIMON	A841	71.51690	37,000 ft	145	-
FIX	AWY-HI	46.38000	11,278 m		
SONEP	G108	70.31690	37,000 ft	86	-
FIX	AWY-HI	48.78530	11,278 m		
RINOV	-	68.78530	37,000 ft	92	-
FIX	-	49.31390	11,278 m		
ANEPA	B954	67.40530	37,000 ft	101	-
FIX	AWY-HI	46.70220	11,278 m		
DELIL	B954	66.65030	37,000 ft	54	-
FIX	AWY-HI	45.42390	11,278 m		
MZ	B954	65.83940	37,000 ft	56	MEZEN
NDB	AWY-HI	44.26720	11,278 m		
PINOD	W161	64.71690	37,000 ft	70	-
FIX	AWY-HI	43.41420	11,278 m		
KUMEN	W161	64.28330	37,000 ft	28	-
FIX	AWY-HI	42.96420	11,278 m		
TELGU	B117	63.40440	37,000 ft	64	-
FIX	AWY-HI	44.36470	11,278 m		
ERMOS	B117	63.24640	37,000 ft	11	-
FIX	AWY-HI	44.60580	11,278 m		
GERDA	B117	62.95280	37,000 ft	21	-
FIX	AWY-HI	45.04610	11,278 m		
AMDEK	B117	62.56250	37,000 ft	28	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	45.61560	11,278 m		
DIBIN	B117	62.01920	37,000 ft	38	-
FIX	AWY-HI	46.38030	11,278 m		
PESIB	B117	61.41860	37,000 ft	42	-
FIX	AWY-HI	47.18970	11,278 m		
ODOMI	B117	61.30860	37,000 ft	7	-
FIX	AWY-HI	47.33440	11,278 m		
RETKI	B117	60.83060	37,000 ft	33	-
FIX	AWY-HI	47.94890	11,278 m		
UNKES	B117	60.32330	37,000 ft	35	-
FIX	AWY-HI	48.57830	11,278 m		
OLMED	B117	59.03360	37,000 ft	88	-
FIX	AWY-HI	50.01610	11,278 m		
DIKIN	B117	58.57470	37,000 ft	31	-
FIX	AWY-HI	50.49920	11,278 m		
DINTU	B105	58.15390	37,000 ft	25	-
FIX	AWY-HI	50.32890	11,278 m		
NURKA	B105	56.76110	37,000 ft	85	-
FIX	AWY-HI	49.82080	11,278 m		
PINOL	B105	56.12830	37,000 ft	39	-
FIX	AWY-HI	49.50690	11,278 m		
KZN	B105	55.60560	37,000 ft	32	KAZAN
VOR	AWY-HI	49.27240	11,278 m		
LENRU	A368	55.12560	37,000 ft	32	-
FIX	AWY-HI	49.70250	11,278 m		
RD	A368	54.88330	37,000 ft	16	BAZARNYYE-MATAKI
NDB	AWY-HI	49.91500	11,278 m		
DANDU	A368	54.75000	37,000 ft	8	-
FIX	AWY-HI	49.94830	11,278 m		
RILKI	A368	54.37330	37,000 ft	22	-
FIX	AWY-HI	50.03330	11,278 m		
GINUK	A368	54.23330	37,000 ft	8	-
FIX	AWY-HI	50.06500	11,278 m		
MOF	A368	53.51010	37,000 ft	43	SAMARA
VOR	AWY-HI	50.17720	11,278 m		
URUKA	A368	53.26670	37,000 ft	17	-
FIX	AWY-HI	50.43170	11,278 m		
GITEK	A368	52.56670	37,000 ft	45	-
FIX	AWY-HI	49.98170	11,278 m		
PENIR	A368	52.11170	37,000 ft	33	-
FIX	AWY-HI	50.50060	11,278 m		
GUTAN	A368	51.67330	37,000 ft	31	-
FIX	AWY-HI	50.98670	11,278 m		
OGAPI	A368	51.44670	37,000 ft	16	-
FIX	AWY-HI	51.22670	11,278 m		
URL	A368	51.14870	37,000 ft	21	URALSK
VOR	AWY-HI	51.54380	11,278 m		
DOKUS	A122	50.42750	37,000 ft	43	-
FIX	AWY-HI	51.59110	11,278 m		
BAGIR	A122	49.02530	37,000 ft	84	-
FIX	AWY-HI	51.68500	11,278 m		
OLAPU	A122	47.86280	37,000 ft	69	-
FIX	AWY-HI	51.75860	11,278 m		
ATR	A122	47.14390	37,000 ft	43	ATYRAU
VOR	AWY-HI	51.80150	11,278 m		
NIKNA	A357	46.43250	37,000 ft	43	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	51.64390	11,278 m		
KOLIB	A357	45.67970	37,000 ft	45	-
FIX	AWY-HI	51.48000	11,278 m		
PIRIM	A357	44.80220	37,000 ft	53	-
FIX	AWY-HI	51.29470	11,278 m		
AKT	A357	43.87230	37,000 ft	56	AKTAU
VOR	AWY-HI	51.06440	11,278 m		
AKT	-	43.85860	37,000 ft	1	AKTAU VOR-DME
DME	-	51.10190	11,278 m		
LUMUR	A240	43.11080	37,000 ft	48	-
FIX	AWY-HI	51.49810	11,278 m		
ADEDA	A240	42.57720	37,000 ft	34	-
FIX	AWY-HI	51.77440	11,278 m		
DEKUR	A240	42.37970	37,000 ft	12	-
FIX	AWY-HI	51.87530	11,278 m		
KERUL	A240	41.85780	37,000 ft	33	-
FIX	AWY-HI	52.13920	11,278 m		
TABAB	A240	40.90330	37,000 ft	61	-
FIX	AWY-HI	52.60830	11,278 m		
KRS	A240	40.08500	37,000 ft	52	TURKMENBASHI VOR-DME
DME	AWY-HI	53.00000	11,278 m		
KRS	-	40.04030	37,000 ft	2	TURKMENBASHI
VOR	-	53.01220	11,278 m		
DURDY	B377	39.73500	37,000 ft	20	-
FIX	AWY-HI	52.83670	11,278 m		
NENIS	B377	39.29170	37,000 ft	28	-
FIX	AWY-HI	52.63670	11,278 m		
PUTMA	B377	37.80000	37,000 ft	95	-
FIX	AWY-HI	51.96000	11,278 m		
NSR	G667	36.65980	37,000 ft	72	NOSHAHR
NDB	AWY-HI	51.46810	11,278 m		
DEMBA	N39	35.92500	37,000 ft	46	-
FIX	AWY-HI	51.79470	11,278 m		
ELEDI	N39	35.02670	37,000 ft	55	-
FIX	AWY-HI	52.06560	11,278 m		
OBRIX	N39	34.76110	37,000 ft	16	-
FIX	AWY-HI	52.14440	11,278 m		
RERET	T215	33.56000	37,000 ft	96	-
FIX	AWY-HI	53.44750	11,278 m		
KAVEK	T215	33.38030	37,000 ft	14	-
FIX	AWY-HI	53.63720	11,278 m		
PURKI	T215	33.19440	37,000 ft	19	-
FIX	AWY-HI	53.94920	11,278 m		
ALNER	W32	32.85610	37,000 ft	20	-
FIX	AWY-HI	54.02170	11,278 m		
BONOL	W32	32.37890	37,000 ft	29	-
FIX	AWY-HI	54.12280	11,278 m		
YZD	W32	31.89770	37,000 ft	30	YAZD
VOR	AWY-HI	54.28270	11,278 m		
YZD	-	31.88530	37,000 ft	1	YAZD SHAHID SADOOGHI TACAN
DME	-	54.30080	11,278 m		
GADPU	W32	31.45250	37,000 ft	28	-
FIX	AWY-HI	54.55060	11,278 m		
DESLA	W32	30.76060	37,000 ft	46	-
FIX	AWY-HI	54.96220	11,278 m		
DAVUT	W32	30.03720	37,000 ft	48	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	55.38360	11,278 m		
SRJ	W32	29.55620	37,000 ft	32	SIRJAN
VOR	AWY-HI	55.66030	11,278 m		
SOLAK	W32	28.86560	37,000 ft	42	-
FIX	AWY-HI	55.87080	11,278 m		
ASMUK	W32	28.16440	37,000 ft	43	-
FIX	AWY-HI	56.08140	11,278 m		
BND	W32	27.21700	27,800 ft	59	BANDAR ABBASS TACAN
DME	AWY-HI	56.38110	8,473 m		
BND	-	27.19710	27,500 ft	1	BANDAR ABBAS
VOR	-	56.36670	8,382 m		
MOBET	M324	26.73500	21,100 ft	30	-
FIX	AWY-HI	56.15220	6,431 m		
OMDB	-	25.25110	0 ft	98	Dubai Intl
APT	-	55.37110	0 m		

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.443 E

METAR

KLAX 031853Z 25008KT 10SM SCT025 BKN030 18/13 A2991 RMK A02 SLP129 T01830128

TAF

KLAX 031728Z 0318/0424 12006KT P6SM OVC025 FM032000 26010KT P6SM BKN025 FM032200 26012KT P6SM SCT025 FM040200 260

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.51		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.53		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.50		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.52		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 031900Z 09006KT CAVOK 28/21 Q1008 NOSIG

TAF

TAF OMDB 031700Z 0318/0500 16005KT CAVOK BECMG 0408/0410 34013KT BECMG 0416/0418 13005KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m