

LATI

Tirana Rinas


LGAV

Athens Intl Airport Elefterios Venizel

2024/05/07 0443Z

LATI UNDER ADDER PINDO PIKOS NEVRA KRO LGAV

345.01 nm / 638.95 km



Notes

Requested: LATI UNDER ELBAK ADDER PINDO PIKOS NEVRA KRO LGAV

Unmatched points: ELBAK

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LATI	-	41.41473	0 ft	-		Tirana Rinas
APT	-	19.72057	0 m			
UNDER	-	41.06833	0 ft	23	-	
FIX	-	19.96556	0 m			
ADDER	-	40.52111	0 ft	36	-	
FIX	-	20.31278	0 m			
PINDO	-	40.48083	0 ft	29	-	
FIX	-	20.95583	0 m			
PIKOS	-	39.96167	0 ft	41	-	
FIX	-	21.55000	0 m			
NEVRA	-	38.16833	0 ft	176	-	
FIX	-	24.56028	0 m			
KRO	-	37.99414	0 ft	10		KARISTOS VOR-DME
VOR	-	24.49492	0 m			
LGAV	-	37.93636	0 ft	26		Athens Intl Airport Elefterios Venizel
APT	-	23.94447	0 m			

LATI

Region: ALBANIA
Timezone: EUROPE/TIRANE
Runways: 1

Elevation: 125 ft / 38 m
Location: 41.414700 19.720600
Magnetic Var: 4.888 E

METAR

LATI 070420Z 18003KT CAVOK 11/11 Q1017 NOSIG

TAF

TAF LATI 062300Z 0700/0724 VRB05KT CAVOK TX26/0712Z TN10/0704Z TEMPO 0710/0717 25012KT

Frequencies

GND - 121.50 MHz -
APP - 123.50 MHz -

TWR - 122.50 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	8,981 ft	174.35	ASPHALT	0 ft	0 ft
	45 m	2,738 m	169.46		0 m	0 m
35	148 ft	8,981 ft	354.35	ASPHALT	0 ft	0 ft
	45 m	2,738 m	349.46		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	ITR	110.30 MHz	18 nm	174.35	-	125 ft
				33 km	169.46		125 m
17	GS	ITR	110.30 MHz	10 nm	174.35	3.02	125 ft
				19 km	169.46		125 m

LGAV

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 308 ft / 94 m
Location: 37.936700 23.944500
Magnetic Var: 5.106 E

METAR

LGAV 070420Z VRB02KT CAVOK 14/08 Q1015 NOSIG

TAF

TAF TAF LGAV 062300Z 0700/0724 VRB05KT 9999 FEW020

Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.77		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.77		300 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.42		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.87		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.40		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m