


2024/05/01 0311Z

KRSN LASSA **V18** UIM KADS

216.55 nm / 401.04 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KRSN	-	32.51460	0 ft	-	RUSTON RGNL
APT	-	-92.58830	0 m		
LASSA	-	32.82240	25,200 ft	98	-
FIX	-	-94.50440	7,681 m		
UIM	V18	32.88050	15,900 ft	43	QUITMAN
VOR	AWY-LO	-95.36690	4,846 m		
KADS	-	32.96860	0 ft	74	Addison
APT	-	-96.83650	0 m		

KADS

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 1

Elevation: 645 ft / 197 m
Location: 32.968600 -96.836500
Magnetic Var: 2.612 E

METAR

KADS 010247Z 15008G16KT 7SM BKN045 26/20 A2986 RMK LST WX

TAF

UNKNOWN

Frequencies

COM - 122.95 MHz - ADDISON UNICOM
GND - 121.60 MHz - ADDISON GROUND
APP - 124.30 MHz - REGIONAL APPROACH
CLD - 119.55 MHz - CLEARANCE DELIVERY
REC - 133.40 MHz - ADDISON ATIS
TWR - 126.00 MHz - ADDISON TOWER
DEP - 124.30 MHz - REGIONAL DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	100 ft	7,219 ft	159.86	ASPHALT	981 ft	0 ft
	30 m	2,200 m	157.25		299 m	0 m
33	100 ft	7,219 ft	339.86	ASPHALT	774 ft	387 ft
	30 m	2,200 m	337.25		236 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IADS	110.10 MHz	18 nm	-	-	643 ft
				33 km	-		643 m
33	DME	ITBQ	110.10 MHz	18 nm	-	-	643 ft
				33 km	-		643 m
15	LOC-ILS	IADS	110.10 MHz	18 nm	159.86	-	645 ft
				33 km	157.25		645 m
33	LOC-ILS	ITBQ	110.10 MHz	18 nm	339.86	-	645 ft
				33 km	337.25		645 m
15	GS	IADS	110.10 MHz	10 nm	159.86	3.00	645 ft
				19 km	157.25		645 m
33	GS	ITBQ	110.10 MHz	10 nm	339.86	3.00	645 ft
				19 km	337.25		645 m