


2024/05/23 0902Z

KGPI YXC **V342** LEFAL CYLW

233.99 nm / 433.35 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KGPI	-	48.31170	0 ft	-	Glacier Park Intl
APT	-	-114.25500	0 m		
YXC	-	49.55430	27,800 ft	103	CRANBROOK
VOR	-	-116.08800	8,473 m		
LEFAL	V342	49.70000	21,400 ft	29	-
FIX	AWY-LO	-116.82400	6,523 m		
CYLW	-	49.95720	0 ft	100	Kelowna
APT	-	-119.37800	0 m		

KGPI

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 2

Elevation: 2,976 ft / 907 m
Location: 48.311700 -114.255000
Magnetic Var: 12.770 E

METAR

KGPI 230755Z AUTO 00000KT 10SM SCT070 07/04 A2986 RMK A02 SLP117 T00670044

TAF

KGPI 230522Z 2306/2406 02010KT P6SM VCSH BKN080 FM231200 17005KT P6SM OVC050 FM232100 20010KT P6SM -SHRA OVC050

Frequencies

REC - 132.62 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 124.55 MHz - GLACIER TOWER
APP - 133.40 MHz - SALT LAKE CITY CENTER
COM - 124.55 MHz - CTAF
GND - 121.60 MHz - GLACIER GROUND
DEP - 133.40 MHz - SALT LAKE CITY CENTER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	150 ft	9,001 ft	34.75	ASPHALT	0 ft	200 ft
	46 m	2,743 m	21.98		0 m	61 m
20	150 ft	9,001 ft	214.77	ASPHALT	0 ft	200 ft
	46 m	2,743 m	202.00		0 m	61 m
12	75 ft	3,506 ft	136.36	ASPHALT	0 ft	98 ft
	23 m	1,069 m	123.59		0 m	30 m
30	75 ft	3,506 ft	316.37	ASPHALT	0 ft	102 ft
	23 m	1,069 m	303.60		0 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IFCA	111.50 MHz	18 nm	34.72	-	2,978 ft
				33 km	21.95		2,978 m
02	GS	IFCA	111.50 MHz	10 nm	35.50	3.00	2,962 ft
				19 km	22.73		2,962 m

CYLW

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 1

Elevation: 1,420 ft / 433 m
Location: 49.957200 -119.378000
Magnetic Var: 14.642 E

METAR

CYLW 230800Z AUTO 00000KT 9SM SCT150 BKN180 BKN200 OVC220 08/08 A2997 RMK SLP155

TAF

TAF CYLW 230641Z 2307/2319 VRB03KT P6SM SCT080 BKN210 TEMPO 2307/2311 P6SM -SHRA BKN060 FM231100 VRB03KT P6SM FEW

Frequencies

REC - 127.50 MHz - ATIS
TWR - 119.60 MHz -
GND - 121.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	200 ft	8,906 ft	174.90	ASPHALT	1,204 ft	95 ft
	61 m	2,715 m	160.26		367 m	29 m
34	200 ft	8,906 ft	354.90	ASPHALT	404 ft	98 ft
	61 m	2,715 m	340.26		123 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	ILW	111.30 MHz	18 nm	-	-	1,409 ft
				33 km	-		1,409 m
16	LOC-ILS	ILW	111.30 MHz	18 nm	174.90	-	1,420 ft
				33 km	160.26		1,420 m
16	GS	ILW	111.30 MHz	10 nm	174.90	3.20	1,420 ft
				19 km	160.26		1,420 m