

LHBP

Budapest Ferenc Liszt Intl


EDDM

Muenchen International Airport Franz-Josef Strauss

2024/05/29 0247Z

LHBP TOVKA STO J21 LNZ EDDM

313.86 nm / 581.27 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LHBP	-	47.43690	0 ft	-	Budapest Ferenc Liszt Intl	
APT	-	19.25560	0 m			
TOVKA	-	48.27030	32,000 ft	106	-	
FIX	-	16.92640	9,754 m			
STO	-	48.41710	32,000 ft	37	STOCKERAU	
VOR	-	16.01860	9,754 m			
LNZ	J21	48.22970	19,900 ft	77	LINZ	
VOR	AWY-LO	14.10320	6,066 m			
EDDM	-	48.35380	0 ft	92	Muenchen International Airport Franz-Josef Strauss	
APT	-	11.78610	0 m			

LHBP

Region: HUNGARY
Timezone: EUROPE/BUDAPEST
Runways: 2

Elevation: 495 ft / 151 m
Location: 47.436900 19.255600
Magnetic Var: 5.507 E

METAR

LHBP 290230Z 31011KT CAVOK 15/12 Q1014 NOSIG

TAF

TAF TAF LHBP 282315Z 2900/2924 32008KT CAVOK PROB40 TEMPO 2911/2919 VRB15G25KT 4000 SHRA TSRA SCT040CB BKN060 BECM

Frequencies

REC - 117.30 MHz - ATIS	REC - 132.37 MHz - ATIS
TWR - 119.97 MHz - BUDAPEST TOWER	TWR - 118.10 MHz - BUDAPEST TOWER
GND - 121.90 MHz - BUDAPEST GROUND	CLD - 134.55 MHz - CLEARANCE DELIVERY
APP - 119.50 MHz - BUDAPEST APPROACH	APP - 122.97 MHz - BUDAPEST APPROACH
APP - 123.85 MHz - BUDAPEST APPROACH	APP - 124.90 MHz - BUDAPEST APPROACH
REC - 119.35 MHz - BUDAPEST INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	9,882 ft	132.42	CONCRETE	0 ft	0 ft
	45 m	3,012 m	126.91		0 m	0 m
31L	148 ft	9,882 ft	312.44	CONCRETE	0 ft	0 ft
	45 m	3,012 m	306.94		0 m	0 m
13L	148 ft	12,175 ft	132.46	CONCRETE	0 ft	0 ft
	45 m	3,711 m	126.96		0 m	0 m
31R	148 ft	12,175 ft	312.49	CONCRETE	0 ft	0 ft
	45 m	3,711 m	306.98		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	BPL	111.70 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
13R	DME	FER	110.50 MHz	27 nm	-	-	495 ft
				50 km	-		495 m
31L	DME	FHL	111.50 MHz	14 nm	-	-	495 ft
				26 km	-		495 m
31R	DME	BPR	109.50 MHz	32 nm	-	-	495 ft
				59 km	-		495 m
13L	LOC-ILS	BPL	109.15 MHz	18 nm	132.48	-	495 ft
				33 km	126.97		495 m
13R	LOC-ILS	FER	110.50 MHz	18 nm	132.44	-	495 ft
				33 km	126.93		495 m
31L	LOC-ILS	FHL	111.50 MHz	18 nm	312.44	-	495 ft
				33 km	306.93		495 m
31R	LOC-ILS	BPR	109.50 MHz	18 nm	312.48	-	495 ft
				33 km	306.97		495 m
13L	GS	BPL	109.15 MHz	10 nm	132.48	3.00	495 ft
				19 km	126.97		495 m
13R	GS	FER	110.50 MHz	10 nm	132.44	3.00	495 ft
				19 km	126.93		495 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31L	GS	FHL	111.50 MHz	10 nm	312.44	3.00	495 ft
				19 km	306.93		495 m
31R	GS	BPR	109.50 MHz	10 nm	312.48	3.00	495 ft
				19 km	306.97		495 m

EDDM

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 1,484 ft / 452 m
Location: 48.353800 11.786100
Magnetic Var: 3.947 E

METAR

EDDM 290220Z AUTO VRB01KT CAVOK 07/07 Q1018 NOSIG

TAF

TAF EDDM 282300Z 2900/3006 18003KT CAVOK BECMG 2910/2912 24006KT PROB40 TEMPO 2918/3006 RA PROB30 TEMPO 3003/3006

Frequencies

REC - 123.12 MHz - MUENCHEN ATIS	COM - 122.80 MHz - MUENCHEN UNICOM
CLD - 121.72 MHz - MUENCHEN DELIVERY	GND - 121.97 MHz - MUENCHEN GROUND NORTH
GND - 121.82 MHz - MUENCHEN GROUND SOUTH	GND - 121.77 MHz - MUENCHEN APRON 1
GND - 121.70 MHz - MUENCHEN APRON 2	GND - 121.92 MHz - MUENCHEN APRON 3
TWR - 120.50 MHz - MUENCHEN TOWER SOUTH	TWR - 118.70 MHz - MUENCHEN TOWER NORTH
APP - 123.90 MHz - MUENCHEN RADAR NORTH	APP - 127.95 MHz - MUENCHEN RADAR SOUTH
APP - 128.25 MHz - MUENCHEN ARRIVAL NORTH	APP - 120.77 MHz - MUENCHEN ARRIVAL SOUTH
APP - 118.82 MHz - MUENCHEN DIRECTOR NORTH	APP - 132.30 MHz - MUENCHEN DIRECTOR SOUTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft	13,135 ft	83.39	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.44		0 m	0 m
26R	197 ft	13,135 ft	263.43	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.48		0 m	0 m
08R	197 ft	13,135 ft	83.37	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.43		0 m	0 m
26L	197 ft	13,135 ft	263.41	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.47		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	IMNE	109.50 MHz	18 nm	83.41	-	1,484 ft
				33 km	79.46		1,484 m
08R	LOC-ILS	IMSE	109.30 MHz	18 nm	83.39	-	1,484 ft
				33 km	79.44		1,484 m
26L	LOC-ILS	IMSW	108.30 MHz	18 nm	263.39	-	1,484 ft
				33 km	259.44		1,484 m
26R	LOC-ILS	IMNW	108.70 MHz	18 nm	263.41	-	1,484 ft
				33 km	259.46		1,484 m
08L	GS	IMNE	109.50 MHz	10 nm	83.41	3.00	1,484 ft
				19 km	79.46		1,484 m
08R	GS	IMSE	109.30 MHz	10 nm	83.39	3.00	1,484 ft
				19 km	79.44		1,484 m
26L	GS	IMSW	108.30 MHz	10 nm	263.39	3.00	1,484 ft
				19 km	259.44		1,484 m
26R	GS	IMNW	108.70 MHz	10 nm	263.41	3.00	1,484 ft
				19 km	259.46		1,484 m