


2024/05/07 0342Z

EVRA ANAMA **M857** TLL **P855** DOBAN **L732** GEMKU **T95** OGTUD **P998** SUTEV ESPA

530.86 nm / 983.15 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EVRA	-	56.92070	0 ft	-	Riga Intl
APT	-	23.97070	0 m	-	
ANAMA	-	58.41640	32,600 ft	91	-
FIX	-	24.47830	9,936 m	-	-
KEMET	M857	58.72250	35,000 ft	18	-
FIX	AWY-HI	24.58690	10,668 m	-	-
KUNIX	M857	58.93110	35,000 ft	12	-
FIX	AWY-HI	24.66190	10,668 m	-	-
TLL	M857	59.41130	35,000 ft	29	TALLINN
VOR	AWY-HI	24.83840	10,668 m	-	
DOBAN	P855	59.79940	35,000 ft	26	-
FIX	AWY-HI	24.45250	10,668 m	-	-
UVEMO	L732	61.09250	35,000 ft	79	-
FIX	AWY-HI	23.84940	10,668 m	-	-
GEMKU	L732	61.65080	35,000 ft	35	-
FIX	AWY-HI	23.43080	10,668 m	-	-
AMASU	T95	62.37860	35,000 ft	43	-
FIX	AWY-HI	23.35420	10,668 m	-	-
GIDKI	T95	63.28830	29,700 ft	54	-
FIX	AWY-HI	23.25190	9,053 m	-	-
OGTUD	T95	63.65940	24,900 ft	22	-
FIX	AWY-HI	23.20830	7,590 m	-	-
SUTEV	P998	64.55390	13,100 ft	55	-
FIX	AWY-HI	22.73780	3,993 m	-	-
ESPA	-	65.54380	0 ft	61	Lulea Kallax
APT	-	22.12200	0 m	-	

## EVRA

Region: LATVIA  
Timezone: EUROPE/RIGA  
Runways: 1

Elevation: 34 ft / 10 m  
Location: 56.920700 23.970700  
Magnetic Var: 8.571 E

## METAR

EVRA 070320Z 35005KT CAVOK 04/00 Q1012 NOSIG

## TAF

TAF EVRA 070201Z 0703/0803 01007KT CAVOK TEMPO 0709/0714 35015G26KT

## Frequencies

REC - 120.17 MHz - ATIS	TWR - 118.10 MHz - RIGA TOWER
GND - 118.80 MHz - RIGA GROUND	GND - 131.60 MHz - RIGA APRON
APP - 134.85 MHz - RIGA APPROACH	APP - 129.92 MHz - RIGA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,509 ft	185.16	ASPHALT	0 ft	171 ft
	45 m	3,203 m	176.58		0 m	52 m
36	148 ft	10,509 ft	5.15	ASPHALT	0 ft	167 ft
	45 m	3,203 m	356.58		0 m	51 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	DME	IAO	110.30 MHz	18 nm	-	-	0 ft
				33 km	-		0 m
36	DME	IRP	110.30 MHz	18 nm	-	-	0 ft
				33 km	-		0 m
18	LOC-ILS	IAO	110.30 MHz	18 nm	185.14	-	34 ft
				33 km	176.57		34 m
36	LOC-ILS	IRP	110.30 MHz	18 nm	5.14	-	34 ft
				33 km	356.57		34 m
18	GS	IAO	110.30 MHz	10 nm	185.29	3.00	34 ft
				19 km	176.72		34 m
36	GS	IRP	110.30 MHz	10 nm	5.29	3.00	34 ft
				19 km	356.72		34 m

## ESPA

Region: SWEDEN  
Timezone: EUROPE/STOCKHOLM  
Runways: 1

Elevation: 64 ft / 20 m  
Location: 65.543800 22.122000  
Magnetic Var: 10.547 E

## METAR

ESPA 070320Z 01005KT 330V040 9999 OVC043 00/M07 Q1021

## TAF

UNKNOWN

## Frequencies

TWR - 128.20 MHz - KALLAX TOWER  
APP - 130.80 MHz - KALLAX CONTROL

APP - 124.45 MHz - KALLAX CONTROL  
APP - 119.00 MHz - KALLAX PRECISION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	10,957 ft	137.32	ASPHALT	0 ft	200 ft
	45 m	3,340 m	126.77		0 m	61 m
32	148 ft	10,957 ft	317.36	ASPHALT	0 ft	200 ft
	45 m	3,340 m	306.82		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	SPA	109.90 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
14	LOC-ILS	PA	110.30 MHz	18 nm	137.35	-	64 ft
				33 km	126.80		64 m
32	LOC-ILS	SPA	109.90 MHz	18 nm	317.35	-	64 ft
				33 km	306.80		64 m
14	GS	PA	110.30 MHz	10 nm	137.35	2.86	64 ft
				19 km	126.80		64 m
32	GS	SPA	109.90 MHz	10 nm	317.35	2.86	64 ft
				19 km	306.80		64 m