


2024/06/07 2106Z

RJCH TOMAM RJEC

134.88 nm / 249.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJCH	-	41.77020	0 ft	-	HAKODATE
APT	-	140.82200	0 m		
TOMAM	-	43.13900	7,800 ft	98	-
FIX	-	142.03400	2,377 m		
RJEC	-	43.67070	0 ft	36	Asahikawa
APT	-	142.44800	0 m		

RJCH

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 149 ft / 45 m
Location: 41.770200 140.822000
Magnetic Var: 9.523 W

METAR

RJCH 072000Z AUTO 01005KT 9999 FEW007 12/11 Q1017

TAF

TAF RJCH 071705Z 0718/0900 17007KT 9999 FEW006 BKN015 TEMPO 0718/0800 2000 BR FEW002 BKN005

Frequencies

REC - 126.60 MHz - ATIS
TWR - 118.35 MHz -
APP - 121.00 MHz -
DEP - 127.90 MHz -
TWR - 126.20 MHz -
APP - 119.00 MHz -
DEP - 121.00 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	9,814 ft	108.09	ASPHALT	0 ft	197 ft
	46 m	2,991 m	117.61		0 m	60 m
30	150 ft	9,814 ft	288.11	ASPHALT	0 ft	203 ft
	46 m	2,991 m	297.64		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IHL	109.30 MHz	18 nm	-	-	111 ft
				33 km	-		111 m
12	LOC-ILS	IHL	109.30 MHz	18 nm	108.05	-	51 ft
				33 km	117.58		51 m
12	GS	IHL	109.30 MHz	10 nm	108.20	3.00	151 ft
				19 km	117.73		151 m

RJEC

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 721 ft / 220 m
Location: 43.670700 142.448000
Magnetic Var: 9.754 W

METAR

RJEC 072000Z AUTO 22003KT 9999 NCD 11/10 Q1017

TAF

TAF RJEC 071705Z 0718/0900 18010KT 9999 FEW030 SCT060

Frequencies

TWR - 118.55 MHz - DAISETSU TWR

TWR - 126.20 MHz - DAISETSU TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	8,205 ft	154.26	ASPHALT	0 ft	200 ft
	60 m	2,501 m	164.02		0 m	61 m
34	197 ft	8,205 ft	334.27	ASPHALT	0 ft	200 ft
	60 m	2,501 m	344.03		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	DME	IAW	110.50 MHz	18 nm	-	-	721 ft
				33 km	-		721 m
34	LOC-ILS	IAW	110.50 MHz	18 nm	334.24	-	721 ft
				33 km	344.00		721 m
34	GS	IAW	110.50 MHz	10 nm	334.53	3.00	729 ft
				19 km	344.28		729 m