


2024/05/11 0408Z

LFML MOTIM LFMN

88.17 nm / 163.29 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 25000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFML	-	43.43589	0 ft	-	Marseille Provence
APT	-	5.21328	0 m		
MOTIM	-	43.48861	6,000 ft	16	-
FIX	-	5.59389	1,829 m		
LFMN	-	43.65798	0 ft	71	Nice/Cote d'Azur
APT	-	7.21536	0 m		

LFML

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 69 ft / 21 m
Location: 43.435800 5.213430
Magnetic Var: 2.283 E

METAR

LFML 110330Z AUTO 13004KT CAVOK 12/09 Q1017 NOSIG

TAF

TAF LFML 110200Z 1103/1209 VRB03KT CAVOK TX27/1114Z TN13/1104Z TEMPO 1112/1115 22010KT PROB30 TEMPO 1206/1208 450

Frequencies

TWR - 125.35 MHz - PROVENCE ATIS	GND - 121.72 MHz - PROVENCE PREFLIGHT
GND - 121.90 MHz - PROVENCE GROUND	TWR - 133.10 MHz - PROVENCE TOWER
TWR - 123.72 MHz - PROVENCE TOWER	APP - 120.20 MHz - PROVENCE APPROACH
TWR - 120.87 MHz - PROVENCE APPROACH	APP - 121.42 MHz - PROVENCE APPROACH
APP - 124.35 MHz - PROVENCE APPROACH	APP - 127.72 MHz - PROVENCE APPROACH
TWR - 129.47 MHz - PROVENCE APPROACH	APP - 132.30 MHz - PROVENCE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	148 ft	11,485 ft	134.05	ASPHALT	1,122 ft	295 ft
	45 m	3,501 m	131.77		342 m	90 m
31R	148 ft	11,485 ft	314.07	ASPHALT	2,165 ft	331 ft
	45 m	3,501 m	311.79		660 m	101 m
13R	148 ft	7,783 ft	134.89	ASPHALT	0 ft	197 ft
	45 m	2,372 m	132.61		0 m	60 m
31L	148 ft	7,783 ft	314.91	ASPHALT	348 ft	194 ft
	45 m	2,372 m	312.62		106 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	ML	110.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13R	DME	MCE	108.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
31R	DME	MPV	111.15 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13L	LOC-ILS	ML	110.30 MHz	18 nm	134.05	-	74 ft
				33 km	131.77		74 m
13R	LOC-ILS	MCE	108.30 MHz	18 nm	134.90	-	74 ft
				33 km	132.62		74 m
31R	LOC-ILS	MPV	111.15 MHz	18 nm	314.05	-	74 ft
				33 km	311.77		74 m
13L	GS	ML	110.30 MHz	10 nm	134.05	3.00	10 ft
				19 km	131.77		10 m
13R	GS	MCE	108.30 MHz	10 nm	134.90	3.00	74 ft
				19 km	132.62		74 m
31R	GS	MPV	111.15 MHz	10 nm	314.05	4.00	10 ft
				19 km	311.77		10 m

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.737 E

METAR

LFMN 110330Z 34005KT CAVOK 18/10 Q1017 NOSIG

TAF

TAF LFMN 110200Z 1103/1209 04010KT CAVOK BECMG 1110/1112 15008KT PROB30 TEMPO 1115/1118 FEW040TCU BECMG 1117/1119

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.12		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m