

SLVR

Viru Viru Intl


MPTO

Tocumen Intl

2024/05/15 0101Z

SLVR VIR **UN420** BUSMO **UA321** IRATA MPTO

1885.55 nm / 3492.03 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SLVR	-	-17.64480	0 ft	-	Viru Viru Intl
APT	-	-63.13540	0 m		
VIR	-	-17.62610	400 ft	1	VIRU VIRU (SANTA CRUZ)
VOR	-	-63.14790	122 m		
TRI	UN420	-14.79920	35,000 ft	198	TRINIDAD
VOR	AWY-HI	-64.93810	10,668 m		
VILUX	UN420	-10.47570	35,000 ft	301	-
FIX	AWY-HI	-67.53930	10,668 m		
RCO	UN420	-9.87598	35,000 ft	42	RIO BRANCO
VOR	AWY-HI	-67.90540	10,668 m		
EGBAK	UN420	-9.37450	35,000 ft	39	-
FIX	AWY-HI	-68.34750	10,668 m		
VERDE	UN420	-8.11300	35,000 ft	101	-
FIX	AWY-HI	-69.48680	10,668 m		
MAPVA	UN420	-7.53700	35,000 ft	46	-
FIX	AWY-HI	-70.00750	10,668 m		
TEMID	UN420	-6.31367	35,000 ft	98	-
FIX	AWY-HI	-71.09800	10,668 m		
LIMPO	UN420	-4.88433	35,000 ft	114	-
FIX	AWY-HI	-72.36650	10,668 m		
IQT	UN420	-3.79250	35,000 ft	86	IQUITOS
VOR	AWY-HI	-73.31780	10,668 m		
XUXAS	UN420	-3.01667	35,000 ft	50	-
FIX	AWY-HI	-73.63140	10,668 m		
PLG	UN420	-0.17861	35,000 ft	183	PUERTO LEGUIZAMO
VOR	AWY-HI	-74.77560	10,668 m		
EVTGX	UN420	4.23618	35,000 ft	297	-
FIX	AWY-HI	-77.03970	10,668 m		
BUSMO	UN420	6.71811	33,200 ft	167	-
FIX	AWY-HI	-78.33310	10,119 m		
IRATA	UA321	7.49139	21,600 ft	54	-
FIX	AWY-HI	-78.80140	6,584 m		
MPTO	-	9.07140	0 ft	101	Tocumen Intl
APT	-	-79.38350	0 m		

SLVR

Region: BOLIVIA
Timezone: AMERICA/LA_PAZ
Runways: 1

Elevation: 1,224 ft / 373 m
Location: -17.644800 -63.135400
Magnetic Var: 13.142 W

METAR

SLVR 150000Z 16009KT 9999 BKN070 14/10 Q1021

TAF

TAF SLVR 142210Z 1500/1524 16010KT 9999 BKN070 TX17/1519Z TN12/1511Z PROB30 TEMPO 1509/1512 6000 RADZ SCT025 OVC0

Frequencies

GND - 121.90 MHz - VIRU VIRU GROUND
APP - 119.70 MHz - VIRU VIRU APPROACH
TWR - 118.60 MHz - VIRU VIRU TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,516 ft	147.35	CONCRETE	0 ft	197 ft
	45 m	3,510 m	160.49		0 m	60 m
34	148 ft	11,516 ft	327.34	CONCRETE	0 ft	197 ft
	45 m	3,510 m	340.48		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	VCZ	110.90 MHz	18 nm	327.34	-	1,224 ft
				33 km	340.48		1,224 m
34	GS	VCZ	110.90 MHz	10 nm	327.69	3.00	1,224 ft
				19 km	340.83		1,224 m

MPTO

Region: PANAMA
Timezone: AMERICA/PANAMA
Runways: 2

Elevation: 134 ft / 41 m
Location: 9.071400 -79.383500
Magnetic Var: 5.454 W

METAR

MPTO 150000Z 34003KT 9999 FEW008 SCT017 BKN090 25/24 Q1007 RETSRA NOSIG

TAF

TAF MPTO 142345Z 1500/1606 18006KT 9999 SCT018 SCT090 TEMPO 1500/1504 29004KT SCT016 BKN090 TEMPO 1504/1508 00000

Frequencies

REC - 127.70 MHz - ATIS	TWR - 118.10 MHz - TOCUMEN TOWER
GND - 121.90 MHz - TOCUMEN GROUND	GND - 112.05 MHz - TOCUMEN GROUND
CLD - 129.80 MHz - CLEARANCE DELIVERY	APP - 121.20 MHz - PANAMA APPROACH
APP - 123.30 MHz - PANAMA APPROACH	APP - 119.70 MHz - PANAMA APPROACH
APP - 119.20 MHz - PANAMA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,049 ft	29.33	CONCRETE	0 ft	0 ft
	45 m	3,063 m	34.78		0 m	0 m
21L	148 ft	10,049 ft	209.33	CONCRETE	0 ft	0 ft
	45 m	3,063 m	214.78		0 m	0 m
03L	148 ft	8,832 ft	30.67	ASPHALT	814 ft	0 ft
	45 m	2,692 m	36.13		248 m	0 m
21R	148 ft	8,832 ft	210.67	ASPHALT	0 ft	0 ft
	45 m	2,692 m	216.13		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03R	DME	INAT	110.70 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
03R	LOC-ILS	INAT	110.70 MHz	18 nm	29.33	-	134 ft
				33 km	34.78		134 m
03R	GS	INAT	110.70 MHz	10 nm	29.33	3.00	134 ft
				19 km	34.78		134 m