

KRDG

Reading Rgnl Carl A Spaatz Fld


KOPF

Opa Locka

2024/06/03 2223Z

KRDG LOUIE V93 PXT J191 ILM AR15 HIBAC AR17 VKZ KOPF

919.16 nm / 1702.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KRDG APT	-	40.37840 -75.96490	0 ft 0 m	-	Reading Rgnl Carl A Spaatz Fld
LOUIE FIX	-	38.61230 -76.30120	35,000 ft 10,668 m	107	-
PXT VOR	V93 AWY-LO	38.28790 -76.40020	35,000 ft 10,668 m	20	PATUXENT (PATUXENT RIVER)
HUBBS FIX	J191 AWY-HI	37.96190 -76.64600	35,000 ft 10,668 m	22	-
HPW VOR	J191 AWY-HI	37.32890 -77.11590	35,000 ft 10,668 m	44	HOPEWELL
PELTO FIX	J191 AWY-HI	35.90510 -77.48590	35,000 ft 10,668 m	87	-
ILM VOR	J191 AWY-HI	34.35160 -77.87440	35,000 ft 10,668 m	95	WILMINGTON
METTA FIX	AR15 AWY-HI	32.44210 -78.41890	35,000 ft 10,668 m	117	-
SPIKY FIX	AR15 AWY-HI	32.37330 -78.43890	35,000 ft 10,668 m	4	-
BAHAA FIX	AR15 AWY-HI	30.42300 -78.99470	35,000 ft 10,668 m	120	-
HIBAC FIX	AR15 AWY-HI	29.09410 -79.56800	35,000 ft 10,668 m	85	-
VKZ VOR	AR17 AWY-HI	25.75190 -80.15440	2,400 ft 732 m	203	VIRGINIA KEY
KOPF APT	-	25.90610 -80.27840	0 ft 0 m	11	Opa Locka

KRDG

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 344 ft / 105 m
Location: 40.378400 -75.964900
Magnetic Var: 11.713 W

METAR

KRDG 032154Z 31006KT 10SM BKN055 BKN075 28/17 A2988 RMK A02 SLP120 T02830167

TAF

KRDG 031720Z 0318/0418 33005KT P6SM BKN040 FM040000 VRB02KT P6SM SCT050 FM041400 10004KT P6SM SCT040

Frequencies

REC - 127.10 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 119.90 MHz -
COM - 119.90 MHz - CTAF
GND - 121.90 MHz -
APP - 125.15 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	150 ft	6,342 ft	121.36	ASPHALT	0 ft	0 ft
	46 m	1,933 m	133.07		0 m	0 m
31	150 ft	6,342 ft	301.37	ASPHALT	0 ft	0 ft
	46 m	1,933 m	313.09		0 m	0 m
18	150 ft	5,158 ft	172.19	ASPHALT	0 ft	0 ft
	46 m	1,572 m	183.91		0 m	0 m
36	150 ft	5,158 ft	352.20	ASPHALT	0 ft	0 ft
	46 m	1,572 m	3.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IVX0	110.55 MHz	18 nm	-	-	344 ft
				33 km	-		344 m
13	LOC-ILS	IVX0	110.55 MHz	18 nm	121.39	-	344 ft
				33 km	133.10		344 m
36	LOC-ILS	IRDG	109.50 MHz	18 nm	352.19	-	273 ft
				33 km	3.91		273 m
13	GS	IVX0	110.55 MHz	10 nm	121.74	3.00	331 ft
				19 km	133.45		331 m
36	GS	IRDG	109.50 MHz	10 nm	352.39	3.00	332 ft
				19 km	4.10		332 m

KOPF

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 7 ft / 2 m
Location: 25.906100 -80.278400
Magnetic Var: 7.300 W

METAR

KOPF 032153Z 08013G19KT 10SM SCT039 29/20 A2991 RMK A02 SLP128 T02890200

TAF

KOPF 032111Z 0321/0418 10015KT P6SM SCT040 FM040300 VRB04KT P6SM FEW025 SCT250 FM041500 08010KT P6SM VCTS SCT0250

Frequencies

REC - 125.90 MHz - ATIS
CLD - 119.20 MHz - CLNC DEL
TWR - 118.60 MHz -
APP - 128.60 MHz - MIAMI APP/DEP

COM - 120.70 MHz - CTAF
GND - 121.90 MHz -
TWR - 120.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	7,989 ft	86.92	ASPHALT	0 ft	190 ft
	46 m	2,435 m	94.22		0 m	58 m
27R	151 ft	7,989 ft	266.93	ASPHALT	0 ft	197 ft
	46 m	2,435 m	274.23		0 m	60 m
12	151 ft	6,797 ft	121.98	ASPHALT	801 ft	197 ft
	46 m	2,072 m	129.28		244 m	60 m
30	151 ft	6,797 ft	301.98	ASPHALT	0 ft	200 ft
	46 m	2,072 m	309.28		0 m	61 m
09R	98 ft	4,300 ft	86.93	ASPHALT	0 ft	0 ft
	30 m	1,311 m	94.23		0 m	0 m
27L	98 ft	4,300 ft	266.93	ASPHALT	0 ft	0 ft
	30 m	1,311 m	274.23		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IOLX	111.55 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
27R	DME	IPLJ	111.35 MHz	18 nm	-	-	15 ft
				33 km	-		15 m
09L	LOC-ILS	IOPF	110.50 MHz	18 nm	86.92	-	7 ft
				33 km	94.22		7 m
12	LOC-ILS	IOLX	111.55 MHz	18 nm	121.98	-	7 ft
				33 km	129.28		7 m
27R	LOC-ILS	IPLJ	111.35 MHz	18 nm	266.92	-	7 ft
				33 km	274.22		7 m
09L	GS	IOPF	110.50 MHz	10 nm	86.92	3.00	7 ft
				19 km	94.22		7 m
12	GS	IOLX	111.55 MHz	10 nm	121.98	3.00	7 ft
				19 km	129.28		7 m
27R	GS	IPLJ	111.35 MHz	10 nm	266.92	3.00	7 ft
				19 km	274.22		7 m