


2024/06/06 0929Z

LOWS NIGEB **Z408** RONAG **Z119** PELAD LSGS

257.93 nm / 477.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWS	-	47.79340	0 ft	-	Salzburg
APT	-	13.00390	0 m		
NIGEB	-	47.08910	31,700 ft	88	-
FIX	-	11.07690	9,662 m		
TIRUL	Z408	47.05720	31,300 ft	22	-
FIX	AWY-HI	10.52870	9,540 m		
RONAG	Z408	46.77940	27,000 ft	20	-
FIX	AWY-HI	10.25900	8,230 m		
ARDED	Z119	46.73530	25,800 ft	6	-
FIX	AWY-HI	10.12780	7,864 m		
PELAD	Z119	46.59890	21,800 ft	18	-
FIX	AWY-HI	9.72583	6,645 m		
LSGS	-	46.21940	0 ft	101	Sion
APT	-	7.32609	0 m		

LOWS

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 47.793400 13.003900
Magnetic Var: 4.200 E

METAR

LOWS 060850Z AUTO 11007KT 9999 FEW070 23/15 Q1017 NOSIG

TAF

TAF LOWS 060515Z 0606/0706 16007KT 9999 SCT060 TX24/0613Z TN15/0703Z BECMG 0608/0610 34006KT TEMPO 0613/0620 3101

Frequencies

REC - 133.32 MHz - ATIS
CLD - 121.75 MHz - CLEARANCE DELIVERY
APP - 134.97 MHz - SALZBURG DIRECTOR
TWR - 118.10 MHz - SALZBURG TOWER
APP - 123.72 MHz - SALZBURG RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	9,031 ft	156.92	ASPHALT	653 ft	423 ft
	45 m	2,753 m	152.72		199 m	129 m
33	148 ft	9,031 ft	336.93	ASPHALT	791 ft	95 ft
	45 m	2,753 m	332.73		241 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	OES	109.90 MHz	18 nm	-	-	1,446 ft
				33 km	-		1,446 m
15	LOC-ILS	OES	109.90 MHz	18 nm	156.98	-	1,411 ft
				33 km	152.78		1,411 m
15	GS	OES	109.90 MHz	10 nm	156.98	3.00	1,411 ft
				19 km	152.78		1,411 m

LSGS

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 2

Elevation: 1,584 ft / 483 m
Location: 46.219400 7.326090
Magnetic Var: 2.815 E

METAR

LSGS 060920Z 08004KT 020V140 9999 FEW080 24/13 Q1018

TAF

UNKNOWN

Frequencies

APP - 126.82 MHz - SION RADAR
GND - 121.70 MHz - SION GROUND

TWR - 118.27 MHz - SION TOWER
REC - 130.62 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	98 ft	2,167 ft	72.94	GRASS	0 ft	0 ft
	30 m	661 m	70.12		0 m	0 m
25R	98 ft	2,167 ft	252.94	GRASS	351 ft	0 ft
	30 m	661 m	250.13		107 m	0 m
07	131 ft	6,568 ft	72.86	ASPHALT	148 ft	646 ft
	40 m	2,002 m	70.05		45 m	197 m
25	131 ft	6,568 ft	252.88	ASPHALT	141 ft	640 ft
	40 m	2,002 m	250.07		43 m	195 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	ISI	108.35 MHz	45 nm	-	-	1,609 ft
				83 km	-		1,609 m
25	LOC-ILS	ISI	110.70 MHz	18 nm	252.87	-	1,584 ft
				33 km	250.05		1,584 m
25	GS	ISI	110.70 MHz	10 nm	252.87	6.00	1,584 ft
				19 km	250.05		1,584 m