

CYUL

Montreal-Pierre Elliot Trudeau Intl


CYQB

Quebec Jean Lesage Intl

2024/05/06 1309Z

CYUL CATOG CYQB

126.10 nm / 233.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
CYUL	-	45.46750	0 ft	-		Montreal-Pierre Elliot Trudeau Intl
APT	-	-73.74380	0 m			
CATOG	-	45.91720	16,000 ft	45	-	
FIX	-	-72.88380	4,877 m			
CYQB	-	46.78960	0 ft	81		Quebec Jean Lesage Intl
APT	-	-71.39260	0 m			

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.898 W

METAR

CYUL 061200Z 25003KT 15SM FEW005 OVC018 13/13 A2996 RMK SF1SC7 SLP149

TAF

TAF CYUL 061140Z 0612/0712 24007KT P6SM BKN020 TEMPO 0612/0613 SCT020 FM061300 24010KT P6SM FEW050 BECMG 0618/0620

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.45		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.47		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.51		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.53		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.47		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.50		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.52		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.50		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.47		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.47		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.50		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.52		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.50		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.47		118 m

CYQB

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 2

Elevation: 244 ft / 74 m
Location: 46.789600 -71.392600
Magnetic Var: 15.231 W

METAR

CYQB 061200Z 26007KT 2SM BR BKN005 OVC011 11/11 A2994 RMK FG2SF4SF2 SLP143

TAF

TAF CYQB 061140Z 0612/0712 25008KT 3/4SM -DZ BR BKN002 OVC010 TEMPO 0612/0615 4SM -RA BR SCT002 OVC010 FM061500 25

Frequencies

REC - 134.60 MHz - ATIS
TWR - 120.30 MHz -
APP - 124.00 MHz - TRML CON

GND - 121.90 MHz -
TWR - 118.65 MHz -
APP - 127.85 MHz - TRML CON

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,962 ft	44.60	ASPHALT	0 ft	0 ft
	46 m	2,732 m	59.83		0 m	0 m
24	150 ft	8,962 ft	224.62	ASPHALT	0 ft	0 ft
	46 m	2,732 m	239.85		0 m	0 m
11	150 ft	5,690 ft	97.70	ASPHALT	0 ft	0 ft
	46 m	1,734 m	112.93		0 m	0 m
29	150 ft	5,690 ft	277.72	ASPHALT	0 ft	0 ft
	46 m	1,734 m	292.95		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IQB	109.50 MHz	18 nm	44.62	-	244 ft
				33 km	59.85		244 m
06	GS	IQB	109.50 MHz	10 nm	44.62	3.00	244 ft
				19 km	59.85		244 m