

LIRF

Roma-Fiumicino "Leonardo da Vinci"


LEVC

Valencia

2024/05/03 1524Z

LIRF RUXOP L5 ALG ELSAG UM603 CDP A33 EPAMA LEVC

604.11 nm / 1118.82 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIRF	-	41.81080	0 ft	-	Roma-Fiumicino "Leonardo da Vinci"	
APT	-	12.25090	0 m			
RUXOP	-	41.16920	35,000 ft	107	-	
FIX	-	10.00940	10,668 m			
ROMPO	L5	41.09890	35,000 ft	11	-	
FIX	AWY-HI	9.77083	10,668 m			
POZZO	L5	40.94580	35,000 ft	24	-	
FIX	AWY-HI	9.26639	10,668 m			
MINKA	L5	40.81920	35,000 ft	20	-	
FIX	AWY-HI	8.85556	10,668 m			
ALG	L5	40.62810	35,000 ft	30	ALGHERO	
VOR	AWY-HI	8.24389	10,668 m			
ELSAG	-	40.60810	35,000 ft	11	-	
FIX	-	8.00000	10,668 m			
ORKUM	UM603	40.56390	35,000 ft	23	-	
FIX	AWY-HI	7.48278	10,668 m			
BAVON	UM603	40.26610	35,000 ft	67	-	
FIX	AWY-HI	6.05611	10,668 m			
INPEK	UM603	40.15810	35,000 ft	23	-	
FIX	AWY-HI	5.56000	10,668 m			
RIPAL	UM603	39.97810	35,000 ft	37	-	
FIX	AWY-HI	4.77139	10,668 m			
MORSS	UM603	39.95670	35,000 ft	4	-	
FIX	AWY-HI	4.66667	10,668 m			
MHN	UM603	39.86360	35,000 ft	21	MENORCA	
VOR	AWY-HI	4.21631	10,668 m			
CDP	UM603	39.69770	35,000 ft	37	CAPDEPERA	
VOR	AWY-HI	3.43436	10,668 m			
EPAMA	A33	39.60310	18,500 ft	95	-	
FIX	AWY-LO	1.38038	5,639 m			
LEVC	-	39.49000	0 ft	86	Valencia	
APT	-	-0.48335	0 m			

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.663 E

METAR

LIRF 031450Z 28015KT 9999 FEW020 18/10 Q1013 NOSIG

TAF

TAF LIRF 031100Z 0312/0418 30016KT 9999 SCT025 TEMPO 0312/0314 SHRA BECMG 0319/0321 VRB05KT TEMPO 0403/0406 4000 B

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE
GND - 121.72 MHz - FIUME APRON
GND - 121.90 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER
DEP - 131.10 MHz - ROMA DEPARTURE
APP - 125.50 MHz - ROMA ARRIVAL
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL
CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.67 MHz - FIUME GROUND
GND - 122.12 MHz - FIUME GROUND
TWR - 123.72 MHz - FIUME TOWER
DEP - 130.90 MHz - ROMA DEPARTURE
APP - 127.95 MHz - ROMA ARRIVAL
APP - 119.20 MHz - ROMA DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.02		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m

LEVC

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 240 ft / 73 m
Location: 39.490000 -0.483345
Magnetic Var: 0.909 E

METAR

LEVC 031500Z 26014KT CAVOK 26/01 Q1016 NOSIG

TAF

TAF LEVC 031100Z 0312/0412 27012KT 9999 FEW030 TX27/0314Z TN13/0406Z TEMPO 0314/0319 16012KT TEMPO 0315/0318 15012KT

Frequencies

REC - 121.07 MHz - ATIS	GND - 121.87 MHz - VALENCIA GROUND
TWR - 118.55 MHz - VALENCIA TOWER	TWR - 125.47 MHz - VALENCIA TOWER
CLD - 123.57 MHz - CLEARANCE DELIVERY	APP - 124.75 MHz - VALENCIA APPROACH
APP - 120.10 MHz - VALENCIA APPROACH	APP - 119.07 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,528 ft	116.24	ASPHALT	0 ft	0 ft
	45 m	3,209 m	115.33		0 m	0 m
30	148 ft	10,528 ft	296.26	ASPHALT	968 ft	945 ft
	45 m	3,209 m	295.36		295 m	288 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	VLN	111.50 MHz	25 nm	-	-	256 ft
				46 km	-		256 m
30	DME	IVC	110.10 MHz	18 nm	-	-	203 ft
				33 km	-		203 m
12	LOC-ILS	VLN	111.50 MHz	18 nm	116.20	-	256 ft
				33 km	115.29		256 m
30	LOC-ILS	IVC	110.10 MHz	18 nm	296.19	-	225 ft
				33 km	295.29		225 m
12	GS	VLN	111.50 MHz	10 nm	116.40	3.00	256 ft
				19 km	115.49		256 m
30	GS	IVC	110.10 MHz	10 nm	296.52	3.00	225 ft
				19 km	295.62		225 m