

WIII

Jakarta Soekarno-Hatta Intl


WBGG

Kuching Intl

2024/05/03 0103Z

WIII ABASA L644 TPN W14 PNK R455 PAPSA WBGG

513.25 nm / 950.54 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.11981 106.65700	0 ft 0 m	-	Jakarta Soekarno-Hatta Intl
ABASA FIX	-	-4.94775 107.26100	28,200 ft 8,595 m	79	-
TPN VOR	L644 AWY-HI	-2.72459 107.75300	35,000 ft 10,668 m	136	TANJUNG PANDAN
WIDIA FIX	W14 AWY-HI	-0.87526 108.88700	35,000 ft 10,668 m	130	-
PNK VOR	W14 AWY-HI	-0.07916 109.37500	23,700 ft 7,224 m	56	PONTIANAK
PAPSA FIX	R455 AWY-HI	1.19917 110.14200	4,600 ft 1,402 m	89	-
WBGG APT	-	1.48839 110.35400	0 ft 0 m	21	Kuching Intl

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.530 E

METAR

WIII 030030Z 25003KT 3000 HZ FEW020 28/26 Q1009

TAF

TAF WIII 022300Z 0300/0406 06005KT 9000 SCT020 TEMPO 0310/0312 5000 TSRA FEW018CB BKN020 BECMG 0317/0319 5000 HZ E

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

WBGG

Region: BRUNEI AND MALAYSIA
Timezone: ASIA/KUCHING
Runways: 1

Elevation: 88 ft / 27 m
Location: 1.488390 110.354000
Magnetic Var: 0.043 E

METAR

WBGG 030030Z VRB03KT 9999 FEW012 27/26 Q1010 NOSIG

TAF

TAF WBGG 022300Z 0300/0400 VRB03KT 9999 SCT016

Frequencies

REC - 128.40 MHz - ATIS
TWR - 118.10 MHz -

GND - 121.90 MHz -
APP - 120.20 MHz - APP DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	151 ft	12,408 ft	68.30	ASPHALT	0 ft	197 ft
	46 m	3,782 m	68.25		0 m	60 m
25	151 ft	12,408 ft	248.30	ASPHALT	0 ft	0 ft
	46 m	3,782 m	248.25		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	IKG	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
25	LOC-ILS	IKG	110.30 MHz	18 nm	248.23	-	89 ft
				33 km	248.18		89 m
25	GS	IKG	110.30 MHz	10 nm	248.52	3.00	89 ft
				19 km	248.47		89 m