


2024/05/03 0911Z

EGSS SITET **UN859** DVL **A34** LISEU LFOT

270.65 nm / 501.25 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS APT	-	51.88510 0.23499	0 ft 0 m	-	Stansted
SITET FIX	-	50.10000 0.00000	34,900 ft 10,638 m	107	-
ETRAT FIX	UN859 AWY-HI	49.68330 0.16333	29,400 ft 8,961 m	25	-
DVL VOR	UN859 AWY-HI	49.31070 0.31272	24,400 ft 7,437 m	23	DEAUVILLE NORMANDIE
LISEU FIX	A34 AWY-LO	49.10330 0.40194	21,600 ft 6,584 m	12	-
LFOT APT	-	47.43220 0.72761	0 ft 0 m	101	Tours Val de Loire

## EGSS

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 348 ft / 106 m  
Location: 51.885100 0.234989  
Magnetic Var: 0.575 E

## METAR

EGSS 030850Z AUTO 25008KT 3400 BR OVC004/// //TCU 10/09 Q1007

## TAF

TAF EGSS 030452Z 0306/0412 26010KT 9999 BKN005 TEMPO 0306/0310 4000 RADZ BR BKN003 BECMG 0307/0310 BKN010 PROB40 T

## Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.21		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.23		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.22		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.22		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.22		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.22		348 m

## LFOT

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 1

Elevation: 355 ft / 108 m  
Location: 47.432200 0.727609  
Magnetic Var: 1.028 E

## METAR

LFOT 030900Z AUTO 20010KT 160V250 9999 BKN025/// BKN042/// ///CB 14/08 Q1015 NOSIG

## TAF

TAF TAF LFOT 030500Z 0306/0406 23010KT CAVOK TEMPO 0309/0311 -SHRA SCT030TCU TEMPO 0311/0320 4000 SHRA SCT025CB P

## Frequencies

APP - 121.00 MHz - TOURS APPROACH  
GND - 122.10 MHz - TOURS GROUND

TWR - 124.40 MHz - TOURS TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	7,895 ft	15.23	CONCRETE	0 ft	961 ft
	45 m	2,406 m	14.20		0 m	293 m
20	148 ft	7,895 ft	195.24	CONCRETE	0 ft	955 ft
	45 m	2,406 m	194.21		0 m	291 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	TS	110.55 MHz	18 nm	-	-	408 ft
				33 km	-		408 m
20	LOC-ILS	TS	110.55 MHz	18 nm	195.21	-	341 ft
				33 km	194.18		341 m
20	GS	TS	110.55 MHz	10 nm	195.44	3.00	341 ft
				19 km	194.41		341 m