


2024/06/01 1653Z

EETN RITRA Q44 NEREN ESSV

230.80 nm / 427.45 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EETN	-	59.41330	0 ft	-	Lennart Meri Tallinn
APT	-	24.83650	0 m		
RITRA	-	58.88420	28,800 ft	80	-
FIX	-	22.42920	8,778 m		
NEREN	Q44	58.62770	20,600 ft	53	-
FIX	AWY-HI	20.77180	6,279 m		
ESSV	-	57.66280	0 ft	96	Visby
APT	-	18.34610	0 m		

EETN

Region: ESTONIA
Timezone: EUROPE/TALLINN
Runways: 1

Elevation: 128 ft / 39 m
Location: 59.413300 24.836500
Magnetic Var: 9.628 E

METAR

EETN 011620Z 36005KT 310V030 9999 FEW040 21/16 Q1013 NOSIG

TAF

TAF TAF EETN 011130Z 0112/0212 05008KT 9999 FEW035CB TEMPO 0112/0119 VRB25KT 2000 TSRA SCT007 BKN030CB PROB40 TEM

Frequencies

REC - 124.87 MHz - ATIS
TWR - 135.90 MHz - TALLIN TOWER
APP - 125.40 MHz - TALLINN RADAR
REC - 464.50 MHz - ATIS
APP - 127.90 MHz - TALLINN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	11,379 ft	90.27	ASPHALT	774 ft	810 ft
	45 m	3,468 m	80.65		236 m	247 m
26	148 ft	11,379 ft	270.33	ASPHALT	0 ft	203 ft
	45 m	3,468 m	260.70		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IIB	108.30 MHz	18 nm	90.30	-	128 ft
				33 km	80.67		128 m
26	LOC-ILS	ILK	109.30 MHz	18 nm	270.30	-	128 ft
				33 km	260.67		128 m
08	GS	IIB	108.30 MHz	10 nm	90.30	3.00	128 ft
				19 km	80.67		128 m
26	GS	ILK	109.30 MHz	10 nm	270.30	3.00	128 ft
				19 km	260.67		128 m

ESSV

Region: SWEDEN
Timezone: EUROPE/STOCKHOLM
Runways: 2

Elevation: 164 ft / 50 m
Location: 57.662800 18.346100
Magnetic Var: 6.891 E

METAR

ESSV 011620Z AUTO 01007KT 9999 NCD 20/15 Q1012

TAF

UNKNOWN

Frequencies

TWR - 120.30 MHz - VISBY TOWER

APP - 128.80 MHz - VISBY CONTROL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	6,568 ft	20.96	ASPHALT	0 ft	0 ft
	45 m	2,002 m	14.07		0 m	0 m
21	148 ft	6,568 ft	200.97	ASPHALT	0 ft	0 ft
	45 m	2,002 m	194.08		0 m	0 m
10	131 ft	3,612 ft	101.46	GRASS	0 ft	0 ft
	40 m	1,101 m	94.57		0 m	0 m
28	131 ft	3,612 ft	281.48	GRASS	0 ft	0 ft
	40 m	1,101 m	274.58		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	LOC-ILS	SV	110.30 MHz	18 nm	200.95	-	164 ft
				33 km	194.06		164 m
21	GS	SV	110.30 MHz	10 nm	201.91	3.00	164 ft
				19 km	195.01		164 m