

MMMX

Benito Juarez Intl


MMMD

Manuel Crescencio Rejon Intl

2024/05/02 1946Z

MMMX APN **UT19** AXUKU MMMD

538.45 nm / 997.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMMX	-	19.43630	0 ft	-	Benito Juarez Intl
APT	-	-99.07210	0 m	-	
APN	-	19.63730	14,200 ft	39	APAN
VOR	-	-98.39850	4,328 m	-	
AVIVI	UT19	20.19720	35,000 ft	194	-
FIX	AWY-HI	-95.00000	10,668 m	-	
VODAG	UT19	20.28360	35,000 ft	32	-
FIX	AWY-HI	-94.43610	10,668 m	-	
VIDMU	UT19	20.41310	35,000 ft	49	-
FIX	AWY-HI	-93.56440	10,668 m	-	
ELOPA	UT19	20.61690	29,900 ft	81	-
FIX	AWY-HI	-92.12500	9,114 m	-	
AXUKU	UT19	20.78170	14,900 ft	69	-
FIX	AWY-HI	-90.89360	4,542 m	-	
MMMD	-	20.93700	0 ft	69	Manuel Crescencio Rejon Intl
APT	-	-89.65770	0 m	-	

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.905 E

METAR

MMM 021847Z 30008KT 7SM SCT020 BKN220 29/03 A3019 NOSIG RMK 8/108 HZY AC

TAF

TAF MMM 021641Z 0218/0318 18008KT P6SM SCT200 TX30/0220Z TN18/0312Z FM022000 20012KT P6SM SCT030 TEMPO 0221/0301

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.33		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.34		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m

MMMD

Region: MEXICO
Timezone: AMERICA/MERIDA
Runways: 2

Elevation: 38 ft / 12 m
Location: 20.937000 -89.657700
Magnetic Var: 1.060 W

METAR

MMMD 021845Z 13012KT 7SM SKC 39/14 A2974

TAF

TAF MMMD 021710Z 0218/0318 14010KT P6SM SKC TX39/0220Z TN24/0312Z FM022100 04012G22KT P6SM SKC FM030300 12010KT P

Frequencies

REC - 127.90 MHz - ATIS
GND - 121.20 MHz - MERIDA APPROACH
TWR - 118.30 MHz - MERIDA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	10,498 ft	105.41	ASPHALT	1,047 ft	495 ft
	46 m	3,200 m	106.47		319 m	151 m
28	151 ft	10,498 ft	285.42	ASPHALT	0 ft	180 ft
	46 m	3,200 m	286.48		0 m	55 m
17	151 ft	7,611 ft	181.06	ASPHALT	0 ft	157 ft
	46 m	2,320 m	182.12		0 m	48 m
35	151 ft	7,611 ft	1.06	ASPHALT	0 ft	177 ft
	46 m	2,320 m	2.12		0 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMID	111.70 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
10	LOC-ILS	IMID	111.70 MHz	18 nm	105.42	-	38 ft
				33 km	106.48		38 m
10	GS	IMID	111.70 MHz	10 nm	105.42	3.20	38 ft
				19 km	106.48		38 m